micon INTERNATIONAL LIMITED | mineral industry consultants

ECO ORO MINERALS CORP.

TECHNICAL REPORT
ON THE UPDATED MINERAL RESOURCE ESTIMATE FOR THE ANGOSTURA GOLD-SILVER DEPOSIT, SANTANDER DEPARTMENT, COLOMBIA

Effective Date: June 1, 2015
Report Date: July 17, 2015

Thomas C. Stubens, MASc., P.Eng.

SUITE 205 - 700 WEST PENDER STREET, VANCOUVER BC, CANADA V6C 1G8
Telephone: 604-647-6463 Fax: 604-647-6455

Table of Contents

Page

1.0 SUMMARY 1

2.0 INTRODUCTION 4

3.0 RELIANCE ON OTHER EXPERTS 5

4.0 PROPERTY DESCRIPTION AND LOCATION 6
4.1 LOCATION 6
4.2 MINERAL TENURE 7
4.3 SURFACE FEES, INSURANCE AND ROYALTIES 9
4.3.1 Surface Fees 9
4.3.2 Insurance 9
4.3.3 Royalties 9
4.4 ENVIRONMENTAL LIABILITIES 10
4.5 WATER RIGHTS 10
4.6 SURFACE RIGHTS, EASEMENTS AND RIGHTS OF WAY 11
4.7 OTHER SIGNIFICANT FACTORS AND RISKS 12

5.0 ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE AND PHYSIOGRAPHY 15
5.1 ACCESSIBILITY 15
5.2 CLIMATE 15
5.3 LOCAL RESOURCES AND INFRASTRUCTURE 15
5.4 PHYSIOGRAPHY 15

6.0 HISTORY 17

7.0 GEOLOGICAL SETTING AND MINERALIZATION 19
7.1 REGIONAL GEOLOGY 19
7.2 LOCAL GEOLOGY 20
7.3 MINERALIZATION 22

8.0 DEPOSIT TYPES 24

9.0 EPLORATION 25
9.1 GENERAL BACKGROUND 25
9.2 GRIDS AND SURVEYS 25
9.3 SURFACE EXPLORATION 25
9.4 UNDERGROUND EXPLORATION 25
9.5 EXPLORATION STATISTICS 26

10.0 DRILLING 28
10.1 SUMMARY 28
10.2 DRILL METHODS 28

10.3 CORE LOGGING....30
10.4 DRILLING CONTROLS....31
10.5 CORE RECOVERY....31

11.0 SAMPLE PREPARATION, ANALYSES AND SECURITY....32
11.1 SAMPLING....32
11.2 SURFACE SAMPLING....32
11.3 UNDERGROUND SAMPLING....32
11.4 CORE SAMPLES....32
11.5 IN SITU DENSITY MEASUREMENTS....33
11.6 SAMPLING AND ASSAY PROCEDURES....33
11.7 ANALYTICAL LABORATORIES....33
11.8 SECURITY OF SAMPLES....34
11.9 QA/QC PROCEDURES....34

12.0 DATA VERIFICATION....36
12.1 MINE DEVELOPMENT ASSOCIATES, 1998....36
12.2 STRATHCONA MINERAL SERVICES LIMITED, 2002, 2003....36
12.3 STRATHCONA MINERAL SERVICES LIMITED, 2004....36
12.4 SNOWDEN, 2005....37
12.5 STRATHCONA MINERAL SERVICES LIMITED, 2006....37
12.6 HATCH LIMITED, 2007....38
12.7 METÁLICA CONSULTORES S.A., 2009....38
12.8 GRD MINPROC LIMITED, 2009....38
12.9 SMEE CONSULTANTS, 2006–2010....38
12.10 NCL, 2010....39
12.11 GOLDER ASSOCIATES, 2012....39
12.12 MICON COMMENTS....40

13.0 MINERAL PROCESSING AND METALLURGICAL TESTING....41
13.1 TESTWORK....41
13.2 REPRESENTATIVENESS OF SAMPLES....41
13.3 RECOVERY ESTIMATES....42
13.4 PROCESSING FACTORS....42

14.0 MINERAL RESOURCE ESTIMATES....43
14.1 INTRODUCTION....43
14.2 GEOLOGICAL INTERPRETATION....44
14.3 EXPLORATORY DATA ANALYSIS....45
14.3.1 Drillhole Database....45
14.3.2 Specific Gravity....45
14.4 GEOLOGICAL MODELING....46
14.4.1 Block Model Parameters....46
14.4.2 Single Indicator Block Model....47
14.5 CAPPING ANALYSIS....52
14.6 COMPOSITE STATISTICS....57

14.7 GRADE ESTIMATION 58
14.7.1 Variography 58
14.7.2 Estimation Parameters 63
14.7.3 Resource Validation 66
14.8 MINERAL RESOURCE CLASSIFICATION 71
14.9 MINERAL RESOURCE ESTIMATE 72
14.9.1 Comparison to Previous Estimate 76

15.0 ADJACENT PROPERTIES 78

16.0 OTHER RELEVANT DATA AND INFORMATION 79

17.0 INTERPRETATION AND CONCLUSIONS 80

18.0 RECOMMENDATIONS 81

19.0 REFERENCES 82

20.0 DATE AND SIGNATURE PAGE 84

21.0 CERTIFICATES 85

List of Tables

		Page
Table 1.1	Angostura Mineral Resource Summary at a Cut-off Grade of 2.5 g/t Au	2
Table 2.1	List of Abbreviations	4
Table 4.1	Mineral Tenures	7
Table 4.2	Water Rights Granted by CDMB	11
Table 9.1	Angostura Sampling Programs	27
Table 10.1	Angostura Diamond Drilling Summary	28
Table 10.2	Angostura Diamond Drilling – Core Size Summary	29
Table 11.1	Density Values Assigned to Weathering Horizons	33
Table 13.1	Metallurgical Test Programs	41
Table 14.1	Angostura Mineral Resource Summary at a Cut-off Grade of 2.5 g/t Au	43
Table 14.2	Drillhole Samples – Summary Statistics	45
Table 14.3	Data Analysis and Summary Statistic of Specific Gravity	46
Table 14.4	Angostura Block Model Parameters	46
Table 14.5	Angostura Azimuth Classes	47
Table 14.6	Angostura Vein Orientation and Azimuth Class	48
Table 14.7	Angostura – Azimuth Class – Au 1 g/t Indicator Variogram Models	49
Table 14.8	Search Parameters used in Estimation of 1.0 (g/t) Au Indicator	50
Table 14.9	Summary Sample Statistics – Au (g/t) Capped – High Grade Domains	53
Table 14.10	Summary Sample Statistics – Au (g/t) Capped – Low Grade Domains	54
Table 14.11	Summary Sample Statistics – Ag (g/t) Capped – High Grade Domains	55
Table 14.12	Summary Sample Statistics – Ag (g/t) Capped – Low Grade Domains	55
Table 14.13	Summary Composite Statistics – Capped	58
Table 14.14	Summary Composite Statistics – Uncapped	58
Table 14.15	Angostura – Gold Select Vein Variograms	59
Table 14.16	Angostura – Gold– Azimuth Class Variograms	62
Table 14.17	Estimation Search Parameters – Select Veins – High Grade	64
Table 14.18	Estimation Search Parameters – Select Veins – Low Grade	65
Table 14.19	Estimation Search Parameters – Azimuth Classes – High Grade	66
Table 14.20	Estimation Search Parameters – Azimuth Classes – Low Grade	66

Table 14.21 Angostura Mineral Resource Summary 73
Table 14.22 Angostura Mineral Resource Summary using Un-Capped Data 74
Table 14.23 Angostura Mineral Resource Summary by Weathering Horizon 75
Table 14.24 Comparison of 2015 Estimate to PEA Mineral Resource Estimate at 2.5 g/t Au Cut-off Grade 77
Table 17.1 Angostura Mineral Resource Summary at a Cut-off Grade of 2.5 g/t Au 80

List of Figures

		Page
Figure 4.1	Angostura Property Location	6
Figure 4.2	Eco Oro Mineral Tenure Map	8
Figure 4.3	Santurbán Páramo and Santurbán Regional Park	13
Figure 7.1	Geological Map of Vetas-California Mining District	20
Figure 7.2	Geological Map of the Angostura Deposit	21
Figure 7.3	Map of Principal Vein Zones	22
Figure 9.1	Angostura Project Underground Workings	26
Figure 10.1	Angostura Drillhole Collar Map	29
Figure 10.2	East-Looking Drillhole Cross-Section Through the Angostura Deposit	30
Figure 14.1	3D View of Angostura Mineral Structure Wireframes	44
Figure 14.2	Cross-section 130,950E Through Indicator Model	51
Figure 14.3	Cross-section 130,850E Through Indicator Model	52
Figure 14.4	Histogram of Sample Length	57
Figure 14.5	Angostura Gold X-Swath Plot	67
Figure 14.5	Angostura Gold Y-Swath Plot	68
Figure 14.6	Angostura Gold Y-Swath Plot	68
Figure 14.7	Angostura Gold Z-Swath Plot	69
Figure 14.8	Cross-section 130,850E Through Angostura Block Model	70
Figure 14.9	Cross-section 130,950E Through Angostura Block Model	71

1.0 SUMMARY

Micon International Limited (Micon) has been retained by Eco Oro Minerals Corp. (Eco Oro) to provide an updated mineral resource estimate of the Angostura gold and silver deposit in northeastern Colombia and to prepare an independent Technical Report in accordance with the reporting requirements of Canadian National Instrument 43-101 *Standards of Disclosure for Mineral Projects* (NI 43-101). The mineral resource estimate presented herein supersedes all earlier mineral resource estimates for this deposit.

The Angostura project is wholly owned by Eco Oro. On August 16, 2011, Eco Oro changed its name from "Greystar Resources Ltd." to "Eco Oro Minerals Corp."

The Angostura property consists of 14 mineral tenures covering 30,132.5 ha which Eco Oro has acquired by purchase and by application to the governmental agencies. It is located in northeastern Colombia on the western flank of the Santander Massif of the Eastern Cordillera, approximately 400 km northwest of the capital city of Bogota and 67 km northeast of the city of Bucaramanga, Soto Norte Province, Department of Santander. The geographical coordinates of the Angostura deposit are N7º 23' latitude and W72º 54' longitude. The property is located in steep, mountainous and relatively rugged terrain at elevations ranging from 2,400 to 3,500 masl.

The 2015 updated mineral resource estimate is based on an updated 3D geological model consisting of 104 mineralized structures and includes all of the technical data available as of March 2015. Since the completion of a preliminary economic analysis (PEA) by Golder Associates dated 9 March, 2012, Eco Oro has carried out an in-fill drilling program consisting of 96 drillholes totalling 40,468 m. The project database has been updated to include these new holes which now consists of 1,069 diamond drillholes representing 362,575 m of drilling and contains 209,737 assays totaling 359,681 m. Of that total, 93,487 assays totaling 148,728 m of core fall inside the mineralized structures.

To better segregate regions of higher and lower grade mineralization where regions of these cannot be clearly defined within a mineralized structure, Micon generated a probability model using Indicator Kriging (IK) at a threshold grade of 1.0 g/t Au. A probability of 0.40 was then selected as providing an acceptable representation of higher grade continuity and reasonable segregation of higher and lower grade volumes. The geological block model was flagged with these grade domains.

The assay data within the mineralized zones were flagged as higher grade or lower grade based on the 1.0 g/t Au Indicator model. Capping thresholds for the higher-grade and lower grade populations were determined for each mineralized structure for both gold and silver. A total of 75 gold assays in the high grade veins domains and 138 gold assays in the low grade domains were capped. These data represent 0.52% and 0.17% of their respective populations. The assay data were composited to intervals of 2 m by vein and grade class.

Ordinary Kriging (OK) was used to estimate gold grades in the high and low grade zones within each mineralized structure. Inverse Distance Squared (ID^2) was used to estimate silver grades. Three estimation passes were used with specific search radii and sample configuration schemes. The restrictions in terms of the minimum number of drillholes and search radii were selected in conjunction with Eco Oro's geologists through an iterative process designed to test a range of different search parameters.

A nominal 15 to 50 m protective surface pillar has been allowed for below the Páramo of Santurbán and Regional Park of Santurbán as a reasonable environmental precaution at this stage pending further technical investigations. Access below the Santurbán Páramo and Santurbán Regional Park for development and extraction has been assumed with these pillar allowances. Additional work and ongoing consultation with government authorities is expected to establish a framework to access the resources proximal to the Santurbán Páramo and Santurbán Regional Park abiding by all international mining standards and best practices.

The updated Angostura mineral resource estimate, which has an effective date of June 1, 2015, is summarized in Table 1.1, below at a cut-off grade of 2.5 g/t Au.

Table 1.1
Angostura Mineral Resource Summary at a Cut-off Grade of 2.5 g/t Au

Resource Class	Tonnes (Million)	Au (g/t)	Ag (g/t)	Contained Metal Au (koz)	Contained Metal Ag (koz)
Measured	3.56	4.55	28.7	520	3,279
Indicated	11.50	4.57	16.5	1,691	6,083
Meas + Ind	**15.06**	**4.57**	**19.3**	**2,211**	**9,362**
Inferred	6.85	4.70	19.0	1,034	4,192

(1) Mineral resources which are not mineral reserves do not have demonstrated economic viability. The estimate of mineral resources may be materially affected by environmental, permitting, legal, title, taxation, sociopolitical, marketing, or other relevant issues.

(2) The quantity and grade of reported inferred resources in this estimation are conceptual in nature and there has been insufficient exploration to define these inferred resources as an indicated or measured mineral resource and it is uncertain if further exploration will result in upgrading them to an indicated or measured mineral resource category.

The mineral resource estimate presented in this report was prepared by Thomas C. Stubens, P.Eng., in accordance with the definitions contained in the Canadian Institute of Mining, Metallurgy and Petroleum (CIM) Standards on Mineral Resources and Reserves Definitions and Guidelines that were prepared by the CIM Standing Committee on Reserve Definitions and adopted by the CIM Council on May 10, 2014.

Mr. Stubens has over 25 years of experience as a resource estimator and reviewer and is independent of Eco Oro Minerals Corp. as defined in NI 43-101.

Micon recommends that Eco Oro carryout a program of fill-in drilling to better define the extent, continuity and grade of higher grade zones within the broad mineralized structures. A

reduction in the drillhole spacing may also allow the upgrade of Inferred resources to Measured and Indicated.

2.0 INTRODUCTION

Micon International Limited (Micon) has been retained by Eco Oro Minerals Corp. (Eco Oro) to provide an updated mineral resource estimate for the Angostura gold silver deposit in northeastern Colombia, and to prepare an independent Technical Report in accordance with the reporting requirements of Canadian National Instrument 43-101 *Standards of Disclosure for Mineral Projects* (NI 43-101).

The purpose of this report is to provide an updated mineral resource estimate for the Angostura gold silver deposit which takes account a revised geological interpretation of the mineralized zones and drilling conducted since a previous resource estimate was issued in a preliminary economic analysis (PEA) report by Golder Associates dated 9 March, 2012.

A site visit to the property was conducted by Thomas C. Stubens, P.Eng., from 16 to 21 March, 2015, in the presence of Eco Oro staff.

Table 2.1
List of Abbreviations

Abbreviation	Term	Abbreviation	Term
°	Degree	km	Kilometre(s)
°C	Degrees Celsius	km^2	Square kilometre(s)
'	Minute (plane angle)	koz	Thousand ounces
"	Second (plane angle)	kt	Thousand tonnes
%	Percent	L	Litre(s)
<	Less than	L/s	Litres per second
>	Greater than	m	Metre(s)
3D	Three Dimensional	M	Million
a	Year (annum)	m/s	Metres per second
amsl	Above mean sea level	m^2	Square metre(s)
B	Billion	m^3	Cubic metre(s)
CDN$	Dollar (Canadian)	masl	Metres above sea level
cm	Centimetre	min	Minute (time)
cm^2	Square centimetre(s)	mo	Month
cm^3	Cubic centimetre(s)	Moz	Million ounces
CV	Coefficient of Variation	Mt	Million tonnes
dmt	Dry metric tonne	NN	Nearest Neighbour
g	Gram(s)	OK	Ordinary Kriging
g/t	Grams per tonne	oz	Ounce(s)
Ga	Billion years ago	ppb	Parts per billion
GPS	Global positioning system	ppm	Parts per million
ha	Hectare(s) (10,000 m^2)	QA/QC	Quality Assurance / Quality Control
ICP	inductively coupled plasma	RQD	Rock Quality Designation
ID^2	Inverse-disatnce Squared	s	Second (time)
IK	Indicator Kriging	SG	Specific gravity
IQR	Inter quartile range	SVOL	Search Volume
ISO	International Organization for Standardization	t	Metric ton(s) (tonne) 1,000 kg
kg	Kilogram(s)	US$	Dollar (American)

3.0 RELIANCE ON OTHER EXPERTS

Micon has reviewed and analyzed data provided by Eco Oro and its consultants, and has drawn its own conclusions therefrom, augmented by its direct field examination carried out during a site visit in March, 2015. Micon has not carried out any independent exploration work, drilled any holes or carried out any sampling and assaying on the property.

The status of the mining claims or mineral tenements under which Eco Oro hold title to the mineral rights for the Angostura deposit has not been investigated or confirmed by Micon, and Micon offers no legal opinion as to the validity of the mineral titles claimed. The description of the property, and ownership thereof, as set out in this report, is provided for general information purposes only.

The existing environmental conditions, liabilities and remediation have been described under the relevant section as per NI 43-101 requirements. However, the statements made are for information purposes only and Micon offers no opinion in this regard.

The general descriptions of geology and past exploration activities used in this report are taken from transcripts prepared by Eco Oro staff and consultants, and from reports prepared by various reputable companies or their contracted consultants, as well as from various government and academic publications. Micon has relied on these data, supplemented by its own observations at site.

4.0 PROPERTY DESCRIPTION AND LOCATION

4.1 LOCATION

The Angostura gold and silver deposit is located in northeastern Colombia on the western flank of the Santander Massif of the Eastern Cordillera, approximately 400 km northwest of the capital city of Bogota and 67 km northeast of the city of Bucaramanga, Soto Norte Province, Department of Santander.

Figure 4.1
Angostura Property Location

Source: Eco Oro (2015)

The property is located in steep, mountainous and relatively rugged terrain at elevations ranging from 2,400 to 3,500 masl. The geographical coordinates of the Angostura deposit are N7º 23' latitude and W72º 54' longitude.

The Angostura deposit, as identified to date, trends northeast-southwest over a strike distance of approximately 1,500 m by 1,000 m in a northwest-southeast direction i.e., covering a surface area of approximately 150 ha. The deposit is located within the Concession Contract 3452 as set out below in Table 4.1

4.2 MINERAL TENURE

Eco Oro has acquired, by purchase and by application to the governmental agencies, a total of 14 mineral tenures covering 30,132.5 ha in the Angostura area as listed in Table 4.1 and shown in Figure 4.2, below.

Table 4.1
Mineral Tenures

Tenure	Designation	Area (ha)	Registration Date	Expiry Date
3452	Concession Contract	5,244.9	9-Aug-2007	8-Aug-2027
101-68	Exploitation Licence	5.7	19-Apr-2000	18-Apr-2010[1]
127-68	Exploitation Licence	3.5	19-Apr-2000	18-Apr-2010[2]
13921	Exploitation Licence	78.6	18-Dec-2003	17-Dec-2013[3]
6979	Concession Contract	40.0	10-Jul-2006	9-Jul-2026
300-68	Exploration Licence	9.2	14-Oct-2003	13-Oct-2008[4]
22346	Concession Contract	1,184.1	17-Jun-2008	16-Aug-2033
AJ5-142	Concession Contract	4,061.1	15-Nov-2006	14-Nov-2034
AJ5-143	Concession Contract	3,890.5	22-Jun-2007	21-Jun-2037
AJ5-144	Concession Contract	4,336.0	12-Feb-2008	11-Feb-2038
EJ1-159	Concession Contract	814.9	9-Mar-2007	8-Mar-2037
EJ1-163	Concession Contract	8,424.7	16-May-2007	15-May-2037
EJ1-164	Concession Contract	1,439.3	24-May-2007	23-May-2037
343-54	Concession Contract	600.0	9-Feb-2007	8-Feb-2037
Totals		**30,132.5**		

Notes:

1. This licence was to expire in 2010. Prior to the expiry date, within the time permitted, Eco Oro applied for an extension of the title for 10 additional years. Prior to the extension application being processed, on March 30, 2011, Eco Oro applied to have the licence converted to a concession contract, which conversion application is still pending a decision.
2. This licence was to expire in 2010. Prior to the expiry date, within the time permitted, Eco Oro applied for an extension of the title for 10 additional years. Prior to the extension application being processed, on March 29, 2011, Eco Oro applied to have the licence converted to a concession contract, which conversion application is still pending a decision.
3. This licence was to expire in 2013. Prior to the expiry date, within the time permitted, on September 24, 2013, Eco Oro applied to have the licence converted to a concession contract, which conversion application is still pending a decision.
4. This licence was to expire in 2008. Prior to the expiry date, within the time permitted, on July 28, 2008, Eco Oro applied to have the licence converted to a concession contract, which conversion application is still pending a decision.

Figure 4.2
Eco Oro Mineral Tenure Map



Source: Eco Oro (July, 2015)

Decree 2655, 1988 (the 1988 Mining Code) established four types of mining titles: exploration licences, exploitation licences, contribution contracts and concession contracts. An exploitation licence grants the right to exploit mineral resources for a term of 10 years, with a right to apply for a 10-year extension upon its expiry. It may also be converted into a concession contract subject to the mining code in force. The conversion will be granted for a 20-year term, extendable according to the applicable regime (currently 20 years). Concession contracts granted under the 1988 Mining Code have 30-year terms without the right to an extension. Eco Oro holds exploitation licences and concession contracts that are governed by the 1988 Mining Code.

Law 685, 2001 (the 2001 Mining Code) provides for only one type of mining title, known as a concession contract, which is granted for a term of 30 years and divided into three phases:

i. exploration, with a three-year term, which, according to the National Development Plan (Law 1450, 2011), may be extended up to eight additional years in two-year extensions each, for a total of 11 years;

ii. construction and installation, with a three-year term, which may be extended for an additional year; and
iii. exploitation, comprising the remainder of the 30-year term.

A concession contract may be extended for an additional 30 years. Once the extension expires, the holder of the concession contract would have preference in obtaining a new concession contract over the same area. Under the 2001 Mining Code, the extension is deemed approved whenever the mining authority fails to issue a response to a properly submitted application for an extension before the termination of the phase. Eco Oro holds several concession contracts, including its principal mineral titles that are governed by the 2001 Mining Code.

Concession Contract 3452 expires August 8, 2027, which concession may be extended for an additional 30 years. Concession Contract 3452 is currently in the exploration phase, which phase expires on August 8, 2016 and may be extended for an additional two years. After the exploration phase, Concession Contract 3452 may move into the construction phase and then the exploitation phase.

4.3 SURFACE FEES, INSURANCE AND ROYALTIES

4.3.1 Surface Fees

In Colombia, holders of mining titles in the exploration phase are required to pay an annual tax (*canon superficiario*) based on the number of hectares covered by each title and the mining regime applicable to the title ranging from a daily minimum wage (approximately US$10) per hectare per year to three times the daily minimum wage per hectare per year. Pursuant to the 2001 Mining Code and the 1988 Mining Code, these taxes are calculated as follows: (i) up to 2,000 ha, one daily minimum wage; (ii) above 2,000 to 5,000 ha, two daily minimum wages; and (iii) above 5,000 to 10,000 ha, three daily minimum wages.

4.3.2 Insurance

The 2001 Mining Code requires an environmental mining insurance policy for each concession contract to ensure compliance with mining and environmental obligations as follows: (i) 5% of the budget for the annual investments during the exploration and the construction phases, and (ii) 10% of the result of multiplying the estimate of annual production (volume) and the price of the mineral at the mine head according to what is set with the Government annually.

4.3.3 Royalties

The Government of Colombia is currently entitled to receive royalties on gold and silver production equal to 4% of the value of the minerals extracted. For the settlement of the value of gold and silver, the price will be 80% of the average international gold and silver prices for the previous month as published by the London Metal Exchange.

Eco Oro's principal mining title, Concession Contract 3452, was created by the consolidation of 10 previously-existing titles in 2007, two concession contract proposals and one exploration license request. The vendors of two of those previously-existing titles retained net profits interests. In respect of permit 3452, covering an area of approximately 250 ha prior to its consolidation under Concession Contract 3452, the underlying vendors are entitled to 5% of net profits of the mining operations over 50% of the original mining title, and 10% net profit of the mining operations over the remaining 50%. In respect of permit 47-68, covering approximately 54 ha prior to its consolidation under Concession Contract 3452, the underlying vendor is entitled to a 10% net profits royalty of the mining operations over 100% of the original mining title. The area under which the net profits interest applies covers approximately 73% of the Angostura deposit mineralized area, therefore, a total 5.5% net profits is payable to these original vendors.

4.4 ENVIRONMENTAL LIABILITIES

The Angostura deposit has been the subject of several exploration campaigns since the late 1990's, mainly from surface but also from limited underground workings in the Perezosa and Veta Barro sectors. Current environmental liabilities are therefore related to restoring any impact of these various exploration programs.

Future reclamation will be primarily associated with drill platforms, general slope stabilization, access roads, and small waste dumps. Restoration activities will include ecological rehabilitation of surface slopes, re-vegetation where required, and stabilization of disturbed sectors. The area impacted by exploration activities to date has been minimal in the order of 5 to 10 ha, i.e. less than 1% of the Angostura property.

Eco Oro believes it is currently in compliance with material environmental regulations applicable to its exploration and development activities.

4.5 WATER RIGHTS

The use of surface or underground water requires prior concession from the Regional Autonomous Corporations. Likewise, water discharge requires permitting from the same authority. Both water concessions and discharge permits require payment of fees to the Regional Autonomous Corporation (*Corporación para la Defensa de la Meseta de Bucaramanga*, CDMB). Eco Oro holds the following water rights granted by the CDMB (Table 4.2).

Table 4.2
Water Rights Granted by CDMB

Resolution	Creek	L/s	Allowed uses	Expiration
Res. 778, 2004	El Pozo	0.1764	Mining activities and human consumption	Aug-14[1]
Res. 770, 2004	Angostura	4.010	Mining activities and human consumption	Aug-16
Res. 771, 2004	La Venta	3.0174	Mining activities and human consumption	Aug-16

Note:
1. Prior to the expiry date, within the time permitted, Eco Oro applied for an extension of the right, which application is still pending a decision.

4.6 SURFACE RIGHTS, EASEMENTS AND RIGHTS OF WAY

Currently, Eco Oro has ownership of approximately 3,700 ha, approximately 260 ha of which are entirely outside the Santurbán Páramo and regional parks, including the Santurbán Regional Park. The surface parcels are irregular-shaped since they were mainly held for agricultural use. Additional ground or easements for use remain to be acquired by Eco Oro for the tailings facilities and other surface facilities being considered.

Land acquisition in Colombia is subject to the compliance of certain formalities according to the Colombian Civil Code, such as the execution of a public deed and further registry before the Public Acts Registry Office. Forms of acquisition include, amongst others, acquisition agreements, hereditary rights, foreclosures, or by way of prescriptive rights (statute of limitations on possession). Registry before the aforementioned office is required to consolidate property upon the holder.

Mining is considered to be of public utility and an activity of public interest, therefore the owner of a mining concession agreement is also entitled to request from judicial authorities: (i) the imposition of easements or rights of way necessary for the operation, and (ii) request expropriation of lands needed for the project, when it is not possible to have an agreement with the land owner. In any case, Eco Oro has the obligation of paying the affected third party all amounts determined as compensation by administrative and/or judicial authorities for this purpose. Easement rights may be requested from the moment of the execution of the concession agreement. On the other hand, expropriation will require prior approval of the PTO (*Plan de Trabajos y Obras*) by the mining authority in order to be enforced.

The region in which the Angostura Project is located is characterized by a high degree of informality in holding of land. Therefore, the most common forms of acquisition are acquisitions agreements with registered owner(s), assignment agreements over owner's hereditary rights from next of kin, and agreements over material possession rights when there is informality in land property. To date, Eco Oro has not filed for an imposition of an easement or right of way, nor has it initiated expropriation legal actions against third parties.

As a consequence of informality, the acquisition of surface rights, easements or rights of way, is often a lengthy process. Even though material possession of lands may be easily

exercised, the process of property acquisition can take several years when the owners do not have proper registered titles over land. Nevertheless, Colombian law provides for the possibility of settling land titles by the application of a statute of limitations of prescriptive right based on material possession of lands. Eco Oro has also executed several private agreements with third parties for rights of way on to properties not owned by Eco Oro in order to perform exploration activities and geological scoping.

4.7 OTHER SIGNIFICANT FACTORS AND RISKS

The 2001 Mining Code and the National Development Plan, define the existence of areas that may be excluded from mining activities, such as regional parks and Páramo ecosystems. For an area to be excluded from mining, the geographic boundary must have been determined by the relevant environmental authority. In the area of the Angostura project, the boundaries of the Santurbán Páramo were determined by the Ministry of Environment and Sustainable Development (*Ministerio de Ambiente y Desarrollo Sostenible*, MADS) in December 2014 and the boundaries of the Santurbán Regional Park were determined by the CDMB in January 2013. The Santurbán Páramo covers portions of the following mineral tenures: CC 3452, CC 6979, L 22346, CC AJ5-142, CC AJ5-143, CC EJ1-159, CC EJ1-163, CC EJ1-164, CC 343. The Santurbán Regional Park covers portions of the following mineral tenures: CC 3452, CC 6979, L 22346, CC AJ5-142, CC AJ5-143, CC EJ1-159, CC EJ1-163 and CC EJ1-164.

In December 2014, the Ministry of Environment and Sustainable Development in Colombia approved Resolution 2090 dated December 19, 2014, (the Resolution) wherein the boundaries of the Santurbán Páramo were declared.

The Resolution provides that within the Santurbán Páramo there are certain areas where mining may take place (Mining Permitted Restoration Areas), subject to stricter environmental controls. A map prepared by Eco Oro, Figure 4.3, below shows the general layout of principal mineralized structures relating to the Angostura deposit in relation to the Santurbán Páramo, Mining Permitted Restoration Area and previously-declared Santurbán Regional Park. As depicted in this map, the boundaries of the Santurbán Páramo extend beyond the boundaries of the Santurbán Regional Park.

Eco Oro is currently assessing how the Angostura project will be developed taking into consideration the Santurbán Páramo. This will include assessing various techno-economic parameters such as cut-off grade, production rates, mining and metallurgical approaches, access to adjacent and at depth resources and the overall infrastructure layout.

Accessing mineral resources below the Santurbán Páramo and Santurbán Regional Park for development and extraction has been assumed with certain pillar allowances. Additional work and ongoing consultation with government authorities is expected to establish a framework to access the resources proximal to the Santurbán Páramo and Santurbán Regional Park abiding by all international mining standards and best practices. Should management's assumption that the resources below the Santurbán Páramo and Santurbán

Regional Park are accessible for development and extraction prove incorrect, potential development of the mineral resources would be materially affected.

In January 2013, CDMB declared the Santurbán Regional Park and approved its boundaries. The Santurbán Regional Park is an area excluded from mining and will affect development of the Angostura project.

The extent to which the development of the Angostura project will be affected by the Santurbán Regional Park will not be fully understood until Eco Oro completes a prefeasibility and/or feasibility study on the Angostura project and applications for the environmental licences and permits necessary for developing the Angostura project are assessed by Eco Oro and relevant authorities.

Figure 4.3
Santurbán Páramo and Santurbán Regional Park



Source: Eco Oro (July, 2015)

In December, 2014, MADS delineated the boundaries of the Páramo ecosystem in the area of the Angostura project. This Páramo ecosystem is an area excluded from mining and will further effect the development of the Angostura project. If development of the Angostura

project is permitted with modifications to accommodate the areas excluded from mining, such accommodation may result in additional costs and/or delays, which could materially affect the commercial viability and profitability of future operations.

5.0 ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE AND PHYSIOGRAPHY

5.1 ACCESSIBILITY

The Angostura project may be accessed from Bucaramanga is via the partially-paved Matanza–Surata–California road, a distance of 67 km and travel time of two to three hours, depending on weather conditions.

Bucaramanga has an airport, with daily flights to Bogota, Medellin and Panama City. Helicopter flights to the Angostura project site are also conducted from Bucaramanga. The closest port is Santa Marta, 550 km from the Angostura site.

5.2 CLIMATE

The project experiences two wet seasons, from April to June and from September to November. January is the driest month, April the wettest. The climate is highland tropical, with the average annual temperature being 8.7 to 9.8 °C, ranging between 0.8 °C and 26.9°C. Rainfall averages 1,182 mm and the evaporation rate is about 576 mm. Relative humidity averages 73%.

Although exploration activities can be curtailed by weather, it is expected that mining operations would be conducted year-round.

5.3 LOCAL RESOURCES AND INFRASTRUCTURE

The principal economic activity in the area is the small-scale exploitation of gold, while agriculture, cattle husbandry and basic commercial activities are of lesser significance. Agriculture is carried out using traditional methods with low yields, and cattle are primarily grown for meat production for local demand.

The project is easily accessible from Bucaramanga by paved and gravel road passing through the nearest settlement of California where basic supplies and local manpower are available. The project can be operated year-round from a well-established camp facility with capacity for some 50 people.

5.4 PHYSIOGRAPHY

The project is located in steep, relatively rugged mountainous terrain and, as currently defined, at elevations ranging from approximately 2,600 to 3,500 masl.

The project is situated at the upper end of the La Baja creek drainage basin, a catchment area of approximately 124 km^2 above the town of California. The local catchment area of the Angostura creek drains an area of approximately 10 km^2.

Vegetation in the higher part of the Angostura project area can be described as light “alpine scrub” consisting of grasses and shrubs such as romaine, agraz, etc. and *Frailejon* (espeletia humboldt), typical for the high elevations of the northern Andes mountains of Venezuela, Colombia, and Ecuador.

6.0 HISTORY

Early mining activity comprised artisanal activities that ranged from pre-Colombian times, and later Spanish excavations.

At the end of the First World War, a British company, Colombian Mining Association, and a French company, Francia Gold and Silver, operated in the area.

In 1947, The Anaconda Company (Anaconda) completed detailed geologic surface and underground mapping and core drilling (746 m) between the La Baja and La Alta areas. The Nippon Mining Company in 1967 undertook drilling in the La Baja area. Exploration activity was undertaken by Placer Development Ltd. and Ingeominas (*Instituto Colombiano de Geología y Minería*) in the 1970's and 1980's, respectively.

There are no known mineral resource estimates prior to exploration by Greystar/Eco Oro Minerals Corp.

Exploration by Eco Oro commenced in 1994, through to 1999, geologic mapping, surface rock sampling, core drilling (181 drillholes, 52,000 m), and metallurgical test work were completed. A small part of the underground development created by artisanal miners was mapped and sampled, and based on areas that were safely able to be inspected; about 13,000 t at about 8 g/t Au has been extracted. Mineral resource estimates were undertaken in 1997, and updated in 1999. An engineering study, termed a "pre-feasibility study" at the time, was also undertaken in 1998, and envisioned either; an open pit/ heap leach operation, or an open pit feeding agitated leach and heap leach facilities. After completion of the preliminary study, Kinross Gold Corporation, which at the time was a significant shareholder in Eco Oro, performed a mineral resource estimate update in 1999.

From 2000 to 2003, due to security constraints, no work was undertaken. From 2003, work has included geochemical sampling, geologic mapping, adit and tunnel excavation, core drilling, and condemnation drilling. Mineral resource estimates were performed in 2005, 2006, 2007, 2008, and 2010. A preliminary economic assessment study of open pit mining was completed in 2008. Mineral reserve estimation was undertaken in 2009 together with additional metallurgical test work.

A pre-feasibility study, completed in 2009 by GRD Minproc, envisaged open pit mining, followed by a conventional processing facility using two process routes, cyanide heap leaching of oxide, transition and low sulphur ore to produce doré, and grinding and flotation of high sulphur/high gold content ore to produce concentrates. Based on the assumptions in the study, the project returned positive economics.

A feasibility study for an open pit operation was commissioned during 2010. This study did not progress to implementation and some of the technical studies executed in this phase are being used to support the evaluation of an underground mining option for the Angostura deposit.

In April, 2011 an initial underground PEA carried out by NCL Consultores was released. The underground mining potential and the preliminary mine production presented in this PEA were constrained by the terms of reference including a gold price of US$850/oz, a gold cut-off grade of 3.0 g/t and a resource estimation update with effective date March 18, 2011. This resource estimation update included drill and assay data acquired up to July, 2010.

On August 16, 2011, Eco Oro changed its name from “Greystar Resources Ltd.” to “Eco Oro Minerals Corp.”

In March, 2012, Golder Associates released an updated PEA studying an underground mining option for the project.

7.0 GEOLOGICAL SETTING AND MINERALIZATION

7.1 REGIONAL GEOLOGY

The Angostura project is located in the area where the Eastern Cordillera separates into two mountain ranges, one that goes in a north-easterly trending direction, which enters Venezuela forming the Cordillera de Merida, and a second, a north-south trending mountain range which is located in Santander and Norte de Santander in Colombia.

The mountain range hosting the Angostura project includes the Santander Massif. The oldest rocks in the massif are Precambrian gneisses and schists that were part of the Guyana Shield, and which have been regionally metamorphosed to upper amphibolite grade in the Palaeozoic.

Intruding the metamorphic rocks is the diorite to granite composition rocks that belong to the Triassic–Jurassic Santander Plutonic Group. These intrusions were accompanied by felsic to andesitic volcanism. During subsequent back-arc development, a number of basins formed, and were filled with marine transgressive sediments. During the Late Cretaceous to Paleocene/Eocene, folding and thrusting of the Eastern Cordillera resulted in basin inversion and uplift, and intrusion of Middle Miocene porphyritic bodies of rhyodacitic and dacitic composition.

Uplift and erosion occurred during the Late Eocene to Early Oligocene, with reactivation of older structures and continued uplift during the Middle to Late Miocene. As a result of ongoing tectonic plate movements, the area is currently undergoing additional deformation, with rapid basin inversion and uplift.

Gold mineralization occurs within the Vetas-California gold province, a belt of epithermal gold occurrences that has developed along the regional-scale Rio La Baja fault in association with the Middle Miocene stocks, as shown in Figure 7.1, below.

Figure 7.1
Geological Map of Vetas-California Mining District



Modified from MDRU (2012).

7.2 LOCAL GEOLOGY

The Angostura deposit has to date been defined over a strike extent of 2 km, a width of 1 km, and from 2,400 to 3,500 masl. The deposit is delimited to the northwest by the Angostura Fault and to the southeast by the Móngora Fault.

A suite of porphyritic diorite to quartz monzonite bodies and dyke swarms of Triassic age, are intruded into the amphibolite facies Bucaramanga Gneiss, a series of meta-sediments of Proterozoic age. These rocks have been intersected by a swarm of generally east–northeast trending, steeply north-dipping structures. More than 200 individual veins and composite veins have been identified to date by means of surface and underground mapping, and interpretation of drillhole data.

Figure 7.2
Geological Map of the Angostura Deposit



Source: Eco Oro (July, 2015)

The Angostura deposit is sub-divided geographically into four principal zones: Los Laches, El Silencio, Central, and Veta de Barro as shown in Figure 7.3, below.

Hydrothermal alteration overprinting alteration processes related to regional metamorphism, such as chloritization and epidotization, is complex. More distal to the veins, sericite, illite, smectite, kaolinite and, finally, chlorite may occur. Alteration assemblages are typical of high sulphidation deposits.

Quartz veins formation is associated with partial silicification superimposed on the original altered rocks with patches of micro granular quartz. The most intensive alteration stage shows complete silicification of the rock with a final product of granular, sometimes vuggy, crustified quartz.

Figure 7.3
Map of Principal Vein Zones



Source: Eco Oro (July, 2015)

7.3 MINERALIZATION

The Angostura deposit may be characterized as a structurally controlled high-sulphidation epithermal gold deposit. Mineralization is controlled by a swarm of structures with generally northeast-southwest, east-west to east-northeast-west-southwest and northwest-southeast trends and commonly steep dips. The intensity of fracturing, and thus the degree of secondary porosity and permeability of the host rocks, controls the density of mineralization containing important enrichment in high grade shoots.

Mineralization occurs in bands, veinlets, stringers, and silicified hydrothermal breccias within the structures. In the upper parts of the mineralized system, alteration and mineralization are stronger in the intrusive host rocks, and the meta-sediments appear to make a poorer host for the gold-silver mineralization.

Mineralized structures vary in width from less than 2 m for individual veins to over 40 m for composite structures, and strike lengths range from less than 50 m to over 1 km. Over 200 individual veins and composite veins have been identified to date by means of surface mapping, mapping of underground workings, and interpretation of drillhole data.

Gold-silver mineralization occurs principally with pyrite in bands, veinlets, stringers, hydrothermal breccias or stockwork composed predominantly of quartz, pyrite and alunite entirely replacing the primary host rock. Typical sulphide associations include pyrite-digenite-tetrahedrite and pyrite-chalcopyrite (digenite, tetrahedrite); locally pyrite is the only sulphide.

Very fine-grained electrum and gold-silver tellurides occluded in pyrite have been identified in laboratory testwork as gold-telluride (probably calaverite – $AuTe_2$) and as gold-silver telluride (probably petzite – Ag_3AuTe_2). The fine grained character and the frequent occurrence of gold in tellurides together explain the partly refractory nature of the primary mineralization at Angostura.

Oxidation has affected the rocks at Angostura property to depths of up to and sometimes exceeding 170 m along specific structures. It is more generally in the range of 10 to 30 m at the edge of the deposit, and attains depths that vary from 40 to 100 m in its central parts. The oxidation is irregular in shape, following increased permeability along mineralized structures and later faults and fractures.

Where oxidation is incomplete, sulphides are mantled by limonite in a transition zone typically with sulphide sulphur concentrations of 1 to 2% (as compared to approximately 0.5% in the actual oxidation zone).

8.0 DEPOSIT TYPES

The Angostura deposit has been interpreted as a typical example of a high-sulphidation epithermal deposit within a classification that includes Summitville (Colorado, USA), Nansatsu (Japan), El Indio (Chile), Temora (New South Wales, Australia), Pueblo Viejo (Dominican Republic), and Lepanto (Philippines).

Angostura can be characterized as a structurally controlled, uplifted and deeply eroded, high-sulphidation epithermal gold deposit. The deposit has been interpreted as being the lower part of a lithocap as defined by Sillitoe (1995) that was eroded during uplift of the Northern Andes exposing the sericite-illite-quartz zone of a copper-molybdenum-gold porphyry system. The mineralization is typically associated with pyrite and contains important contents of gold and silver. Intense hydrothermal activity related to small porphyry intrusions is interpreted to have been related to gold and silver mineralization.

Most of the gold mineralization is hosted by several sets of anastomosing veins and tabular silicified zones. The hydrothermal alteration in the centre of the structures is mainly quartz-alunite with the more distal association being sericite-illite-smectite-kaolinite grading outwards to chlorite; this zonation reflects a gradual change from acid to basic alteration moving away from the veins.

The discovery of copper-molybdenum mineralization in an intrusive breccia some 4 km to the south of Angostura suggests that the gold mineralization at Angostura may be related to a porphyry system at depth. The exploratory work in this area has showed evidence of hydrothermal alteration with pyrite suggesting some potential for investigation.

9.0 EPLORATION

9.1 GENERAL BACKGROUND

Since 1994, the Angostura project has been explored through a combination of surface geologic mapping, superficial rock sampling, soil sampling, stream sediment sampling and diamond drilling both surface and underground. Underground exploration development totalling 3,145 m of drifting has also been completed in the Perezosa, Veta de Barro, and Fuego Verde sections of the deposit; this work included mapping, channel sampling, and muck sampling of development rounds. All the underground openings created by artisanal miners in the area of Eco Oro's holdings were also mapped and sampled.

9.2 GRIDS AND SURVEYS

A regional topographic survey was completed in 2008 by the Colombian company, Aeroestudios Ltda., based on aerial photographs over approximately 16,000 ha covering the project area and adjacent surroundings. From 2008 to 2010, Estudio-T Rural, from Bucaramanga, completed detailed topography using total station surveying.

9.3 SURFACE EXPLORATION

Geochemical soil sampling campaigns have been undertaken in the immediate project area and some surrounding areas with more than 4,000 samples collected on a grid with an initial spacing at 100 or 200 m and subsequent infill sampling. Samples were taken at an average depth of 0.8 m. The samples were analysed for 37 elements using ICP mass spectroscopy analysis of 15 g aliquots after agua regia digestion. As a result of this work, gold anomalies were identified in areas such as Animas, Móngora, Violetal and La Plata.

9.4 UNDERGROUND EXPLORATION

In 1997, underground exploration of the deposit commenced in the Silencio vein area with 198 m completed in the Fuego Verde tunnel (3,056 m elevation). This was followed in April, 2004 by the development of two parallel east-west drives with two connecting cross-cuts on the 2,850 m elevation (Perezosa 2 tunnel). Finally in 2008, 415 m of lateral development was completed in the northern Veta de Barro vein zone at an elevation of 3,095 m.

Underground workings are shown in Figure 9.1.

Figure 9.1
Angostura Project Underground Workings



Source: Eco Oro (July, 2105)

9.5 EXPLORATION STATISTICS

Table 9.1 summarizes the Angostura surface and underground sampling programs.

Table 9.1
Angostura Sampling Programs

Period	Surface Sampling		Underground		
	Length (m)	Assays	Advance (m)	Muck Samples	Channel Samples
1995 to late 1998	398	131	198	-	116
Late 1998 and 1999	7,336	2,014	-	-	432
2000 - Jun/03	756	275	-	-	343
Jun/03 - May/04	-	-	32	-	145
Jun/04 - Mar/05	1,272	738	476	322	356
Apr - Sep/05	-	-	369	214	169
Sep/05 - Jun/06	-	-	923	439	374
Jun/06 - Dec/06	-	-	274	140	348
Dec/06 - Dec/07	87	42	228	295	718
Dec/07 - May/08	167	76	458	54	150
June/08 - July/10	2,726	1,031	187	304	165
Aug/10 - May/11	-	-	-	-	-
Jun/11 - Nov/12	-	-	-	-	-
Totals	**12,742**	4,307	**3,145**	**1,768**	**3,316**

The exploration of the property has been supported by several petrological, mineralogical and other research studies.

10.0 DRILLING

10.1 SUMMARY

The mineral resource estimate described in this report is based on 1,069 diamond drillholes representing 362,575 m of drilling completed on the project from the late 1990's to late 2012. A total of 901 holes were drilled from surface and 168 were drilled from the undergound workings. These numbers do not include drilling on targets adjacent to the Angostura deposit, but they do include 96 holes totalling 40,468 m not included in the March, 2012 PEA resource estimate. The diamond drilling is summarized by year in Table 10.1.

Table 10.1
Angostura Diamond Drilling Summary

	Surface			Underground			Total Drilling		
Year	**Holes**	**Length (m)**	**Assays**	**Holes**	**Length (m)**	**Assays**	**Holes**	**Length (m)**	**Assays**
1995	13	2,142.65	1,674	-	-	-	13	2,142.65	1,674
1996	39	7,532.45	7,156	-	-	-	39	7,532.45	7,156
1997	55	15,720.90	10,797	-	-	-	55	15,720.90	10,797
1998	32	11,440.20	8,034	-	-	-	32	11,440.20	8,034
1999	44	15,255.22	11,982	-	-	-	44	15,255.22	11,982
2003	33	9,750.95	6,416	-	-	-	33	9,750.95	6,416
2004	77	28,376.10	17,378	11	2,291.35	1,447	88	30,667.45	18,825
2005	117	42,518.55	23,972	32	8,862.55	5,356	149	51,381.10	29,328
2006	98	44,666.00	24,309	55	13,189.25	7,814	153	57,855.25	32,123
2007	130	51,547.35	27,625	50	7,877.05	4,498	180	59,424.40	32,123
2008	124	37,557.40	19,870	16	2,845.60	1,488	140	40,403.00	21,358
2009	7	2,919.55	1,351	-	-	-	7	2,919.55	1,351
2010	35	14,894.75	7,424	-	-	-	35	14,894.75	7,424
2011	65	28,555.85	13,815	-	-	-	65	28,555.85	13,815
2012	32	13,099.85	6,570	4	1,531.55	761	36	14,631.40	7,331
Total	901	325,977.77	188,373	168	36,597.35	21,364	1,069	362,575.12	209,737

A surface plan map of the Angostura project (see Figure 10.1, below) shows the drillholes completed by Eco Oro and summarized in Table 10.1. A typical cross-section is shown in Figure 10.2.

10.2 DRILL METHODS

All drilling to date has been by core methods. Core size varied from BQ (36.5 mm diameter) to NQ (47.6 mm) to HQ (63.5 mm). PQ-size (85 mm) core in 2,981 m of drilling has been dedicated to collection of samples for metallurgical testwork.

Table 10.2
Angostura Diamond Drilling – Core Size Summary

Core Size	Diameter (mm)	Metres Drilled	Proportion (%)
BQ	36.5	9,361.60	2.6
NQ	47.6	281,087.32	77.5
HQ	63.5	69,145.00	19.1
PQ	85.0	2,981.20	0.8
Total		**362,575.12**	

Figure 10.1
Angostura Drillhole Collar Map



Source: Eco Oro (July, 2015)

Figure 10.2
East-Looking Drillhole Cross-Section Through the Angostura Deposit



Source: Micon (July, 2015)

10.3 CORE LOGGING

Since 1997, all drill core has been photographed, with film records from 1997-1999, and digital records from June, 2003 to the present.

Data recorded in core logging include the major and minor lithologies, mineralization style and intensity, key minerals, type and intensity of alteration, structural details, RQD, etc.

Since November, 1997, the degree of oxidation and weathering has been logged. A major program of re-logging to improved standards set by Eco Oro was undertaken in early 1999.

From October, 2009 a new oxidation level classification was introduced such that all core is classified as either oxidized, transitional or sulfide (fresh rock).

10.4 DRILLING CONTROLS

Drillhole collars in the field are clearly marked by wooden stakes bearing the information of hole number, azimuth, inclination, and coordinates. Drill collar locations have been verified by survey, and Eco Oro contracted a professional surveyor to perform the survey readings using total station equipment.

Drillholes were generally orientated perpendicular to the mineralization. Dips vary depending on the target and range from -76º to +57º.

Average drillhole spacing in the core of the deposit is approximately 50 m; but in areas of high-grade mineralization drillholes can be at 25 m spacing and in some small areas at 12.5 m. This increases to 150 m drillhole spacing at the edges of the deposit.

Until 1997, the drillhole orientation was measured using a Tropari instrument. From 1997 to 2003, a Sperry Sun instrument was used. The original measurement frequency was at 50 m intervals, starting at a depth of 150 m down-hole. When the Reflex EZ-Shot instrument was adopted in late 2003, down hole surveys were completed at surface, and then at 25 m intervals, to the end of the hole. Where there were problems with hole stability, measurements were taken at different interval spacing.

10.5 CORE RECOVERY

The average core recovery for the entire drillhole database is approximately 93%. About 80% of the intervals are above a 90% recovery, a figure that includes near-surface recoveries that are typically very poor to a depth of about 5 to 10 m. Core recovery below a depth of approximately 20 m increases to an average of 95%.

11.0 SAMPLE PREPARATION, ANALYSES AND SECURITY

11.1 SAMPLING

Eco Oro staff has been responsible for the following aspects of sampling control: sample collection, core splitting, density determinations, and sample preparation (from March, 2004), sample storage and sample security.

From 1994 to 2011, Eco Oro personnel carried out all collection, splitting, and bagging of core samples.

Various sampling methods and techniques have been applied during the exploration and development of the Angostura project. Principal sampling programs and methods are discussed below.

No material factors were identified with the drilling programs that could affect mineral resource estimation.

11.2 SURFACE SAMPLING

Surface sampling was conducted by channel sampling. Discernible vein structures were sampled by panel sampling, with individual panels measuring 1 to 4 m^2. Chip samples were collected over pre-defined sections of outcrop selected to show no discernible difference in lithology or alteration. The sample locations were determined by tape and compass, tying into surveyed drillhole collars.

In 2004, the channel samples constituted continuous rock chip sampling using chisels and sledge hammers. The surface channel samples have been used during resource estimation for veins modeling, but not for grade estimate.

11.3 UNDERGROUND SAMPLING

The Perezosa 2 (2850 level, 2,501 m in length) and Veta de Barro (3050 level, 415 m in length) tunnels were sampled by a combination of continuous chip sampling along drift walls, muck sampling, and systematic channel sampling along both walls of the 2850 and 3050 level drift and crosscuts, using an electrical saw.

11.4 CORE SAMPLES

Mineralized sections of core have been sampled at intervals from 0.5 m to 3.0 m according to lithology and mineralization.

Sampling procedures followed industry-standard practice as follows. Sample intervals are marked on the core boxes and the portion of core to be assayed is placed in a plastic sample bag with a sample ticket. The average sampled core length was 1.3 m in the 1990's drilling,

increasing to approximately 1.7 m since 2003. In general, longer samples were taken in areas believed to be below economic cut-off grade. Few samples are less than 0.5 m long. Sampling observes obvious breaks in lithology, alteration and mineralization.

Only diamond drillhole sample assays were used to generate the mineral resource estimate discussed in this technical report.

11.5 IN SITU DENSITY MEASUREMENTS

Eco Oro undertook 9,200 density measurements to May, 2011 on diamond drill core samples selected according the lithology, alteration and mineralization, using a wax immersion (ASTM C914-98) methodology.

Table 11.1, below, shows the density values used for mineral resource estimation.

Table 11.1
Density Values Assigned to Weathering Horizons

Weathering Horizon	SG	Correction Factor	Bulk Density (t/m^3)
Oxide	2.45	95%	2.33
Transition	2.56	98%	2.51
Fresh Rock	2.62	100%	2.62

11.6 SAMPLING AND ASSAY PROCEDURES

Sample preparation has been performed by independent laboratories, and by an on-site sample preparation facility staffed by Eco Oro employees. From 1995 to 1999, Rossbacher Laboratories Ltd. (Rossbacher) of Vancouver prepared all core, geochemical and tunnel samples. From June 2003 to March 2004, sample preparation was initially undertaken by the Petroleum Institute Research laboratory in Piedescuesta; however, the laboratory could not keep up with the volume. Samples that were considered to be unmineralized were prepared by that laboratory, but all other samples were air-freighted to ALS Chemex in Vancouver in that time period.

In 2004, a preparation laboratory was established on site. The site facility employs one Rhino and one Terminator jaw crusher. A charge of barren limestone or granite is passed between samples. After crushing, the sample, of an original mass of typically 1.5 kg to 3 kg, is blended and a sub-sample of nominally 250 g obtained by riffle splitting. Quality control (QC) measures include the weighing and screen analysis of one in 10 samples.

11.7 ANALYTICAL LABORATORIES

Until the end of 1999, Rossbacher was the primary analytical laboratory. The laboratory was independent of Eco Oro.

Bondar Clegg Laboratories in Vancouver, now ALS Chemex Laboratories (ALS Chemex), performed check assays on pulp duplicate materials during the period 1996 to 1999. The laboratory accreditations are not known for this period. The laboratory was independent of Eco Oro. ALS Chemex in Vancouver performed sample preparation during early 2004, was the umpire laboratory until 2007, and has performed assays on samples since 2007. ALS Chemex also re-assays all samples that return a gold grade of >0.4 g/t Au. The laboratory is independent of Eco Oro, and holds both ISO:9001:2000 and ISO17025 accreditation.

ACME Analytical Laboratories Ltd. in Vancouver (ACME) was the analytical laboratory that performed assays on low-grade samples between 2004 and 2007. The laboratory was also the umpire laboratory for the period between late 2007 and March, 2010. The laboratory is independent of Eco Oro, and holds ISO:9001:2000 accreditation.

Assayers Canada Limited performed umpire assays during the period April 2004 to March 2007. The laboratory is independent of Eco Oro and holds ISO:9001:2000 accreditation.

11.8 SECURITY OF SAMPLES

Sample security has relied upon the fact that the samples were always attended or locked at the sample dispatch facility. Eco Oro has always undertaken sample collection and transportation using corporately-owned vehicles, or contracted through commercial laboratories. Chain of custody procedures consisted of filling out sample submittal forms that were sent to the laboratory with sample shipments to make certain that the laboratory received all samples. Before 2004, the plastic bags containing individual samples were combined into larger heavy plastic bags, and three of these in turn are packed into plastic fiber bags for transport. In 2004 a sample preparation laboratory was constructed at the Angostura project main exploration camp.

Core is stored in boxes that are numbered and ordered, and housed in two dry, clean, and well-maintained permanent facilities near the village of California. Older drill core that was stored originally in Bucaramanga was moved to the facilities in California in late 2008.

11.9 QA/QC PROCEDURES

A number of QA/QC programs and procedures have been followed during the exploration and development of the project. The QA/QC programs have included industry-standard insertion of standards, field and coarse duplicates, and blank samples, during sample preparation based on a general ratio of 1 blank, 1 reference standard, 1 field duplicate and 1 pulp duplicate for each lot of 36 samples. Blank samples are inserted into the sampling stream as a QA/QC check for sample contamination and laboratory cleanliness. As part of its 2012 resource estimate, Golder concluded that the blank QA/QC results for gold were acceptable and assay results are considered suitable for resource estimation.

Standards are inserted every 15-20 samples into the analytical stream to assess the accuracy of the assay laboratory and to determine the presence of bias across a range of gold grades from <1g/t Au to >35g/t Au. Field duplicates correspond to the second half of the core and are prepared and inserted on-site.

A number of data verification programs and audits have been performed over the Angostura project's history, primarily in support of compilation of technical reports on the project. Data checks were also performed in support of the pre-feasibility and feasibility studies on the project.

In a QA/QC due diligence report by Smee & Associates Consulting Ltd. dated April 17, 2011, the Qualified Person (QP) concluded that sampling methods in progress at the time were acceptable, met industry-standard practice, and were adequate for the purpose of resource estimation and mine planning.

In its QA/QC review as part of the March, 2012 mineral estimate report, the Golder QP concluded that a reasonable level of verification had been completed, and that no material issues would have been left unidentified from the programs undertaken. The Golder QP reviewed the appropriate reports, and was of the opinion that the data verification programs undertaken on the data collected from the project adequately supported the geological interpretations, the analytical and database quality and, therefore, supported the use of the data for mineral resource estimation.

Based on its assessment of the QA/QC procedures in place at the Angostura project, Micon considers that a reasonable level of verification has been completed, and no material issues would have been left unidentified from the programs undertaken.

12.0 DATA VERIFICATION

A number of data verification programs and audits have been performed over the life of the Angostura project. The following summary has been excerpted from the March, 2012 PEA report prepared by Golder.

12.1 MINE DEVELOPMENT ASSOCIATES, 1998

As part of the 1998 mineral resource estimate, Mines Development Associates (MDA) completed a database audit on data collected at the end of 1998. Thalenhorst (2002) reported that MDA found the database to be "generally satisfactory". Thalenhorst and Barton (2003) also noted, in relation to the MDA audit results:

> *"This audit detected a number of clerical errors and shortcomings, and addressed remnants of a problem that had been recognized earlier, namely the duplication of a number of sample numbers by Rossbacher. The problem was subsequently resolved, but a relatively small number of assay results could not be assigned to their original drillhole intervals which therefore are labeled as not having been assayed."*

12.2 STRATHCONA MINERAL SERVICES LIMITED, 2002, 2003

The analytical data undertaken by Rossbacher on original and coarse reject samples were compared with analytical results from pulp duplicate assays performed by Bondar Clegg Laboratories. Thalenhorst and Barton (2003) concluded that:

> *"There is a tendency of the Rossbacher results to be high by around 10% as compared to Bondar Clegg. An analysis of the data shows that this difference is mainly caused by data from the assay intervals >20 g/t where there is a fairly large difference between the two labs."*

A systematic QA/QC program was recommended for implementation, as was a systematic density determination program.

12.3 STRATHCONA MINERAL SERVICES LIMITED, 2004

In 2003-2004, a number of high-grade core intervals were re-sampled and rejects submitted for check assaying at ALS Chemex. Thalenhorst (2004) examined the data and found that:

> *"There is a tendency of the Rossbacher results for gold to be high by around 10% as compared to Bondar Clegg and Chemex. In contrast, the Rossbacher silver results may be slightly low, but how much of this is due to the different digestion methods used is currently unclear. Most of the difference is in the assay population >10 g/t gold."*

Eco Oro reviewed these findings, and showed that the differences between the Rossbacher and Bondar Clegg results were restricted to assays above about 2 g/t Au. These appeared to be traceable to certain groups of contiguous samples where the Rossbacher results were consistently and obviously high (the "bad" set, corresponding to 891 samples), while other batches did not show this bias. A total of 520 samples with a Rossbacher mean gold value of 6.6 g/t Au were re-assayed at ALS Chemex which reported a mean of 6.2 g/t Au. Kinross, in 1999, estimated the mineral resources with, and without, the Rossbacher data, and found little impact.

The overall conclusions were that the data could support mineral resource estimation. Thalenhorst (2004) recommended that Eco Oro replace those Rossbacher assays for which Bondar Clegg check assays were available and to re-assay those other samples assayed by Rossbacher that had a direct impact on the mineral resource estimated gold grade.

12.4 SNOWDEN, 2005

Burns (2005) reviewed Eco Oro's database, the geological interpretation, the collection of drillhole data, surface and underground showings, the preparation laboratory, the core logging facility and the core sheds in California and Bucaramanga. Seven drillholes were inspected, and in all instances the lithologies, mineralization, alteration and sample intervals were found to agree with the drill logs. Assay checks between the primary database and the compiled Datamine database were undertaken, and selected analytical data were compared between ALS Chemex's posted website results and the database values. No discrepancies were found. Burns (2005) concluded that the data were acceptable to inform mineral resource estimation.

12.5 STRATHCONA MINERAL SERVICES LIMITED, 2006

QA/QC data from blank, Standard Reference Material (SRM) and duplicate samples were reviewed and no significant biases or analytical errors noted. Thalenhorst (2006) was of the opinion that:

> *"The full QA/QC system as practised since 2003 conforms to industry standards, with the available check assay and standards assay data indicating the assay results for the years 2003 to 2006 as reliable, and that any contamination is a short-lived problem. Because of the generally fine-grained nature of the gold at Angostura, assay precision is uncommonly good, giving a high degree of confidence in individual assays."*

Thalenhorst (2006) noted that by 2006, the Rossbacher data constituted less than 1% of the total analytical database and, therefore, were no longer of concern.

The specific gravity determinations available were acceptable to support mineral resource estimation.

12.6 HATCH LIMITED, 2007

No independent data verification was performed by Wells et al. (2007), instead, the conclusions of Thalenhorst (2006) were considered acceptable for the preliminary assessment completed.

12.7 METÁLICA CONSULTORES S.A., 2009

As part of database verification for mineral resource estimation, Sironvalle (2009) concluded:

> *"While the QA/QC system as practiced since 2003 largely conforms to industry standards, it could have been somewhat more systematic and regular. The available check assay and standards assay data indicate that the assay results for the years 2003 to 2008 collectively are reliable, that they are fairly precise individually, and that any contamination was a short-lived problem.*
>
> *Bulk density data added since December 2007 confirmed the analyses made in 2007."*

12.8 GRD MINPROC LIMITED, 2009

Greig et al. (2009) did not perform any independent verification, noting:

> *"From the checks made by Eco Oro, previous consultants and Metalica, it is concluded that the data has been verified to a sufficient level to permit its use in a 43-101 compliant resource estimate."*

12.9 SMEE CONSULTANTS, 2006–2010

Barry Smee inspected the preparation laboratory on three occasions, and prepared reports on the QA/QC programs in 2006, 2007, and 2008. Smee (2007) recommended that two high-grade standards be acquired; these were incorporated into the QA/QC program for the 2008 drill program.

Smee (2010) reviewed the QA/QC program conducted between September, 2008 and September, 2010. The program was conducted as part of exploration drilling at Angostura and Móngora. Smee recommended the following:

- Increase the frequency of control samples to 4 control sample (standard, blank, preparation duplicate and core duplicate) per batch (35 samples).
- Include a Standard Au > 10 g/t.
- Prepare a custom standard (1.2 to 4 g/t Au).

- Prepare and analyze 200 stored rejects to act as preparation duplicates for estimating sample preparation representativeness.

12.10 NCL, 2010

NCL conducted a review of the database quality, concluding that it was robust and well managed, and noted that security measures precluded data tampering.

Four drillholes, representing approximately 1,000 assays, were randomly selected, and checked against the corresponding database entries. No inconsistencies between digital and hardcopy data were identified.

NCL concluded from these reviews that:

> *"While the QA/QC system as practiced since 2003 conforms to industry standards, the available check assay and standards assay data indicate that the assay results for the years 2003 to 2008 collectively are reliable, that they are fairly precise individually, and that any contamination was a short-lived problem."*

Considering the results of the verification completed by NCL and the extent of external quality assurance and quality control measures implemented by Eco Oro as well as external data verification and QA/QC controls conducted by Barry Smee, NCL did not consider that further independent verification sampling was required.

In the opinion of NCL, Eco Oro used industry best practices to explore for gold and silver on the Angostura project. The exploration data were collected with care and are appropriately managed to ensure the safeguard of exploration information. The resulting exploration data are generally reliable for resource estimation. The estimate used data available up to July 2010.

12.11 GOLDER ASSOCIATES, 2012

The process of data verification for the project has primarily been performed by external consultancies. The Golder QP considered that a reasonable level of verification had been completed, and that no material issues would have been left unidentified from the programs undertaken.

The QP who relied upon this work, had reviewed the appropriate reports, and was of the opinion that the data verification programs undertaken on the data collected from the project adequately supported the geological interpretations, the analytical and database quality and, therefore, supported the use of the data for mineral resource estimation. The main conclusions of Golder's review were:

- No significant sample biases were identified from the QA/QC programs undertaken by Eco Oro. A small portion of the initial 1996 to 1999 Rossbacher data were

identified as being biased high for gold values; however, check analytical data by ALS Chemex were used instead of the original data in estimation, and the remainder of the data were then a very minor component of the total assay database (<1%).

- Sample data collected adequately reflected deposit dimensions, true widths of mineralization, and the style of the deposit.

- External reviews of the database were undertaken between 1998 and 2010, producing independent assessments of the database quality. No significant problems with the database, sampling protocols, flowsheets, check analysis program, or data storage were noted.

- Changes and adjustments to the QA/QC program suggested by Smee, 2010 had been implemented, except for the preparation and introduction of a custom standard (1.2 to 4 g/t Au) that was in process of certification at the time.

- Drill data were typically verified prior to mineral resource estimation, by running check routines.

12.12 MICON COMMENTS

Micon has reviewed the historical data, reports and reviews and agrees with the conclusions reached by Golder in the March, 2012 PEA.

Micon performed its own checks of the Angostura database for logical and data entry errors. A number of corrections were suggested to Eco Oro and these have been incorporated into the database. Micon considers the Angostura drillhole database to be acceptable for mineral resource estimation.

13.0 MINERAL PROCESSING AND METALLURGICAL TESTING

An extensive discussion of metallurgical testwork and other processing issues was included in the March, 2012 PEA authored by Golder. In 2012, McClelland Labs Inc, with support from Hazen research, conducted additional metallurgical testwork of higher grade samples more typical of an underground mine. The information presented in this report is supported by all of the metallurgical test programs completed on the project to date.

13.1 TESTWORK

Eco Oro contracted several test work campaigns including mineralogical characterization, flotation, sulfur oxidation and cyanidation of oxide, transitional and sulphide material types.

The main flotation and cyanidation test work campaigns were conducted by SGS Lakefield Research Africa (Pty) Ltd. (SGS), Metcon Research Inc. (METCON) and McClelland Laboratories Inc.. The following laboratories also carried out other metallurgical tests: G&T Metallurgical Services Ltd. (G&T): mineralogical characterization, flotation and ultra-fine grind testing, Hazen Research (roasting and pressure oxidation tests), Little Bear Laboratories Inc. (bio-oxidation) and BIOMIN Technologies S.A (bio-oxidation tests).

The principal test work programs are summarized in Table 13.1, below.

Table 13.1
Metallurgical Test Programs

Laboratory	Scope of Work
McClelland	Extensive column & bottle roll leach testing and flotation test work
G&T	Extensive flotation test work
METCON	Extensive column & bottle roll leach testing and flotation test work
SGS (Chile & South Africa)	Extensive flotation test work (pilot plant run), continuous bio-oxidation tests and mineralogical analysis
Hazen Research	Preliminary roasting, pressure oxidation and leach testing

13.2 REPRESENTATIVENESS OF SAMPLES

Sample description carried out prior to metallurgical characterization included different aspects such as the classification of the rock types, hydrothermal alteration types, spatial distribution in the Angostura deposit model and geological model of oxidation (oxidation level zones). Mineralized zones were catalogued according to distribution of the structural trends and gold-silver contents.

A distribution of structural domains, characterized by small variations in mineralization, alteration intensity, structural trend continuity and rock types, and bounding by local faults had been defined. These structural domains were identified by their zone name as: Cristo Rey, Veta de Barro East, Veta de Barro West, Perezosa Fault, Central, Los Laches and

Silencio. Samples representing each of these major zones were collected and composited for metallurgical testing.

13.3 RECOVERY ESTIMATES

Gold and silver recovery is a function of head grade, ore source locations and the flowsheet applied.

The oxide metallurgy is relatively simple and oxides mineralization responded to conventional techniques, such as direct whole rock cyanidation. Sulphide mineralization resulted in low recoveries when processed by grinding and cyanidation because of the association of gold and silver with the sulphide minerals.

There more refractory components responded well to flotation. Recoveries to concentrate in the mid 80% to 90% range and, at times, higher were common for both gold and silver. The downstream processing method applied to such concentrates will dictate the final metal recovery.

Oxidation processes, such as pressure oxidation (POX) and roasting provided high leach recoveries for the final concentrate with approximately 95% of gold and 90% of silver liberated. The use of bio-oxidation techniques was less effective due to lower total oxidation of the sulphide. Leach extraction rates of the order of 90% for gold and around 70-80% for silver were achieved.

13.4 PROCESSING FACTORS

The different characteristics of the Angostura oxide and sulphide mineralization will require a processing plant capable of dealing with each type separately. Oxide mineralization may be subjected to whole ore or conventional techniques, such as agitated cyanide leaching or heap leaching, whereas the sulphide mineralization will require concentration (flotation) with either sale of the resulting concentrate to third parties, or further processing using oxidation followed by conventional cyanidation.

Flotation concentrate analysis presented the concentrate as clean with no elevated levels of deleterious elements or compounds that would incur transportation or treatment penalties.

The reader is referred to the March, 2012 PEA by Golder for further details regarding processing options.

14.0 MINERAL RESOURCE ESTIMATES

14.1 INTRODUCTION

The Angostura mineral resource estimate discussed in this report is based on an updated 3D geological model of 104 mineralized structures and includes all of the drillhole data available as of March 31, 2015. The database consists of 1,069 diamond drillholes representing 362,575 m of drilling, and contains 209,737 assays totaling 359,681 m. A total of 901 holes were drilled from surface and 168 were drilled from the undergound workings.

Since the March 2012 PEA resource estimate was completed, 96 drillholes totalling 40,468 m (91 drilled from surface and 5 from underground) have been added to the database.

The updated Angostura mineral resource estimate, effective date June 1, 2015, is summarized in Table 14.1, below at a cut-off grade of 2.5 g/t Au.

Table 14.1
Angostura Mineral Resource Summary at a Cut-off Grade of 2.5 g/t Au

Resource Class	Tonnes (Mt)	Au (g/t)	Ag (g/t)	Contained Metal Au (koz)	Contained Metal Ag (koz)
Measured	3.56	4.55	28.7	520	3,279
Indicated	11.50	4.57	16.5	1,691	6,083
Meas + Ind	**15.06**	**4.57**	**19.3**	**2,211**	**9,362**
Inferred	6.85	4.70	19.0	1,034	4,192

(1) Mineral resources which are not mineral reserves do not have demonstrated economic viability. The estimate of mineral resources may be materially affected by environmental, permitting, legal, title, taxation, sociopolitical, marketing, or other relevant issues.

(2) The quantity and grade of reported inferred resources in this estimation are conceptual in nature and there has been insufficient exploration to define these inferred resources as an indicated or measured mineral resource and it is uncertain if further exploration will result in upgrading them to an indicated or measured mineral resource category.

The mineral resource estimate presented in this report was prepared by Thomas C. Stubens, P.Eng., in accordance with the definitions contained in the Canadian Institute of Mining, Metallurgy and Petroleum (CIM) Standards on Mineral Resources and Reserves Definitions and Guidelines that were prepared by the CIM Standing Committee on Reserve Definitions and adopted by the CIM Council on May 10, 2014.

Mr. Stubens has over 25 years of experience as a resource estimator and reviewer and is independent of Eco Oro Minerals Corp. as defined in NI 43-101.

The Angostura mineral resource estimate was generated using Datamine Studio modeling software: Version 3.24.25.0.

14.2 GEOLOGICAL INTERPRETATION

The current model used structural trend surfaces that follow the interpreted mineralized structures throughout the deposit. The trend surfaces guide the direction of the three axes of the search ellipsoid used for grade interpolation on a local scale and ensure that geological influence on the grade interpolation is preserved.

Three dimensional wireframe models for each of the 104 mineralized zones ("vetas") were generated by Eco Oro geologists along with a topographic surface and surfaces representing the bases of the oxide and transitional weathering horizons. A 3D view of the mineralized zone wireframes is shown in Figure 14.1, below.

Figure 14.1
3D View of Angostura Mineral Structure Wireframes



Source: Micon (July, 2015)

14.3 EXPLORATORY DATA ANALYSIS

14.3.1 Drillhole Database

The summary diamond drillhole sample statistics are shown in Table 14.2. A total of 93,487 assays, totaling 148,728 m, of core, fell within the mineralized structures. Mineral resources were only estimated inside the 104 mineral zone wireframes so only the samples within the wireframes were used for the estimation.

More detailed breakdowns of the gold, silver and copper sample statistics by vein are presented in Appendix 1.

Table 14.2
Drillhole Samples – Summary Statistics

	Veins			"Waste"			Grand Total		
	Au (g/t)	Ag (g/t)	Cu (%)	Au (g/t)	Ag (g/t)	Cu (%)	Au (g/t)	Ag (g/t)	Cu (%)
Mean	**0.90**	**5.3**	**0.029**	**0.24**	**1.7**	**0.012**	**0.53**	**3.3**	**0.020**
Max	336	2,520	9.4	380.7	1,150	4.9	380.7	2,520	9.4
Q3	0.65	3.60	0.019	0.194	1.3	0.009	0.36	2.1	0.013
Median	0.261	1.30	0.008	0.067	0.5	0.004	0.13	0.8	0.006
Q1	0.1	0.60	0.004	0.012	0.1	0.002	0.033	0.1	0.003
Min	0.0001	0.05	0.0001	0.0001	0.02	0.0001	0.0001	0.02	0.0001
IQR	0.55	3.00	0.015	0.18	1.20	0.01	0.33	2.00	0.01
CV	4.62	4.71	4.05	7.09	6.19	3.97	5.75	5.60	4.44
Samples	93,487	93,346	93,346	116,250	115,363	115,362	209,737	208,709	208,708

14.3.2 Specific Gravity

Eco Oro has collected over 9,200 specific gravity measurements from drill core samples covering a range of lithologies, alteration and weathering types. Specific gravity was measured using the water immersion method. Outliers were removed and only data within the veins were considered such that only 1,289 were used to determine the global bulk densities of the oxide, transition and fresh (sulphide) material.

A porosity correction factor was applied to the mean specific gravity values to obtain the apparent density (bulk density), which was then assigned to each block in that weathering horizon. The SG statistics and data analysis are summarized in Table 14.3, below.

Table 14.3
Data Analysis and Summary Statistic of Specific Gravity

Weathering Horizon	Data	Mean	Maximum	Minimum	Std. Dev.
Oxide	212	2.44	2.69	1.64	0.16
Transition	219	2.57	4.01	1.81	0.2
Fresh Rock	872	2.62	3.85	1.85	0.23

Basic Statistics After Outlier Treatment.

Weathering Horizon	Data	Mean	Maximum	Minimum	Std. Dev.
Oxide	206	2.45	2.69	2.11	0.14
Transition	213	2.56	3.01	2.16	0.13
Fresh Rock	870	2.62	3.85	2.12	0.23

Data Correction to Obtain the Bulk Density

Weathering Horizon	SG	Correction Factor	Bulk Density (t/m^3)
Oxide	2.45	95%	2.33
Transition	2.56	98%	2.51
Fresh Rock	2.62	100%	2.62

14.4 GEOLOGICAL MODELING

14.4.1 Block Model Parameters

The Angostura mineral resource was estimated using a parent block size of 5 m by 5 m by 5 m and sub-blocks as small as 1 m by 1 m by 1 m. The model was generated in a local coordinate system in which 1,000,000 was subtracted from the easting and northing UTM coordinates of each entity. No rotation was applied to the block model. The block model parameters are summarized in Table 14.4.

Table 14.4
Angostura Block Model Parameters

	Easting (m)	Northing (m)	Elevation (m)
Maximum	132,100	309,820	3,560
Minimum	130,300	307,550	2,350
Range	1,800	2,270	1,210
Block Size	5	5	5
Parent Blocks	360	454	242
Sub-block Size	1	1	1

14.4.2 Single Indicator Block Model

To better segregate regions of higher and lower grade mineralization, within a Mineralized Structure, where these regions cannot be clearly defined, a probability model was generated using Indicator Kriging (IK) at a threshold grade of 1.0 g/t Au. A probability of 0.40 was then selected as providing an acceptable representation of high grade continuity and reasonable segregation of the high and low grade volumes.

For the purposes of generating the 1.0 g/t Au indicator variograms, the veins were grouped by their average strike into 4 azimuth classes (IDAZM) as summarized in Table 14.5, below.

Table 14.5
Angostura Azimuth Classes

IDAZM	
1	55° - 70°
2	40° - 55°
3	70° - 95°
4	> 95°

The orientation and azimuth class of each vein was provided by Eco Oro and the data are summarized, below, in Table 14.6.

Table 14.6
Angostura Vein Orientation and Azimuth Class

Vein	Dip Dir (°)	Dip (°)	IDAZM	Vein	Dip Dir (°)	Dip (°)	IDAZM	Vein	Dip Dir (°)	Dip (°)	IDAZM
1	17	70	4	**77**	344	83	3	**184**	326	72	1
2	12	78	4	**78**	342	81	3	**185**	356	87	3
3	16	78	4	**80**	346	72	3	**201**	19	78	4
4	331	78	1	**82**	339	81	1	**202**	331	80	1
5	12	79	4	**84**	331	69	1	**203**	352	85	3
6	345	82	3	**85**	340	79	3	**204**	340	84	3
7	13	79	4	**87**	1	79	3	**205**	348	82	3
8	344	74	3	**88**	1	83	3	**206**	331	84	1
9	3	77	3	**89**	354	74	3	**207**	7	88	4
10	12	77	4	**91**	355	75	3	**208**	2	86	3
11	12	74	4	**93**	354	78	3	**209**	357	84	3
12	325	81	1	**94**	351	73	3	**210**	33	84	4
13	353	79	3	**97**	359	80	3	**211**	37	85	4
14	24	73	4	**98**	360	84	3	**212**	347	89	3
16	2	82	3	**99**	358	78	3	**213**	357	84	3
17	342	70	3	**103**	358	77	3	**214**	15	85	4
18	11	66	4	**104**	350	80	3	**215**	310	85	2
19	351	74	3	**105**	13	81	4	**216**	327	85	1
20	321	71	2	**106**	15	75	4	**217**	333	81	1
26	356	81	3	**107**	3	79	3	**218**	359	84	3
33	21	77	4	**114**	359	79	3	**220**	343	83	3
47	328	80	1	**119**	337	80	1	**222**	331	82	1
50	336	81	1	**120**	9	77	4	**223**	341	88	3
51	335	80	1	**122**	336	77	1	**224**	14	86	4
52	351	79	3	**123**	338	75	1	**230**	8	88	4
53	23	76	4	**130**	335	83	1	**231**	327	84	1
54	338	78	1	**132**	339	86	1	**232**	176	88	3
56	330	82	1	**135**	333	84	1	**233**	12	83	4
65	347	80	3	**143**	338	81	1	**234**	19	85	4
66	338	82	1	**144**	336	82	1	**236**	15	86	4
68	344	82	3	**145**	347	75	3	**237**	356	87	3
69	338	77	1	**180**	317	70	2	**240**	17	82	4
70	340	79	3	**181**	314	68	2	**241**	3	82	3
71	341	81	3	**182**	351	76	3	**243**	323	88	2
74	350	82	3	**183**	10	53	4				

Note: Dips are positive, downwards.

The models fit to the indicator variograms in the 4 azimuth classes are summarized in Table 14.7, below. All of the variograms are nested spherical models. The indicator variogram plots can be found in Appendix 2.

Table 14.7
Angostura – Azimuth Class – Au 1 g/t Indicator Variogram Models

1	55°-70°	X (S-Maj)	Y (Maj)	Z (Min)	Proportion of Sill	
Direction	**Az/Dip**	**62/0**	**332/80**	**152/10**	**%**	**Cum.**
C0	0.06				45%	45%
C1	0.05	6	21	6	37%	82%
C2	0.02	35	76	25	18%	100%
C3	-	-	-	-	-	-
Sill	0.13					

2	40°-55°	X (S-Maj)	Y (Maj)	Z (Min)	Proportion of Sill	
Direction	**Az/Dip**	**46.5/0**	**316.5/76**	**136.5/14**	**%**	**Cum.**
C0	0.04				26%	26%
C1	0.07	40	16	6	48%	74%
C2	0.04	50	40	14	26%	100%
C3	-	-	-	-	-	-
Sill	0.15					

3	70°-95°	X (S-Maj)	Y (Maj)	Z (Min)	Proportion of Sill	
Direction	**Az/Dip**	**81.5/0**	**351.5/80**	**171.5/10**	**%**	**Cum.**
C0	0.05				36%	36%
C1	0.02	7	6	8	16%	51%
C2	0.05	26	18	24	34%	86%
C3	0.02	47	159	51	14%	100%
Sill	0.14					

4	> 95°	X (S-Maj)	Y (Maj)	Z (Min)	Proportion of Sill	
Direction	**Az/Dip**	**112/0**	**22/71**	**202/19**	**%**	**Cum.**
C0	0.05				39%	39%
C1	0.04	11	20	16	33%	72%
C2	0.04	33	49	40	28%	100%
C3	-	-	-	-	-	-
Sill	0.13					

Ordinary Kriging (OK) was used to estimate the 1.0 (g/t) Au Indicator and the azimuth class Indicator variograms, summarized above in Table 14.6, were used to estimate each vein belonging to that class. The orientation of the individual veins (summarized in Table 14.6) was used to align the X, Y and Z variogram axes: along the strike, down the dip and across the vein, respectively.

The search parameters used in this estimation are summarized in Table 14.8, below. The search ellipsoid axes were aligned using the same process as was described above to align the variogram axes.

Table 14.8
Search Parameters used in Estimation of 1.0 (g/t) Au Indicator

IDAZM	Search Volume	Search Radii (m)			Data Required		
		Sem-Maj.	Major	Minor	Min	Max	Min DH
1	1	3	16	4	5	15	3
	2	15	80	20	5	15	3
	3	30	160	40	3	10	2
2	1	42	22	8	5	15	3
	2	84	44	16	5	15	3
	3	168	88	32	3	10	2
3	1	23	16	8	5	15	3
	2	92	64	32	5	15	3
	3	184	128	64	3	10	2
4	1	17	28	14	5	15	3
	2	34	56	28	5	15	3
	3	68	112	56	3	10	2

Following a visual examination of the Indicator Model in cross-section and in plan, it was determined that an indicator value of 0.4 provided an acceptable representation of high grade continuity and a reasonable segregation of the high and low grade volumes.

Two cross-sections through the block model showing the 1.0 (g/t) Au Indicator are presented in Figures 14.2 and 14.3, below.

Figure 14.2
Cross-section 130,950E Through Indicator Model



Source: Micon (July, 2015)

Figure 14.3
Cross-section 130,850E Through Indicator Model



Source: Micon (July, 2015)

14.5 CAPPING ANALYSIS

The assay data within the mineralized zones were flagged as high grade or low grade based on the 1.0 (g/t) Au Indicator model. Capping thresholds for both gold and silver in the high grade and low grade populations were determined for each mineralized structure by analyzing the statistics of the vein populations and cumulative probability plots. Close attention was paid to the coefficient of variation (CV) and to flexions in the cumulative log

probability plots. As a general rule, a CV greater than 2.5 is an indication that capping of high grade "outliers" should be seriously considered.

The gold capping statistics in the High and Low grade vein domains are summarized in Table 14.9 and Table 14.10, respectively, and the histograms and probability plots can be found in Appendix 3. A total of 75 gold assays in 30 high grade vein domains and 138 gold assays in 51 low grade domains were capped. These data represent 0.52% and 0.17% of their respective populations and result in a 7% reduction in the contained gold metal of the high grade domains and 5.3% in the low grade domains. Only the veins which required capping are shown in the tables.

Table 14.9
Summary Sample Statistics – Au (g/t) Capped – High Grade Domains

Area	Vein	Au (g/t) - Capped				Capping	Mean	Capped		Metal
		Mean	Max	CV	Samples	Threshold (g/t)	Reduction	Data	%	"Lost"
Veta de Barro	2	**3.72**	60	**1.87**	569	**60**	10%	3	0.5	11%
Veta de Barro	4	**2.53**	30	**1.91**	137	**30**	32%	3	2.2	31%
Veta de Barro	5	**3.30**	40	**1.81**	204	**40**	8%	2	1.0	5%
Veta de Barro	6	**2.98**	20	**1.54**	54	**20**	25%	3	5.6	31%
Veta de Barro	7	**1.93**	20	**1.54**	71	**20**	46%	1	1.4	34%
Veta de Barro	8	**2.85**	15	**1.43**	45	**15**	39%	3	6.7	41%
Veta de Barro	11	**2.22**	10	**1.03**	50	**10**	19%	2	4.0	17%
Veta de Barro	17	**2.78**	20	**1.51**	57	**20**	38%	2	3.5	38%
Veta de Barro	18	**3.21**	30	**1.95**	60	**30**	46%	1	1.7	60%
Veta de Barro	19	**4.32**	20	**1.66**	7	**20**	81%	1	14.3	79%
Centro	52	**3.36**	30	**1.58**	494	**30**	12%	5	1.0	10%
Centro	54	**3.06**	50	**1.98**	292	**50**	25%	2	0.7	12%
Centro	56	**2.54**	50	**1.87**	377	**50**	6%	1	0.3	2%
Centro	66	**4.62**	60	**2.07**	180	**60**	8%	2	1.1	7%
Centro	69	**2.62**	30	**1.74**	308	**30**	20%	5	1.6	21%
Centro	77	**5.81**	70	**2.08**	251	**70**	14%	2	0.8	7%
Centro	78	**2.86**	40	**1.84**	288	**40**	7%	1	0.3	5%
Centro	85	**2.37**	20	**1.50**	113	**20**	17%	3	2.7	16%
Centro	88	**3.15**	20	**1.37**	46	**20**	69%	1	2.2	71%
Centro	91	**2.47**	20	**1.57**	152	**20**	17%	3	2.0	21%
Centro	93	**2.77**	30	**1.53**	301	**30**	9%	2	0.7	7%
Centro	94	**2.78**	50	**1.96**	439	**50**	13%	2	0.5	6%
Centro	97	**2.26**	15	**1.42**	78	**15**	22%	3	3.8	18%
Centro	107	**3.14**	20	**1.88**	26	**20**	46%	2	7.7	42%
Centro	119	**1.72**	10	**1.18**	95	**10**	26%	3	3.2	30%
Centro	122	**1.84**	15	**1.23**	147	**15**	4%	2	1.4	3%
Centro	130	**3.16**	40	**1.89**	428	**40**	16%	4	0.9	15%
Silencio	222	**3.25**	20	**1.63**	57	**20**	56%	4	7.0	52%
Silencio	230	**1.82**	20	**1.52**	70	**20**	13%	1	1.4	15%
Silencio	231	**2.34**	15	**1.51**	100	**15**	45%	6	6.0	41%
All Veins		**3.01**	**140.04**	**1.90**	**14,290**		**8%**	**75**	**0.52**	**7.0%**

Table 14.10
Summary Sample Statistics – Au (g/t) Capped – Low Grade Domains

Area	Vein	Au (g/t) - Capped				Capping	Mean	Capped		Metal
		Mean	Max	CV	Samples	Threshold (g/t)	Reduction	Data	%	"Lost"
Veta de Barro	1	**0.50**	10	**2.29**	673	**10**	14%	2	0.3	14%
Veta de Barro	2	**0.41**	10	**2.07**	2,104	**10**	5%	5	0.2	4%
Veta de Barro	4	**0.54**	10	**2.29**	391	**10**	20%	3	0.8	17%
Veta de Barro	5	**0.40**	10	**2.18**	805	**10**	33%	1	0.1	31%
Veta de Barro	6	**0.38**	5	**1.48**	210	**5**	7%	1	0.5	5%
Veta de Barro	7	**0.35**	5	**1.89**	409	**5**	30%	3	0.7	23%
Veta de Barro	8	**0.54**	5	**1.25**	184	**5**	29%	2	1.1	28%
Veta de Barro	9	**0.31**	6	**2.18**	473	**6**	9%	2	0.4	10%
Veta de Barro	12	**0.58**	10	**2.75**	129	**10**	10%	1	0.8	8%
Veta de Barro	14	**0.46**	10	**2.78**	207	**10**	80%	2	1.0	67%
Veta de Barro	19	**0.20**	5	**2.51**	221	**5**	25%	1	0.5	26%
Veta de Barro	20	**0.27**	6	**2.59**	622	**6**	43%	5	0.8	35%
Centro	52	**0.40**	20	**2.53**	2,943	**20**	7%	4	0.1	6%
Centro	54	**0.50**	10	**1.62**	947	**10**	13%	3	0.3	14%
Centro	65	**0.34**	8	**1.71**	734	**8**	6%	1	0.1	4%
Centro	66	**0.48**	10	**1.94**	979	**10**	9%	3	0.3	5%
Centro	77	**0.55**	15	**2.39**	1,148	**15**	21%	5	0.4	13%
Centro	78	**0.46**	15	**2.04**	1,733	**15**	3%	3	0.2	2%
Centro	82	**0.41**	7.5	**1.73**	556	**7.5**	10%	3	0.5	11%
Centro	85	**0.57**	20	**2.33**	941	**20**	26%	1	0.1	24%
Centro	88	**0.37**	10	**2.09**	430	**10**	4%	1	0.2	4%
Centro	89	**0.57**	15	**2.12**	1,413	**15**	8%	6	0.4	6%
Centro	99	**0.54**	10	**2.28**	283	**10**	7%	2	0.7	5%
Centro	104	**0.48**	10	**1.85**	950	**10**	5%	3	0.3	5%
Centro	107	**0.46**	5	**1.32**	252	**5**	26%	2	0.8	19%
Centro	114	**0.49**	15	**1.89**	1,794	**15**	4%	2	0.1	3%
Centro	119	**0.41**	10	**1.98**	1,699	**10**	7%	5	0.3	5%
Centro	120	**0.41**	7	**1.72**	407	**7**	10%	2	0.5	8%
Centro	123	**0.49**	10	**1.67**	977	**10**	6%	3	0.3	5%
Centro	135	**0.57**	20	**2.44**	2,326	**20**	4%	4	0.2	3%
Centro	143	**0.42**	10	**1.87**	1,511	**10**	3%	2	0.1	2%
Silencio	202	**0.41**	10	**2.55**	798	**10**	19%	6	0.8	12%
Silencio	203	**0.43**	6	**1.69**	438	**6**	12%	4	0.9	13%
Silencio	204	**0.35**	7.5	**2.23**	555	**7.5**	10%	2	0.4	12%
Silencio	206	**0.56**	15	**1.89**	1,414	**15**	3%	1	0.1	3%
Silencio	208	**0.51**	7.5	**1.82**	267	**7.5**	12%	2	0.7	8%
Silencio	209	**0.37**	7.5	**1.99**	268	**7.5**	16%	1	0.4	11%
Silencio	211	**0.62**	8	**2.04**	106	**8**	9%	2	1.9	7%
Silencio	214	**0.40**	10	**2.71**	982	**10**	36%	5	0.5	18%
Silencio	217	**0.53**	7.5	**1.76**	229	**7.5**	11%	2	0.9	12%
Silencio	218	**0.46**	7.5	**2.00**	174	**7.5**	15%	1	0.6	6%
Silencio	220	**0.33**	10	**1.83**	984	**10**	0%	1	0.1	0%
Silencio	223	**0.38**	8	**2.05**	576	**8**	12%	4	0.7	5%
Silencio	224	**0.50**	7.5	**2.15**	230	**7.5**	24%	4	1.7	19%
Silencio	230	**0.32**	10	**2.46**	1,081	**10**	13%	3	0.3	5%
Silencio	231	**0.25**	5	**1.86**	800	**5**	28%	3	0.4	17%
Silencio	234	**0.30**	6	**2.03**	371	**6**	12%	1	0.3	17%
Silencio	236	**0.44**	7.5	**2.33**	262	**7.5**	24%	4	1.5	24%
Silencio	240	**0.28**	5	**1.87**	153	**5**	12%	1	0.7	9%
Laches	180	**0.40**	20	**2.99**	4,498	**20**	7%	5	0.1	6%
Laches	185	**0.47**	10	**2.19**	460	**10**	6%	3	0.7	5%
All Veins		**0.44**	**37.9**	**2.22**	**79,197**		**7%**	**138**	**0.00**	**5.3%**

The silver capping statistics are summarized in Tables 14.11 & 14.12 and the histograms and cumulative probability plots can be found in Appendix 4. A total of 96 silver assays in 22 high grade vein domains and 210 silver assays in 64 low grade domains were capped. These data represent 0.67% and 0.27% of their respective populations and result in a 9.2% reduction in the contained silver metal of the high grade domains and 4.6% in the low grade domains. Only the veins which required capping are shown in the tables.

Table 14.11
Summary Sample Statistics – Ag (g/t) Capped – High Grade Domains

Area	Vein	Ag (g/t) - Capped				Capping	Mean	Capped		Metal
		Mean	Max	CV	Samples	Threshold (g/t)	Reduction	Data	%	"Lost"
Veta de Barro	2	**14.58**	100	**1.55**	569	**100**	30%	17	3.0	25%
Veta de Barro	3	**10.70**	50	**1.27**	122	**50**	55%	6	4.9	48%
Veta de Barro	4	**11.93**	125	**1.76**	137	**125**	26%	1	0.7	24%
Veta de Barro	6	**4.04**	15	**0.96**	54	**15**	16%	2	3.7	17%
Veta de Barro	7	**4.91**	20	**1.13**	71	**20**	21%	6	8.5	15%
Veta de Barro	18	**6.14**	30	**1.47**	60	**30**	79%	6	10.0	84%
Centro	33	**6.42**	40	**1.41**	73	**40**	30%	2	2.7	22%
Centro	47	**8.15**	100	**1.63**	286	**100**	8%	1	0.3	7%
Centro	50	**6.26**	30	**1.10**	47	**30**	13%	1	2.1	15%
Centro	56	**10.04**	150	**1.83**	377	**150**	8%	2	0.5	6%
Centro	70	**10.86**	50	**1.16**	99	**50**	10%	2	2.0	7%
Centro	74	**9.60**	80	**1.43**	221	**80**	7%	1	0.5	6%
Centro	89	**10.10**	100	**1.65**	293	**100**	14%	3	1.0	10%
Centro	93	**9.95**	100	**1.51**	301	**100**	9%	2	0.7	9%
Centro	97	**4.40**	30	**1.56**	68	**30**	18%	3	4.4	12%
Centro	114	**2.86**	60	**1.95**	948	**60**	3%	1	0.1	2%
Centro	135	**12.43**	100	**1.69**	453	**100**	14%	11	2.4	11%
Silencio	105	**7.70**	80	**2.09**	61	**80**	32%	1	1.6	32%
Silencio	224	**8.12**	30	**1.26**	59	**30**	48%	9	15.3	52%
Laches	180	**45.33**	700	**1.97**	1,086	**700**	5%	5	0.5	5%
Laches	181	**41.19**	400	**1.74**	154	**400**	14%	2	1.3	12%
Laches	185	**18.03**	150	**1.79**	347	**150**	52%	12	3.5	49%
All Veins		**13.95**	**700**	**2.56**	**14,270**		**10%**	**96**	**0.67**	**9.2%**

Table 14.12
Summary Sample Statistics – Ag (g/t) Capped – Low Grade Domains

Area	Vein	Ag (g/t) - Capped				Capping	Mean	Capped		Metal
		Mean	Max	CV	Samples	Threshold (g/t)	Reduction	Data	%	"Lost"
Veta de Barro	1	**2.79**	40	**1.86**	673	**40**	10%	4	0.6	8%
Veta de Barro	2	**2.65**	50	**2.01**	2,104	**50**	4%	4	0.2	4%
Veta de Barro	4	**3.40**	70	**2.10**	391	**70**	1%	1	0.3	1%
Veta de Barro	9	**2.24**	30	**1.90**	473	**30**	17%	5	1.1	16%
Veta de Barro	10	**2.02**	20	**1.58**	441	**20**	10%	4	0.9	9%
Veta de Barro	11	**3.12**	25	**1.19**	127	**25**	5%	1	0.8	3%
Veta de Barro	12	**3.29**	30	**1.78**	129	**30**	18%	2	1.6	15%
Veta de Barro	14	**3.69**	50	**2.42**	207	**50**	74%	3	1.4	58%
Veta de Barro	16	**1.48**	5	**0.95**	17	**5**	37%	1	5.9	40%
Veta de Barro	18	**1.19**	30	**2.42**	809	**30**	6%	2	0.2	4%
Veta de Barro	19	**1.71**	25	**2.14**	221	**25**	18%	2	0.9	16%
Veta de Barro	20	**1.55**	40	**2.80**	622	**40**	15%	3	0.5	10%

Area	Vein	Ag (g/t) - Capped				Capping Threshold (g/t)	Mean Reduction	Capped		Metal "Lost"
		Mean	Max	CV	Samples			Data	%	
Centro	26	**1.64**	15	**1.63**	137	**15**	14%	2	1.5	12%
Centro	33	**1.80**	20	**1.73**	574	**20**	10%	4	0.7	6%
Centro	47	**2.78**	50	**1.76**	1,028	**50**	4%	2	0.2	2%
Centro	50	**1.61**	15	**1.37**	204	**15**	18%	1	0.5	13%
Centro	51	**3.44**	100	**2.53**	2,640	**100**	7%	9	0.3	6%
Centro	65	**1.98**	60	**2.60**	734	**60**	12%	1	0.1	14%
Centro	66	**2.09**	50	**2.14**	973	**50**	2%	3	0.3	2%
Centro	68	**1.17**	20	**1.93**	772	**20**	4%	3	0.4	3%
Centro	69	**2.99**	100	**2.07**	1,669	**100**	2%	1	0.1	1%
Centro	82	**1.58**	25	**2.04**	556	**25**	18%	5	0.9	17%
Centro	84	**2.29**	20	**1.55**	226	**20**	20%	3	1.3	14%
Centro	85	**3.41**	60	**2.08**	941	**60**	7%	5	0.5	6%
Centro	87	**2.91**	20	**1.78**	54	**20**	21%	1	1.9	17%
Centro	88	**1.26**	20	**1.82**	430	**20**	10%	3	0.7	9%
Centro	89	**4.02**	100	**1.99**	1,404	**100**	1%	1	0.1	1%
Centro	94	**3.54**	80	**2.17**	2,273	**80**	4%	5	0.2	2%
Centro	114	**2.77**	90	**2.59**	1,794	**90**	2%	2	0.1	2%
Centro	119	**2.96**	100	**2.71**	1,698	**100**	30%	3	0.2	37%
Centro	120	**2.61**	35	**2.07**	407	**35**	6%	2	0.5	5%
Centro	122	**2.93**	50	**2.23**	605	**50**	2%	2	0.3	2%
Centro	123	**2.41**	50	**2.30**	977	**50**	3%	2	0.2	2%
Centro	135	**4.74**	100	**2.51**	2,325	**100**	4%	12	0.5	3%
Centro	143	**2.51**	50	**2.20**	1,510	**50**	7%	5	0.3	6%
Centro	145	**1.33**	5	**0.97**	60	**5**	1%	1	1.7	2%
Silencio	132	**4.59**	100	**2.45**	1,913	**100**	3%	5	0.3	2%
Silencio	144	**4.47**	80	**2.16**	1,193	**80**	1%	3	0.3	1%
Silencio	201	**1.43**	10	**1.47**	90	**10**	53%	4	4.4	47%
Silencio	202	**2.14**	30	**2.10**	798	**30**	32%	10	1.3	23%
Silencio	207	**1.59**	20	**1.82**	323	**20**	9%	2	0.6	6%
Silencio	208	**1.93**	20	**1.90**	267	**20**	6%	6	2.2	5%
Silencio	211	**1.95**	10	**1.16**	106	**10**	6%	1	0.9	4%
Silencio	212	**1.28**	5	**0.84**	69	**5**	8%	2	2.9	7%
Silencio	214	**2.80**	45	**2.04**	982	**45**	21%	5	0.5	9%
Silencio	217	**1.28**	20	**1.79**	229	**20**	42%	2	0.9	38%
Silencio	218	**2.11**	15	**1.62**	174	**15**	43%	7	4.0	29%
Silencio	224	**4.19**	50	**2.01**	230	**50**	8%	3	1.3	8%
Silencio	230	**2.56**	45	**2.29**	1,081	**45**	19%	12	1.1	14%
Silencio	231	**1.39**	20	**1.72**	800	**20**	10%	5	0.6	7%
Silencio	232	**2.61**	50	**1.81**	679	**50**	5%	2	0.3	4%
Silencio	233	**2.95**	50	**2.01**	847	**50**	2%	2	0.2	2%
Silencio	234	**4.77**	80	**2.20**	371	**80**	6%	1	0.3	4%
Silencio	236	**5.47**	80	**1.98**	262	**80**	3%	1	0.4	2%
Silencio	237	**6.27**	100	**1.82**	603	**100**	4%	2	0.3	4%
Silencio	240	**3.23**	50	**2.07**	153	**50**	6%	1	0.7	5%
Laches	180	**7.77**	300	**2.86**	4,498	**300**	3%	10	0.2	2%
Laches	181	**4.78**	100	**2.43**	1,221	**100**	12%	9	0.7	12%
Laches	183	**6.07**	80	**1.88**	89	**80**	40%	1	1.1	46%
Laches	184	**8.42**	80	**1.89**	66	**80**	20%	1	1.5	22%
Laches	185	**5.34**	60	**1.88**	460	**60**	5%	3	0.7	4%
All Veins		**3.32**	**300**	**2.69**	**79,076**		**6%**	**210**	**0.27**	**4.6%**

14.6 COMPOSITE STATISTICS

The assay data were composited to a nominal length of 2 m by vein and grade class. Micon selected the 2 m composite length based on an examination of the sample statistics and distribution of sample length, as summarized below in Figure 14.4.

Figure 14.4
Histogram of Sample Length



Remnants less than 1m in length were added to the previous composite in that drillhole. Prior to compositing, samples with core recovery less than 20% were removed from the database and treated as absent data. Unsampled intervals were assigned a grade of zero (0).

The Angostura capped composite statistics are summarized in Table 14.13 and the uncapped composite statistics are summarized in Table 14.14. Detailed breakdowns of the gold and silver composite statistics by vein domain are found in Appendix 5.

Table 14.13
Summary Composite Statistics – Capped

Capped Composites						
	Au_High	**Au_Low**	**Au_All**	**Ag_High**	**Ag_Low**	**Ag_All**
Mean	**2.79**	**0.40**	**0.74**	**12.48**	**2.96**	**4.32**
Max	73.52	25.50	73.52	563.7	270.0	563.7
Q3	2.96	0.47	0.64	11.70	2.76	3.55
Median	1.53	0.22	0.27	4.60	1.15	1.38
Q1	0.81	0.09	0.11	1.80	0.49	0.55
Min	0.0005	0	0	0	0	0
IQR	2.15	0.38	0.53	9.90	2.27	3.00
CV	**1.54**	**1.79**	**2.63**	**2.24**	**2.34**	**2.96**
Number	10,743	64,627	75,370	10,743	64,627	75,370

Table 14.14
Summary Composite Statistics – Uncapped

Uncapped Composites						
	Au_High	**Au_Low**	**Au_All**	**Ag_High**	**Ag_Low**	**Ag_All**
Mean	**3.01**	**0.42**	**0.79**	**13.75**	**3.11**	**4.63**
Max	336	113.56	336	2,020.7	1,905.0	2,020.7
Q3	2.97	0.47	0.64	11.79	2.76	3.55
Median	1.53	0.22	0.28	4.60	1.15	1.39
Q1	0.81	0.09	0.11	1.80	0.49	0.55
Min	0.0005	0	0	0	0	0
IQR	2.16	0.38	0.53	9.99	2.27	3.00
CV	**2.29**	**3.08**	**3.82**	**3.13**	**3.65**	**4.26**
Number	10,743	64,627	75,370	10,743	64,627	75,370

14.7 GRADE ESTIMATION

Ordinary Kriging (OK) was used to estimate gold grades in the high and low grade zones within each mineralized structure. Inverse Distance Squared (ID^2) was used to estimate silver grades.

14.7.1 Variography

Semi-variograms were calculated for gold in the 11 most important veins based upon their Au metal content in previous mineral resource estimates. Between them, these veins (1, 2, 5, 51, 52, 54, 66, 77, 114, 180 and 185) account for approximately 60% of the metal in Angostura. Semi-variograms were also calculated in the 4 azimuth classes which were used in the estimation of the grade of the remaining veins.

The gold semi-variograms in the high and low grade select vein domains are summarized in Table 14.15. The gold semi-variograms in azimuth class domains are summarized in Table 14.16. The semi-variogram plots can be found in Appendix 6.

Table 14.15
Angostura – Gold Select Vein Variograms

Vein	High	S-Maj	Maj	Min	Sill % Cum.
1	Az/Dip	107/0	17/70	197/20	
C0	0.300	-	-	-	37%
C1	0.217	5	5	5	63%
C2	0.304	33	59	33	100%
C3	-	-	-	-	-
Sill	0.821				

Vein	Low	S-Maj	Maj	Min	Sill % Cum.
1	Az/Dip	107/0	17/70	197/20	
C0	0.429	-	-	-	48%
C1	0.190	6	5	6	69%
C2	0.070	25	31	20	77%
C3	0.209	65	55	100	100%
Sill	0.898				

Vein	High	S-Maj	Maj	Min	Sill % Cum.
2	Az/Dip	102/0	12/78	192/12	
C0	0.314	-	-	-	44%
C1	0.259	11	19	6	80%
C2	0.143	30	51	71	100%
C3	-	-	-	-	-
Sill	0.716				

Vein	Low	S-Maj	Maj	Min	Sill % Cum.
2	Az/Dip	102/0	12/78	192/12	
C0	0.290	-	-	-	32%
C1	0.305	6	8	8	67%
C2	0.183	11	24	25	87%
C3	0.115	50	89	92	100%
Sill	0.893				

Vein	High	S-Maj	Maj	Min	Sill % Cum.
5	Az/Dip	102/0	12/79	192/11	
C0	0.256	-	-	-	41%
C1	0.205	89	10	19	74%
C2	0.166	119	52	42	100%
C3	-	-	-	-	-
Sill	0.627				

Vein	Low	S-Maj	Maj	Min	Sill % Cum.
5	Az/Dip	102/0	12/79	192/11	
C0	0.246	-	-	-	20%
C1	0.405	21	51	7	53%
C2	0.587	49	104	72	100%
C3	-	-	-	-	100%
Sill	1.238				

Vein	High	S-Maj	Maj	Min	Sill % Cum.
51	Az/Dip	65/0	335/80	155/10	
C0	0.400	-	-	-	57%
C1	0.110	6	6	5	73%
C2	0.187	39	22	36	100%
C3	-	-	-	-	-
Sill	0.697				

Vein	Low	S-Maj	Maj	Min	Sill % Cum.
51	Az/Dip	65/0	335/80	155/10	
C0	0.400	-	-	-	54%
C1	0.144	7	15	20	73%
C2	0.199	43	149	35	100%
C3	-	-	-	-	-
Sill	0.743				

Table 14.15 cont.

Vein	High	S-Maj	Maj	Min	Sill % Cum.
52	Az/Dip	81/0	351/79	171/11	
C0	0.254	-	-	-	37%
C1	0.194	5	7	17	66%
C2	0.140	14	19	26	86%
C3	0.095	32	121	42	100%
Sill	0.683				

Vein	Low	S-Maj	Maj	Min	Sill % Cum.
52	Az/Dip	81/0	351/79	171/11	
C0	0.296	-	-	-	39%
C1	0.133	6	7	9	56%
C2	0.245	18	30	31	88%
C3	0.092	85	185	85	100%
Sill	0.766				

Vein	High	S-Maj	Maj	Min	Sill % Cum.
54	Az/Dip	68/0	338/78	158/12	
C0	0.399	-	-	-	58%
C1	0.154	6	3	5	80%
C2	0.139	48	6	19	100%
C3	-	-	-	-	-
Sill	0.692				

Vein	Low	S-Maj	Maj	Min	Sill % Cum.
54	Az/Dip	68/0	338/78	158/12	
C0	0.122	-	-	-	22%
C1	0.209	31	6	6	59%
C2	0.111	33	50	82	79%
C3	0.118	62	161	112	100%
Sill	0.560				

Vein	High	S-Maj	Maj	Min	Sill % Cum.
66	Az/Dip	68/0	338/82	158/8	
C0	0.398	-	-	-	45%
C1	0.193	7	7	4	66%
C2	0.302	31	31	24	100%
C3	-	-	-	-	-
Sill	0.893				

Vein	Low	S-Maj	Maj	Min	Sill % Cum.
66	Az/Dip	68/0	338/82	158/8	
C0	0.150	-	-	-	20%
C1	0.295	32	7	8	61%
C2	0.287	50	56	42	100%
C3	-	-	-	-	-
Sill	0.732				

Vein	High	S-Maj	Maj	Min	Sill % Cum.
77	Az/Dip	74/0	344/83	164/7	
C0	0.372	-	-	-	47%
C1	0.249	26	18	20	78%
C2	0.178	72	71	42	100%
C3	-	-	-	-	100%
Sill	0.799				

Vein	Low	S-Maj	Maj	Min	Sill % Cum.
77	Az/Dip	74/0	344/83	164/7	
C0	0.100	-	-	-	15%
C1	0.236	4	6	5	50%
C2	0.250	10	20	25	88%
C3	0.081	59	55	46	100%
Sill	0.667				

Table 14.15 cont.

Vein	High	S-Maj	Maj	Min	Sill % Cum.
114	Az/Dip	89/0	359/79	179/11	
C0	0.406	-	-	-	61%
C1	0.061	5	6	8	70%
C2	0.200	26	31	28	100%
C3	-	-	-	-	-
Sill	0.667				

Vein	Low	S-Maj	Maj	Min	Sill % Cum.
114	Az/Dip	89/0	359/79	179/11	
C0	0.139	-	-	-	20%
C1	0.394	8	18	20	76%
C2	0.165	98	148	27	100%
C3	-	-	-	-	-
Sill	0.698				

Vein	High	S-Maj	Maj	Min	Sill % Cum.
180	Az/Dip	47/0	317/70	137/20	
C0	0.320	-	-	-	42%
C1	0.056	19	18	18	49%
C2	0.289	42	43	32	87%
C3	0.096	100	150	142	100%
Sill	0.761				

Vein	Low	S-Maj	Maj	Min	Sill % Cum.
180	Az/Dip	47/0	317/70	137/20	
C0	0.294	-	-	-	29%
C1	0.403	18	21	20	70%
C2	0.196	57	54	54	89%
C3	0.107	134	156	151	100%
Sill	1.000				

Vein	High	S-Maj	Maj	Min	Sill % Cum.
185	Az/Dip	86/0	356/87	176/3	
C0	0.250	-	-	-	39%
C1	0.079	11	6	8	52%
C2	0.214	28	21	17	85%
C3	0.094	60	145	135	100%
Sill	0.637				

Vein	Low	S-Maj	Maj	Min	Sill % Cum.
185	Az/Dip	86/0	356/87	176/3	
C0	0.202	-	-	-	21%
C1	0.264	6	7	6	47%
C2	0.186	11	20	11	66%
C3	0.332	25	54	25	100%
Sill	0.984				

Note: Dips are positive, downwards.

Table 14.16
Angostura – Gold– Azimuth Class Variograms

Az 1	High	S-Maj	Maj	Min	Sill % Cum.
55°-70°	Az/Dip	62/0	332/80	152/10	
C0	0.26				44%
C1	0.11	32	7	8	63%
C2	0.22	48	42	30	100%
C3	-	-	-	-	-
Sill	0.59				

Az 1	Low	S-Maj	Maj	Min	Sill % Cum.
55°-70°	Az/Dip	62/0	332/80	152/10	
C0	0.20				29%
C1	0.26	10	19	12	66%
C2	0.14	37	36	26	86%
C3	0.10	351	238	575	100%
Sill	0.70				

Az 2	High	S-Maj	Maj	Min	Sill % Cum.
40°-55°	Az/Dip	46/0	316/76	136/14	
C0	0.24				33%
C1	0.43	34	42	27	92%
C2	0.06	99	147	54	100%
C3	-	-	-	-	-
Sill	0.73				

Az 2	Low	S-Maj	Maj	Min	Sill % Cum.
40°-55°	Az/Dip	46/0	316/76	136/14	
C0	0.20				20%
C1	0.33	9	9	10	52%
C2	0.37	19	22	49	88%
C3	0.12	200	350	73	100%
Sill	1.02				

Az 3	High	S-Maj	Maj	Min	Sill % Cum.
70°-95°	Az/Dip	81/0	351/80	171/10	
C0	0.30				50%
C1	0.13	10	8	10	71%
C2	0.18	25	85	25	100%
C3	-	-	-	-	-
Sill	0.61				

Az 3	Low	S-Maj	Maj	Min	Sill % Cum.
70°-95°	Az/Dip	81/0	351/80	171/10	
C0	0.20				28%
C1	0.27	26	17	17	67%
C2	0.13	50	43	60	86%
C3	0.10	449	390	307	100%
Sill	0.71				

Az 4	High	S-Maj	Maj	Min	Sill % Cum.
> 95°	Az/Dip	112/0	22/71	202/19	
C0	0.40				61%
C1	0.06	8	4	31	69%
C2	0.20	39	37	145	100%
C3	-	-	-	-	-
Sill	0.66				

Az 4	Low	S-Maj	Maj	Min	Sill % Cum.
> 95°	Az/Dip	112/0	22/71	202/19	
C0	0.27				30%
C1	0.24	7	7	7	56%
C2	0.25	19	42	40	84%
C3	0.14	41	201	163	100%
Sill	0.90				

Note: Dips are positive, downwards.

14.7.2 Estimation Parameters

OK was used to estimate gold grades in the high and low grade zones within each mineralized structure. ID^2 was used to estimate silver grades. Three estimation passes were used with specific search radii and sample configuration schemes. The restrictions in terms of the minimum number of drillholes and search radii were selected in conjunction with Eco Oro's geologists through an iterative process designed to test a range of different search parameters.

For the first search, search radii equal to the variogram range at 80% of the sill were used. A second grade interpolation pass followed for which the ellipsoid axis lengths were doubled. In the third pass the search radii were doubled again.

The search ellipsoids were oriented in the plane of each mineralized structure. The major and semi-major axes were oriented down the dip and along the strike of the vein, respectively, using the vein orientation data in Table 14.6 of Section 4.4.2.

The estimation search parameters for the select 11 vein high and low grade domains are summarized in Tables 14.17 and 14.18, respectively. The azimuth group search parameters are summarized in Tables 14.19 and 14.20.

Table 14.17
Estimation Search Parameters – Select Veins – High Grade

Vein	SVOL	Search Radii (m)			Data Required		
		S-Maj	Major	Minor	Min	Max	Min_DH
1	1	18	30	15	4	15	2
	2	36	60	30	4	15	2
	3	54	89	45	3	15	1
2	1	11	19	6	4	15	2
	2	27	47	15	4	15	2
	3	55	95	30	3	15	1
5	1	40	20	10	4	15	2
	2	80	41	20	4	15	2
	3	160	81	41	3	15	1
51	1	14	10	5	4	15	2
	2	58	40	20	4	15	2
	3	115	81	40	3	15	1
52	1	11	15	8	4	15	2
	2	28	39	19	4	15	2
	3	57	77	39	3	15	1
54	1	39	23	11	4	15	2
	2	79	46	23	4	15	2
	3	118	69	34	3	15	1
66	1	39	23	11	4	15	2
	2	79	46	23	4	15	2
	3	118	69	34	3	15	1
77	1	31	23	12	4	15	2
	2	61	47	23	4	15	2
	3	123	94	47	3	15	1
114	1	12	14	7	4	15	2
	2	30	36	18	4	15	2
	3	60	72	36	3	15	1
180	1	38	38	19	4	15	2
	2	56	57	29	4	15	2
	3	94	95	48	3	15	1
185	1	25	19	9	4	15	2
	2	51	37	19	4	15	2
	3	101	75	37	3	15	1

Table 14.18
Estimation Search Parameters – Select Veins – Low Grade

Vein	SVOL	Search Radii (m)			Data Required		
		S-Maj	Major	Minor	Min	Max	Min_DH
1	1	31	34	17	4	15	2
	2	61	69	34	4	15	2
	3	92	103	52	3	10	1
2	1	9	18	9	4	15	2
	2	19	37	18	4	15	2
	3	37	74	37	3	10	1
5	1	37	82	41	4	15	2
	2	37	82	41	4	15	2
	3	56	122	61	3	10	1
51	1	16	49	24	4	15	2
	2	24	73	36	4	15	2
	3	32	98	48	3	10	1
52	1	15	24	12	4	15	2
	2	30	49	24	4	15	2
	3	60	97	49	3	10	1
54	1	34	56	28	4	15	2
	2	34	56	28	4	15	2
	3	69	111	56	3	10	1
66	1	41	31	16	4	15	2
	2	61	47	23	4	15	2
	3	122	93	47	3	10	1
77	1	9	17	9	4	15	2
	2	17	34	17	4	15	2
	3	35	68	34	3	10	1
114	1	22	38	19	4	15	2
	2	33	57	29	4	15	2
	3	66	114	57	3	10	1
180	1	38	38	19	4	15	2
	2	58	58	29	4	15	2
	3	115	115	58	3	10	1
185	1	17	34	17	4	15	2
	2	25	51	25	4	15	2
	3	50	102	50	3	10	1

Table 14.19
Estimation Search Parameters – Azimuth Classes – High Grade

		Search Radii (m)			Data Required		
IDAZM	**SVOL**	**S-Maj**	**Major**	**Minor**	**Min**	**Max**	**Min_DH**
1	1	39	23	11	4	15	2
	2	79	46	23	4	15	2
	3	118	69	34	3	15	1
2	1	27	33	17	4	15	2
	2	54	67	33	4	15	2
	3	81	100	50	3	15	1
3	1	15	32	15	4	15	2
	2	29	63	29	4	15	2
	3	44	95	44	3	15	1
4	1	19	15	8	4	15	2
	2	56	46	23	4	15	2
	3	113	93	46	3	15	1

Table 14.20
Estimation Search Parameters – Azimuth Classes – Low Grade

		Search Radii (m)			Data Required		
IDAZM	**SVOL**	**S-Maj**	**Major**	**Minor**	**Min**	**Max**	**Min_DH**
1	1	29	31	15	4	15	2
	2	58	62	31	4	15	2
	3	87	93	46	3	10	1
2	1	17	19	10	4	15	2
	2	33	38	19	4	15	2
	3	50	57	29	3	10	1
3	1	43	35	18	4	15	2
	2	85	70	35	4	15	2
	3	128	105	53	3	10	1
4	1	17	37	18	4	15	2
	2	26	55	28	4	15	2
	3	52	110	55	3	10	1

14.7.3 Resource Validation

Several methods were used to validate the results of the estimation process. These included checks for global and local bias and visual comparison of composites and block model grades in cross-section and in plan.

14.7.3.1 Global Bias Check

The mean grade of the block model estimates, at a 0 g/t Au cut-off grade, should be within 5% of the declustered mean of the composites (as simulated by a nearest neighbour (NN) estimate). The nearest neighbour estimator produces a theoretically unbiased estimate of the

average value when no cut-off is applied and is a good measure of the performance of the estimation method. The mean block OK grade is 0.599 g/t Au and the mean of the de-clustered composites is 0.590, a difference of approximately 1.6%. This indicates that there is no global bias of concern.

14.7.3.2 Swath Plots (Drift Analysis)

A swath plot is a graphical display of the grade distribution derived from a series of bands, or swaths, generated in several directions through the deposit. Grade variations in the Au_OK (capped) and Au_UC (uncapped) estimates are compared, using the swath plot, to the distribution derived from the declustered (Au_NN) grade model.

On a local scale, the NN model does not provide reliable estimations of grade but, on a much larger scale, it represents an unbiased estimation of the grade distribution of the underlying data. Therefore, if the OK model is unbiased, the grade trends may show local fluctuations on a swath plot but the overall trend should be similar to the NN distribution of grade.

Swath plots have been generated for the gold distributions in the model (Figures 14.5 to 14.7). Overall there is good correlation between the estimates. Deviations tend to occur near the edges of the deposit where reduced tonnage tends to accentuate the differences in grade between models and in lower-grade areas where differences in grade become more apparent. These are typically in the flanks of the deposit where the density of drilling decreases and material tends to be classified as Inferred resources.

Figure 14.5
Angostura Gold X-Swath Plot



Figure 14.6
Angostura Gold Y-Swath Plot



Figure 14.7
Angostura Gold Y-Swath Plot



Figure 14.8
Angostura Gold Z-Swath Plot



14.7.3.3 Visual Comparisons

Cross-sections through the Angostura deposit show good correlation between the kriged block grades and composited drillholes. This can be seen in the two north-south cross-sections through the Angostura 2015 block model are shown in Figures 14.8 and 14.9.

Figure 14.9
Cross-section 130,850E Through Angostura Block Model



Source: Micon (July, 2015)

Figure 14.10
Cross-section 130,950E Through Angostura Block Model



Source: Micon (July, 2015)

Micon therefore concludes that the updated mineral resource estimate is a reasonable and realistic estimate of the Angostura mineral resource.

14.8 MINERAL RESOURCE CLASSIFICATION

Blocks estimated in the first estimation pass, which used search radii equal to the range at 80% of the semi-variogram sill, were classified as Measured Resources. Blocks estimated in

the second estimation pass were classified as Indicated and those estimated in the third pass were classified as Inferred.

14.9 MINERAL RESOURCE ESTIMATE

The mineral resource estimate presented in this report was prepared by Thomas C. Stubens, P.Eng., in accordance with the definitions contained in the Canadian Institute of Mining, Metallurgy and Petroleum (CIM) Standards on Mineral Resources and Reserves Definitions and Guidelines that were prepared by the CIM Standing Committee on Reserve Definitions and adopted by the CIM Council on May 10, 2014.

Mr. Stubens has over 25 years of experience as a resource estimator and reviewer and is independent of Eco Oro Minerals Corp. as defined in NI 43-101.

The mining of portions of the Angostura deposit may be affected if they underlie areas designated as Santurbán Páramo and/or Santurbán Regional Park. In areas where surface disturbance is strictly prohibited, a 50 m crown pillar was applied by removing from the mineral resource any material within 50 m of surface. In Mining Permitted Restoration Areas, where some surface disturbance and reclamation thereof is permitted, a 15 m crown pillar was applied.

Access below the Santurbán Páramo and Santurbán Regional Park for development and extraction has been assumed with these pillar allowances. Additional work and ongoing consultation with government authorities is expected to establish a framework to access the resources proximal to the Santurbán Páramo and Santurbán Regional Park abiding by all international mining standards and best practices.

Determining reasonable prospects of economic extraction requires consideration of several technical and economic factors that will apply in the determination of gross-scale project economics. Since no current technical and economic study has been completed on the mineral resource estimate discussed in this report, a breakeven cut-off grade of 2.5g/t Au is considered reasonable.

In Table 14.21 the Angostura Mineral Resource Estimate is summarized at a range of gold cut-off grades including 2.5 g/t which was used to report the 2012 estimate discussed in the PEA dated March 23, 2012.

A summary of the Angostura mineral resource estimate using un-capped data is shown in Table 14.22. This illustrates the effect that a small number of isolated high grade intercepts can have on the estimate. Not capping the data would result in an increase in tonnage of approximately 13% and an increase in contained Au metal of more than 20%.

The mineral resource estimate, subdivided by weathered horizon, is summarized in Table 14.23. Detailed breakdowns of the mineral resource by vein at cut-off grades of 2.5 g/t Au, 3.0 g/t Au and 3.5 g/t Au can be found Appendices 7, 8 and 9, respectively.

Table 14.21
Angostura Mineral Resource Summary

Resource Class	Cut-off Grade (g/t Au)	Tonnes (kt)	Au (g/t)	Ag (g/t)	Contained Metal Au (koz)	Contained Metal Ag (koz)
Measured	**0.5**	56,139	1.07	6.9	1,929	12,474
Measured	**1.0**	14,800	2.21	14.3	1,051	6,803
Measured	**1.5**	7,836	3.10	20.4	781	5,132
Measured	**2.0**	5,078	3.85	24.6	629	4,010
Measured	**2.5**	**3,556**	**4.55**	**28.7**	**520**	**3,279**
Measured	**3.0**	2,594	5.22	32.4	436	2,699
Measured	**3.5**	1,972	5.85	35.4	371	2,247
Measured	**4.0**	1,521	6.48	38.6	317	1,888
Measured	**5.0**	985	7.59	44.2	240	1,400

Resource Class	Cut-off Grade (g/t Au)	Tonnes (Thousand)	Au (g/t)	Ag (g/t)	Contained Metal Au (koz)	Contained Metal Ag (koz)
Indicated	**0.5**	73,434	1.52	6.8	3,590	16,146
Indicated	**1.0**	30,829	2.71	11.2	2,684	11,102
Indicated	**1.5**	21,666	3.34	13.2	2,323	9,207
Indicated	**2.0**	15,597	3.96	14.9	1,985	7,456
Indicated	**2.5**	**11,502**	**4.57**	**16.5**	**1,691**	**6,083**
Indicated	**3.0**	8,620	5.19	18.1	1,437	5,016
Indicated	**3.5**	6,611	5.78	19.7	1,228	4,185
Indicated	**4.0**	5,202	6.33	21.0	1,059	3,510
Indicated	**5.0**	3,247	7.45	22.9	778	2,393

Resource Class	Cut-off Grade (g/t Au)	Tonnes (Thousand)	Au (g/t)	Ag (g/t)	Contained Metal Au (koz)	Contained Metal Ag (koz)
Meas + Ind	**0.5**	129,573	1.32	6.9	5,519	28,620
Meas + Ind	**1.0**	45,629	2.55	12.2	3,736	17,904
Meas + Ind	**1.5**	29,502	3.27	15.1	3,105	14,339
Meas + Ind	**2.0**	20,674	3.93	17.3	2,614	11,466
Meas + Ind	**2.5**	**15,058**	**4.57**	**19.3**	**2,211**	**9,362**
Meas + Ind	**3.0**	11,214	5.19	21.4	1,873	7,714
Meas + Ind	**3.5**	8,583	5.79	23.3	1,599	6,431
Meas + Ind	**4.0**	6,723	6.36	25.0	1,375	5,397
Meas + Ind	**5.0**	4,232	7.49	27.9	1,019	3,793

Resource Class	Cut-off Grade (g/t Au)	Tonnes (Thousand)	Au (g/t)	Ag (g/t)	Contained Metal Au (koz)	Contained Metal Ag (koz)
Inferred	**0.5**	41,769	1.60	7.7	2,143	10,338
Inferred	**1.0**	18,681	2.72	12.0	1,633	7,217
Inferred	**1.5**	12,666	3.43	14.7	1,397	5,973
Inferred	**2.0**	9,171	4.08	16.7	1,203	4,936
Inferred	**2.5**	**6,847**	**4.70**	**19.0**	**1,034**	**4,192**
Inferred	**3.0**	5,164	5.33	21.3	885	3,530
Inferred	**3.5**	3,868	6.05	23.4	752	2,908
Inferred	**4.0**	3,019	6.69	25.5	650	2,477
Inferred	**5.0**	1,979	7.87	28.4	501	1,808

Table 14.22
Angostura Mineral Resource Summary using Un-Capped Data

Resource Class	Cut-off Grade (g/t Au)	Tonnes (kt)	Au_UC (g/t)	Ag (g/t)	Contained Metal Au (koz)	Contained Metal Ag (koz)
Measured	**0.5**	56,269	1.16	6.9	2,096	12,481
Measured	**1.0**	15,581	2.46	13.8	1,235	6,894
Measured	**1.5**	8,803	3.43	18.6	971	5,278
Measured	**2.0**	5,975	4.24	21.6	815	4,157
Measured	**2.5**	**4,304**	**5.02**	**24.6**	**695**	**3,399**
Measured	**3.0**	3,211	5.80	27.1	599	2,796
Measured	**3.5**	2,485	6.55	29.2	524	2,333
Measured	**4.0**	1,953	7.32	31.3	460	1,964
Measured	**5.0**	1,297	8.79	35.2	366	1,468

Resource Class	Cut-off Grade (g/t Au)	Tonnes) (kt)	Au_UC (g/t)	Ag (g/t)	Contained Metal Au (koz)	Contained Metal Ag (koz)
Indicated	**0.5**	74,067	1.65	6.8	3,926	16,188
Indicated	**1.0**	32,790	2.89	10.7	3,050	11,294
Indicated	**1.5**	23,473	3.55	12.5	2,682	9,426
Indicated	**2.0**	17,012	4.24	14.0	2,321	7,659
Indicated	**2.5**	**12,606**	**4.95**	**15.5**	**2,005**	**6,273**
Indicated	**3.0**	9,491	5.67	17.0	1,731	5,185
Indicated	**3.5**	7,404	6.36	18.3	1,514	4,350
Indicated	**4.0**	5,944	7.00	19.2	1,338	3,676
Indicated	**5.0**	3,852	8.38	20.6	1,038	2,553

Resource Class	Cut-off Grade (g/t Au)	Tonnes) (kt)	Au_UC (g/t)	Ag (g/t)	Contained Metal Au (koz)	Contained Metal Ag (koz)
Meas + Ind	**0.5**	130,335	1.44	6.8	6,022	28,668
Meas + Ind	**1.0**	48,371	2.75	11.7	4,285	18,188
Meas + Ind	**1.5**	32,275	3.52	14.2	3,653	14,704
Meas + Ind	**2.0**	22,987	4.24	16.0	3,136	11,817
Meas + Ind	**2.5**	**16,910**	**4.97**	**17.8**	**2,700**	**9,672**
Meas + Ind	**3.0**	12,702	5.71	19.5	2,330	7,981
Meas + Ind	**3.5**	9,889	6.41	21.0	2,037	6,683
Meas + Ind	**4.0**	7,896	7.08	22.2	1,798	5,641
Meas + Ind	**5.0**	5,148	8.48	24.3	1,404	4,021

Resource Class	Cut-off Grade (g/t Au)	Tonnes) (kt)	Au_UC (g/t)	Ag (g/t)	Contained Metal Au (koz)	Contained Metal Ag (koz)
Inferred	**0.5**	41,971	1.75	7.7	2,355	10,354
Inferred	**1.0**	20,085	2.90	11.5	1,874	7,423
Inferred	**1.5**	14,015	3.63	13.8	1,635	6,209
Inferred	**2.0**	10,320	4.31	15.7	1,429	5,213
Inferred	**2.5**	**7,801**	**4.97**	**17.9**	**1,247**	**4,481**
Inferred	**3.0**	5,971	5.66	19.9	1,086	3,816
Inferred	**3.5**	4,522	6.44	21.6	936	3,138
Inferred	**4.0**	3,591	7.14	23.3	824	2,695
Inferred	**5.0**	2,419	8.44	25.9	656	2,015

Table 14.23
Angostura Mineral Resource Summary by Weathering Horizon

Resource Class	Cut-off (g/t Au)	Weath.	Tonnes (kt)	Au (g/t)	Ag (g/t)	Weath.	Tonnes (kt)	Au (g/t)	Ag (g/t)	Weath.	Tonnes (kt)	Au (g/t)	Ag (g/t)	Weath.	Tonnes (kt)	Au (g/t)	Ag (g/t)
Measured	**0.5**	Total	56,139	1.07	6.9	Oxide	5,125	0.95	6.1	Transition	11,539	1.21	11.9	Fresh	39,473	1.04	5.5
Measured	**1.0**	Total	14,800	2.21	14.3	Oxide	1,196	1.91	7.9	Transition	3,588	2.42	23.2	Fresh	10,015	2.17	11.9
Measured	**2.0**	Total	5,078	3.85	24.6	Oxide	326	3.42	12.4	Transition	1,487	3.91	35.6	Fresh	3,262	3.87	20.7
Measured	**2.5**	**Total**	**3,556**	**4.55**	**28.7**	**Oxide**	**210**	**4.09**	**13.5**	**Transition**	**1,078**	**4.55**	**40.0**	**Fresh**	**2,267**	**4.59**	**24.7**
Measured	**3.0**	Total	2,594	5.22	32.4	Oxide	143	4.73	14.8	Transition	819	5.12	43.0	Fresh	1,632	5.32	28.5
Measured	**3.5**	**Total**	**1,972**	**5.85**	**35.4**	**Oxide**	**102**	**5.32**	**16.5**	**Transition**	**616**	**5.74**	**45.4**	**Fresh**	**1,252**	**5.95**	**32.1**
Measured	**4.0**	Total	1,521	6.48	38.6	Oxide	84	5.67	18.5	Transition	459	6.42	48.4	Fresh	977	6.58	35.7
Measured	**5.0**	Total	985	7.59	44.2	Oxide	48	6.59	22.0	Transition	279	7.69	55.5	Fresh	656	7.62	41.1
Indicated	**0.5**	Total	73,434	1.52	6.8	Oxide	5,174	1.33	7.4	Transition	9,977	1.68	8.7	Fresh	58,281	1.51	6.5
Indicated	**1.0**	Total	30,829	2.71	11.2	Oxide	1,947	2.45	9.3	Transition	4,644	2.85	12.5	Fresh	24,237	2.70	11.1
Indicated	**2.0**	Total	15,597	3.96	14.9	Oxide	856	3.79	12.6	Transition	2,418	4.18	15.0	Fresh	12,322	3.93	15.0
Indicated	**2.5**	**Total**	**11,502**	**4.57**	**16.5**	**Oxide**	**650**	**4.28**	**13.5**	**Transition**	**1,868**	**4.75**	**15.6**	**Fresh**	**8,982**	**4.56**	**16.8**
Indicated	**3.0**	Total	8,620	5.19	18.1	Oxide	503	4.72	13.7	Transition	1,466	5.30	16.5	Fresh	6,649	5.20	18.8
Indicated	**3.5**	**Total**	**6,611**	**5.78**	**19.7**	**Oxide**	**405**	**5.08**	**14.3**	**Transition**	**1,105**	**5.98**	**17.6**	**Fresh**	**5,100**	**5.79**	**20.6**
Indicated	**4.0**	Total	5,202	6.33	21.0	Oxide	297	5.56	16.0	Transition	877	6.56	18.7	Fresh	4,027	6.34	21.9
Indicated	**5.0**	Total	3,247	7.45	22.9	Oxide	154	6.60	20.3	Transition	587	7.59	20.1	Fresh	2,505	7.47	23.7
Meas + Ind	**0.5**	Total	129,573	1.32	6.9	Oxide	10,300	1.14	6.7	Transition	21,517	1.43	10.4	Fresh	97,755	1.32	6.1
Meas + Ind	**1.0**	Total	45,629	2.55	12.2	Oxide	3,144	2.24	8.7	Transition	8,232	2.66	17.2	Fresh	34,252	2.55	11.3
Meas + Ind	**2.0**	Total	20,674	3.93	17.3	Oxide	1,183	3.69	12.5	Transition	3,906	4.07	22.8	Fresh	15,585	3.91	16.2
Meas + Ind	**2.5**	**Total**	**15,058**	**4.57**	**19.3**	**Oxide**	**861**	**4.23**	**13.5**	**Transition**	**2,947**	**4.68**	**24.5**	**Fresh**	**11,249**	**4.56**	**18.4**
Meas + Ind	**3.0**	Total	11,214	5.19	21.4	Oxide	646	4.72	13.9	Transition	2,285	5.24	26.0	Fresh	8,281	5.22	20.7
Meas + Ind	**3.5**	**Total**	**8,583**	**5.79**	**23.3**	**Oxide**	**507**	**5.13**	**14.8**	**Transition**	**1,721**	**5.89**	**27.6**	**Fresh**	**6,353**	**5.82**	**22.8**
Meas + Ind	**4.0**	Total	6,723	6.36	25.0	Oxide	381	5.59	16.6	Transition	1,337	6.51	28.9	Fresh	5,004	6.38	24.6
Meas + Ind	**5.0**	Total	4,232	7.49	27.9	Oxide	203	6.60	20.7	Transition	867	7.63	31.5	Fresh	3,161	7.50	27.3
Inferred	**0.5**	Total	41,769	1.60	7.7	Oxide	1,748	1.58	8.9	Transition	3,370	1.69	7.6	Fresh	36,649	1.59	7.7
Inferred	**1.0**	Total	18,681	2.72	12.0	Oxide	859	2.53	13.6	Transition	1,552	2.88	10.9	Fresh	16,269	2.71	12.0
Inferred	**2.0**	Total	9,171	4.08	16.7	Oxide	426	3.62	19.2	Transition	863	4.03	13.1	Fresh	7,881	4.11	17.0
Inferred	**2.5**	**Total**	**6,847**	**4.70**	**19.0**	**Oxide**	**283**	**4.30**	**22.9**	**Transition**	**655**	**4.60**	**14.2**	**Fresh**	**5,908**	**4.73**	**19.4**
Inferred	**3.0**	Total	5,164	5.33	21.3	Oxide	196	4.98	20.7	Transition	479	5.29	15.7	Fresh	4,488	5.35	21.9
Inferred	**3.5**	**Total**	**3,868**	**6.05**	**23.4**	**Oxide**	**152**	**5.48**	**21.0**	**Transition**	**370**	**5.90**	**16.1**	**Fresh**	**3,345**	**6.09**	**24.3**
Inferred	**4.0**	Total	3,019	6.69	25.5	Oxide	117	6.00	24.2	Transition	291	6.48	16.4	Fresh	2,610	6.75	26.6
Inferred	**5.0**	Total	1,979	7.87	28.4	Oxide	77	6.79	28.9	Transition	176	7.82	18.7	Fresh	1,724	7.93	29.4

micon INTERNATIONAL LIMITED | mineral industry consultants

14.9.1 Comparison to Previous Estimate

The updated 2015 mineral resource estimate compares quite favourably with the 2012 PEA estimate. There has been a 10% increase in Measured and Indicated Resource tonnes and contained gold ounces as shown below in Table 14.24. A small portion of the Indicated resource has been upgraded to Measured due to the better segregation of higher and lower grade mineralization through using a single indicator probabilistic model.

The corresponding change in Inferred Resources is also provided in Table 14.24. Although the 2015 Inferred estimate at a 2.5 g/t Au cut-off grade has resulted in a 27% reduction of contained gold ounces in that category, this reflects upgrading of blocks to Measured and Indicated. The remaining balance of Inferred Resources now show a slight increase in grade of approximately 7% relative to the 2012 PEA numbers (at a 2.5 g/t Au cut-off grade).

Table 14.24
Comparison of 2015 Estimate to PEA Mineral Resource Estimate at 2.5 g/t Au Cut-off Grade

Material	Golder PEA 12/03/27					Micon OKmod4p 15/06/10							
	Indicated			Metal		Measured + Indicated			Metal		*Difference*		
	Tonnage (Mt)	Au (g/t)	Ag (g/t)	Au (Moz)	Ag (Moz)	Tonnage (Mt)	Au (g/t)	Ag (g/t)	Au (Moz)	Ag (Moz)	Tonnage %	Au %	Ag %
Oxide	0.84	4.25	10.97	0.11	0.3	0.86	4.23	13.49	0.12	0.4	2.5%	2.0%	26.0%
Transition	3.15	4.81	22.47	0.49	2.3	2.95	4.68	24.55	0.44	2.3	-6.4%	-9.0%	2.2%
Fresh Rock	9.70	4.51	19.99	1.41	6.2	11.25	4.56	18.42	1.65	6.7	16.0%	17.3%	6.9%
Total	**13.69**	**4.56**	**20.01**	**2.01**	**8.8**	**15.06**	**4.57**	**19.34**	**2.21**	**9.4**	**10.0%**	**10.1%**	**6.3%**

Material	Inferred			Metal		Inferred			Metal		*Difference*		
	Tonnage (Mt)	Au (g/t)	Ag (g/t)	Au (Moz)	Ag (Moz)	Tonnage (Mt)	Au (g/t)	Ag (g/t)	Au (Moz)	Ag (Moz)	Tonnage %	Au %	Ag %
Oxide	0.38	3.99	20.22	0.05	0.2	0.28	4.30	22.95	0.04	0.2	-25.4%	-19.6%	-15.3%
Transition	0.83	4.20	21.78	0.11	0.6	0.66	4.60	14.22	0.10	0.3	-21.0%	-13.5%	-48.4%
Fresh Rock	8.74	4.43	20.57	1.24	5.8	5.91	4.73	19.39	0.90	3.7	-32.4%	-27.9%	-36.3%
Total	**9.95**	**4.39**	**20.66**	**1.41**	**6.6**	**6.85**	**4.70**	**19.04**	**1.03**	**4.2**	**-31.2%**	**-26.4%**	**-36.6%**

micon INTERNATIONAL LIMITED | mineral industry consultants

15.0 ADJACENT PROPERTIES

There are a number of small-scale mining operations in the area of the Angostura project run by Colombian nationals and cooperatives.

The mineral properties immediately adjacent to the Angostura on its south-west flank consist of ground originally controlled by Ventana Gold Corp. which, in 2011, was acquired by a private organization, AUX Canada Acquistion Inc. (AUX). More recently, in 2014 an Abu Dhabi sovereign wealth fund, Mubadala Development Company, acquired AUX's interests in the property which contains several gold-silver vein systems such as La Bodega, La Mascota, Las Mercedes, and Aserradero and appears to be the southwestern extension of the Angostura sheeted vein system.

Galway Resources Ltd. and Calvista Gold Corporation (both of which were acquired by AUX) also acquired tenures in the Vetas-California district including a land position along strike and adjacent to the La Mascota area. In the Vetas area, Galway Resources Ltd. holds the Reina de Oro gold property.

Leyhat Colombia and its subsidiary CB Gold have mineral properties in the Vetas-California district, but these are not immediately adjacent to Angostura.

The information above was provided by Eco Oro and has not been investigated or confirmed by Micon. The statements are for information purposes only and Micon offers no opinion on their accuracy.

16.0 OTHER RELEVANT DATA AND INFORMATION

All relevant data and information regarding the Angostura property have been disclosed under the relevant sections of this report.

17.0 INTERPRETATION AND CONCLUSIONS

The updated Angostura mineral resource estimate at a cut-off grade of 2.5 g/t Au is summarized in Table 17.1. The effective date of the estimate is 1 June, 2015.

The updated estimate has resulted in a 10% increase in Measured & Indicated Resource tonnes and contained gold ounces. A small portion of Indicated resource, as classified in the 2012 PEA estimate, has been upgraded to Measured due to the better segregation of higher and lower grade mineralization through using a single indicator probabilistic model.

The corresponding change in Inferred Resources resulted in a 27% reduction of contained gold ounces in that category reflecting the upgrading of blocks to Measured plus Indicated. The remaining balance of Inferred Resources now show a slight increase in grade of approximately 7% relative to the 2012 PEA numbers (at a 2.5 g/t Au cut-off grade).

Table 17.1
Angostura Mineral Resource Summary at a Cut-off Grade of 2.5 g/t Au

Resource Class	Tonnes (Mt)	Au (g/t)	Ag (g/t)	Contained Metal Au (koz)	Contained Metal Ag (koz)
Measured	3.56	4.55	28.7	520	3,279
Indicated	11.50	4.57	16.5	1,691	6,083
Meas + Ind	**15.06**	**4.57**	**19.3**	**2,211**	**9,362**
Inferred	6.85	4.70	19.0	1,034	4,192

(1) Mineral resources which are not mineral reserves do not have demonstrated economic viability. The estimate of mineral resources may be materially affected by environmental, permitting, legal, title, taxation, sociopolitical, marketing, or other relevant issues.

(2) The quantity and grade of reported inferred resources in this estimation are conceptual in nature and there has been insufficient exploration to define these inferred resources as an indicated or measured mineral resource and it is uncertain if further exploration will result in upgrading them to an indicated or measured mineral resource category.

The mineral resource estimate presented in this report was prepared in accordance with the definitions contained in the Canadian Institute of Mining, Metallurgy and Petroleum (CIM) Standards on Mineral Resources and Reserves Definitions and Guidelines that were prepared by the CIM Standing Committee on Reserve Definitions and adopted by the CIM Council on May 10, 2014.

Micon used a probabilistic approach, in the form of a 1 g/t Au single indicator model, to separate the higher and lower grade zones of mineralization and data populations within the interpreted mineralized structures. This approach was necesitated by the lack of a geological model or interpretation that adequately captured the higher grade zones of mineralization within the broad mineralized structures. The most likely cause of this is a combination of erratic and discontinuous bodies of higher grade mineralization and drillhole spacing that is too wide to allow these bodies to be modeled.

18.0 RECOMMENDATIONS

Micon recommends that Eco Oro carryout a program of fill-in drilling to better define the extent, continuity and grade of higher grade zones within the broad mineralized structures. A reduction in the drillhole spacing may also allow the upgrade of Inferred resources to Measured and Indicated.

Micon has adopted the geological block model provided by Eco Oro but recommends that the 3D wireframes of the mineralized structures be re-generated from the original sectional interpretations before any further mineral resource estimation work is carried out. Micon's review of the existing 3D wireframes of the mineralized structures indicated some areas with cross-overs and bad links that should be corrected.

Micon noted a difference in the gold grade statistics of the 3 weathering horizons. Micon recommends that the effect of weathering on the distribution of gold at Angostura be further examined.

Micon notes that the underground chip and channel samples were not included in the database used to generate the mineral resource estimate. Not having examined these data, Micon cannot comment on their suitability for use in mineral resource estimation, however they may have proved useful in better determining the close-spaced variability of the mineralization, particularly along strike. Similarly, the muck sample results could have been used for reconciliation of the mineral resource estimate. Micon therefore recommends that the underground sample data be verified and cleaned-up as required and made available for future mineral resource estimates.

19.0 REFERENCES

Burns (Snowden), 2005: Database review report (internal).

Eco Oro Minerals Corp., 2000-2012: various internal studies and reports.

Golder Associates, March 2012: Updated Preliminary Economic Assessment on the Angostura Gold-Silver Underground Project, Santander Department, Colombia, March 2012.

Greig et al. (GRD Minproc): internal QA/QC report.

Metálica Consultores S.A., 2008. Technical Report December 8, 2008, Mineral Resource Estimate, Angostura Gold Project Santander, Colombia. Dated January 21, 2009

Mine Development Associates, 1998 Mineral Resource Estimate.

NCL, Alquimia, 2011: Eco Oro Resources, Angostura Underground Mine - Scoping Study, Final Report. Unpublished internal study, January 2011.

Sironvalle (Metálica Consultores Ltda.), 2009: QA/QC review.

Sillitoe, R.H., 1995: Exploration of porphyry copper lithocaps, in Pacific Rim Congress 95, 19–22 November 1995, Auckland, New Zealand, proceedings: Carlton South, The Australasian Institute of Mining and Metallurgy, p. 527–532.

Smee, B.W., 2005a: Interim Recommendations for Quality Control Procedures, Angostura Project, Colombia: unpublished report prepared by Smee Consultants for Eco Oro, August 2005.

Smee, B.W., 2005b: A Review of Quality Control Data, August to December, 2005: unpublished report prepared by Smee Consultants for Eco Oro, December 2005.

Smee, B.W., 2007: A Review of Quality Control Data, January 2006 to May, 2007: unpublished report prepared by Smee Consultants for Eco Oro, July 2007.

Smee, B.W., 2008: A Review of Quality Control Data, October 2008, Angostura Project, Colombia: unpublished report prepared by Smee Consultants for Eco Oro, October 2008.

Smee, B.W., 2010: A Review of Quality Control Data, September 2010, Angostura Project, Colombia: unpublished report prepared by Smee Consultants for Eco Oro, September 2010.

Smee, B.W., 2012. A Review of Quality Control Procedures and Data, Angostura Project, Colombia. Report Eco Oro QC Procedure and Data Review, October 2012.

Snowden Mining Industry Consultants, 2005b. Greystar Resources Ltd.: Technical Report, Project No. 05V463. Amended Resource Update, Angostura Project, Santander, Colombia, dated November 10, 2005

Thalenhorst & Barton (Strathcona Mineral Services Ltd.), 2002-2004: various QA/QC reviews of sampling database.

Wells, J., et al. (HATCH), Greystar Resources Ltd. - Angostura Project NI 43-101 Independent Technical Report, July 19 2007.

20.0 DATE AND SIGNATURE PAGE

"Thomas C. Stubens" {signed and sealed}

Thomas C. Stubens, P.Eng.
Micon International Limited.
Signing Date: 17 July, 2015
Effective Date: 1 June, 2015

21.0 CERTIFICATES

CERTIFICATE OF QUALIFIED PERSON
THOMAS C. STUBENS, P.ENG.

I, Thomas C. Stubens, of Vancouver, British Columbia, do hereby certify that as a co-author of this "Technical Report on the Updated Mineral Resource Estimate for the Angostura Gold-Silver Deposit, Santander Department, Colombia" dated July 17, 2015, with an effective date of June 1, 2015, I hereby make the following statements:

1. I am a Senior Geologist with Micon International Limited with a business address at 205-700 West Pender St., Vancouver, British Columbia, V6C 1G8.

2. I am a graduate of the Universities of Toronto and British Columbia, (B.A.Sc, 1978 and M.A.Sc., 1989 respectively).

3. I am a member in good standing of the Association of Professional Engineers and Geoscientists of British Columbia (License #28367).

4. I have practiced my profession continuously since graduation.

5. I have read the definition of "qualified person" set out in National Instrument 43-101 (NI 43-101) and certify that, by reason of my education, affiliation with a professional association (as defined in NI 43-101) and past relevant work experience, I fulfill the requirements to be a "qualified person" for the purpose of NI 43-101.

6. My relevant experience with respect to the Angostura project includes 35 years of post-graduate experience, 25 years of which are in the fields of geological modeling and geostatistical resource estimation.

7. I visited the property on March 19, 2015.

8. I am responsible for the preparation of this technical report titled "Technical Report on the Updated Mineral Resource Estimate for the Angostura Gold-Silver Deposit, Santander Department, Colombia" dated July 17, 2015, with an effective date of June 1, 2015.

9. I have no prior involvement with the Property that is the subject of the Technical Report.

10. As of the date of this Certificate, to my knowledge, information, and belief, this Technical Report contains all scientific and technical information that is required to be disclosed to make the technical report not misleading.

11. I am independent of the Issuer as defined by Section 1.5 of the Instrument.

12. I have read National Instrument 43-101 and the Technical Report has been prepared in compliance with National Instrument 43-101 and Form 43-101F1.

Signing Date: 17 July, 2015
Effective Date: 1 June, 2015

"Original Document signed and sealed by
Thomas C. Stubens, P.Eng."
Thomas C. Stubens, M.A.Sc., P.Eng.

APPENDIX 1

Summary Vein Sample Statistics

Summary Au (g/t) Sample Statistics by Vein

AREA	VEIN	Au (g/t) Summary Sample Statistics								
		Mean	Max	Q3	Median	Q1	Min	IQR	CV	Number
Veta de Barro	**1**	**1.19**	**58.3**	0.72	0.29	0.09	0.0001	0.63	**3.09**	865
Veta de Barro	**2**	**1.23**	**211**	0.82	0.26	0.07	0.0001	0.75	**4.83**	2,673
Veta de Barro	**3**	**0.73**	**52.7**	0.45	0.14	0.03	0.0001	0.42	**3.82**	855
Veta de Barro	**4**	**1.47**	**189.5**	0.85	0.33	0.07	0.0001	0.78	**6.02**	528
Veta de Barro	**5**	**1.20**	**168**	0.71	0.23	0.03	0.0001	0.68	**5.44**	1,009
Veta de Barro	**6**	**1.14**	**57.8**	0.79	0.27	0.07	0.0001	0.71	**3.90**	264
Veta de Barro	**7**	**0.96**	**136**	0.53	0.20	0.04	0.0007	0.50	**7.01**	480
Veta de Barro	**8**	**1.52**	**66**	0.83	0.45	0.24	0.0025	0.59	**3.87**	229
Veta de Barro	**9**	**0.49**	**17.7**	0.42	0.14	0.02	0.0001	0.40	**2.80**	517
Veta de Barro	**10**	**0.57**	**13.55**	0.64	0.19	0.05	0.0001	0.58	2.06	505
Veta de Barro	**11**	**1.17**	**25.3**	1.19	0.45	0.11	0.0025	1.08	2.31	177
Veta de Barro	**12**	**0.73**	**18.25**	0.53	0.15	0.03	0.0001	0.50	**2.76**	148
Veta de Barro	**13**	**0.50**	**4.25**	0.53	0.27	0.08	0.0025	0.45	1.47	77
Veta de Barro	**14**	**2.43**	**199**	0.51	0.15	0.03	0.0025	0.47	**7.59**	235
Veta de Barro	**16**	**0.81**	**4.18**	0.90	0.53	0.19	0.029	0.71	1.23	20
Veta de Barro	**17**	**0.65**	**108**	0.43	0.14	0.03	0.0006	0.40	**6.68**	702
Veta de Barro	**18**	**0.62**	**196.5**	0.31	0.08	0.02	0.0001	0.29	**10.94**	869
Veta de Barro	**19**	**0.94**	**145.5**	0.15	0.04	0.01	0.0001	0.15	**10.35**	228
Veta de Barro	**20**	**1.08**	**86.4**	0.35	0.10	0.04	0.0025	0.32	**4.85**	720
Centro	**26**	**0.47**	**8.4**	0.48	0.16	0.05	0.0025	0.43	2.04	144
Centro	**33**	**0.68**	**20.7**	0.47	0.19	0.05	0.0025	0.42	**2.80**	647
Centro	**47**	**1.05**	**39.4**	0.97	0.43	0.19	0.007	0.78	2.16	1,317
Centro	**50**	**0.77**	**17.35**	0.63	0.29	0.13	0.0024	0.50	2.30	251
Centro	**51**	**1.31**	**140.04**	0.95	0.39	0.16	0.0023	0.79	**3.12**	3,610
Centro	**52**	**0.92**	**119**	0.58	0.23	0.11	0.0005	0.47	**4.43**	3,437
Centro	**53**	**0.45**	**10.94**	0.42	0.23	0.13	0.02	0.29	1.92	1,185
Centro	**54**	**1.40**	**252.75**	0.84	0.42	0.20	0.0025	0.65	**6.31**	1,239
Centro	**56**	**0.82**	**115.72**	0.66	0.29	0.13	0.0025	0.54	**3.77**	2,575
Centro	**65**	**0.46**	**27.5**	0.44	0.19	0.08	0.0025	0.36	**3.19**	772
Centro	**66**	**1.23**	**101.5**	0.67	0.31	0.11	0.001	0.56	**4.31**	1,159
Centro	**68**	**0.38**	**11.15**	0.34	0.12	0.03	0.0005	0.31	**2.43**	832
Centro	**69**	**0.91**	**150**	0.64	0.31	0.16	0.0025	0.48	**4.91**	1,986
Centro	**70**	**0.93**	**22.8**	0.82	0.32	0.19	0.0139	0.63	2.01	491
Centro	**71**	**0.97**	**37.5**	0.60	0.27	0.10	0.0025	0.50	**3.01**	821
Centro	**74**	**0.85**	**27.6**	0.70	0.33	0.17	0.0025	0.54	2.26	1,306
Centro	**77**	**1.78**	**262.3**	0.79	0.35	0.15	0.0024	0.64	**5.32**	1,399
Centro	**78**	**0.84**	**101.5**	0.66	0.31	0.13	0.0025	0.53	**3.80**	2,021
Centro	**80**	**0.48**	**16.6**	0.48	0.23	0.13	0.005	0.35	2.12	820
Centro	**82**	**0.54**	**25.3**	0.52	0.26	0.11	0.0025	0.41	**2.51**	607
Centro	**84**	**0.30**	**3.95**	0.35	0.15	0.04	0.0025	0.31	1.61	239
Centro	**85**	**1.00**	**213.14**	0.65	0.29	0.15	0.0025	0.50	**7.01**	1,054
Centro	**87**	**0.51**	**5.87**	0.49	0.24	0.12	0.03	0.37	**1.72**	56
Centro	**88**	**1.31**	**336**	0.56	0.20	0.06	0.0025	0.50	**11.79**	476
Centro	**89**	**0.89**	**44.8**	0.74	0.37	0.21	0.0027	0.53	**2.84**	1,706
Centro	**91**	**0.84**	**71.7**	0.72	0.37	0.18	0.0001	0.54	**3.39**	1,234
Centro	**93**	**0.92**	**81.5**	0.75	0.37	0.18	0.0006	0.57	3.21	1,974
Centro	**94**	**0.93**	**155**	0.65	0.30	0.15	0.005	0.50	**4.80**	2,712
Centro	**97**	**0.84**	**36.6**	0.66	0.28	0.08	0.0001	0.58	**3.39**	419
Centro	**98**	**0.77**	**29.2**	0.66	0.28	0.10	0.0025	0.56	**2.92**	400
Centro	**99**	**0.73**	**18.9**	0.63	0.23	0.07	0.0025	0.56	2.44	311
Centro	**103**	**0.86**	**42.4**	0.65	0.31	0.16	0.0001	0.49	**2.89**	1,677
Centro	**104**	**0.59**	**22.7**	0.53	0.26	0.14	0.0025	0.39	2.34	1,017
Centro	**106**	**0.42**	**1.89**	0.60	0.30	0.16	0.03	0.44	0.85	215
Centro	**107**	**1.11**	**78.58**	0.60	0.29	0.15	0.01	0.45	**5.15**	278

AREA	VEIN	Au (g/t) Summary Sample Statistics								
		Mean	Max	Q3	Median	Q1	Min	IQR	CV	Number
Centro	**114**	**1.60**	**75.3**	1.28	0.47	0.19	0.0011	1.09	2.56	2,742
Centro	**119**	**0.54**	**32.3**	0.45	0.21	0.10	0.0001	0.35	**3.28**	1,794
Centro	**120**	**0.52**	**21.23**	0.43	0.23	0.12	0.02	0.31	2.66	422
Centro	**122**	**0.77**	**21.88**	0.80	0.36	0.19	0.01	0.61	**1.88**	752
Centro	**123**	**0.63**	**36.08**	0.65	0.29	0.15	0.025	0.50	2.41	1,065
Centro	**130**	**0.94**	**234.7**	0.62	0.25	0.11	0.0025	0.51	**5.64**	2,868
Centro	**135**	**0.90**	**48.6**	0.75	0.29	0.13	0.0023	0.62	2.71	2,779
Centro	**143**	**0.58**	**21.7**	0.55	0.25	0.12	0.01	0.43	2.13	1,680
Centro	**145**	**1.01**	**8.85**	1.23	0.71	0.42	0.076	0.80	**1.11**	86
Silencio	**105**	**0.91**	**36.6**	0.68	0.37	0.21	0.038	0.47	**3.08**	409
Silencio	**132**	**0.65**	**32.7**	0.62	0.27	0.12	0.0001	0.50	2.54	2,178
Silencio	**144**	**0.76**	**41**	0.52	0.22	0.10	0.01	0.42	**3.01**	1,357
Silencio	**201**	**0.92**	**8.65**	0.80	0.46	0.23	0.07	0.57	**1.61**	117
Silencio	**202**	**0.67**	**44.4**	0.39	0.17	0.08	0.0025	0.31	**4.21**	851
Silencio	**203**	**0.70**	**23.8**	0.61	0.22	0.10	0.0025	0.51	2.47	484
Silencio	**204**	**0.42**	**22.09**	0.33	0.16	0.07	0.0025	0.26	**3.09**	572
Silencio	**205**	**0.45**	**7.68**	0.55	0.24	0.11	0.008	0.44	**1.46**	452
Silencio	**206**	**0.80**	**39**	0.84	0.38	0.16	0.005	0.68	2.10	1,709
Silencio	**207**	**1.13**	**22.7**	1.31	0.50	0.20	0.0102	1.11	**1.69**	470
Silencio	**208**	**1.15**	**40.6**	0.82	0.33	0.11	0.01	0.70	2.94	327
Silencio	**209**	**0.51**	**25.8**	0.36	0.13	0.06	0.0025	0.30	**3.41**	285
Silencio	**210**	**0.90**	**20.4**	0.53	0.20	0.07	0.01	0.46	2.75	105
Silencio	**211**	**0.85**	**12.45**	0.56	0.31	0.14	0.023	0.42	2.15	117
Silencio	**212**	**0.82**	**11.7**	0.73	0.32	0.13	0.04	0.61	2.22	86
Silencio	**213**	**1.36**	**45.2**	0.70	0.29	0.12	0.014	0.58	**3.70**	93
Silencio	**214**	**0.69**	**177.5**	0.36	0.13	0.06	0.0024	0.30	**8.48**	1,031
Silencio	**215**	**1.30**	**43.4**	1.30	0.74	0.38	0.08	0.92	2.09	359
Silencio	**216**	**0.59**	**6.99**	0.69	0.34	0.17	0.03	0.53	**1.46**	120
Silencio	**217**	**0.78**	**24.59**	0.65	0.27	0.13	0.03	0.52	2.86	247
Silencio	**218**	**0.61**	**21.27**	0.46	0.13	0.07	0.0018	0.39	2.98	180
Silencio	**220**	**0.77**	**36**	0.80	0.23	0.08	0.0025	0.72	2.39	1,263
Silencio	**222**	**1.29**	**186.5**	0.60	0.23	0.11	0.01	0.49	**6.83**	535
Silencio	**223**	**0.76**	**36.12**	0.50	0.22	0.10	0.0025	0.40	**3.12**	665
Silencio	**224**	**1.27**	**30.39**	0.69	0.26	0.10	0.012	0.58	2.70	289
Silencio	**230**	**0.48**	**43.84**	0.35	0.13	0.06	0.001	0.29	**4.36**	1,151
Silencio	**231**	**0.78**	**105.5**	0.36	0.13	0.05	0.005	0.31	**6.34**	900
Silencio	**232**	**0.59**	**13.75**	0.52	0.19	0.05	0.0008	0.47	2.38	765
Silencio	**233**	**0.40**	**17.32**	0.26	0.10	0.04	0.0035	0.22	**3.10**	893
Silencio	**234**	**0.46**	**21.2**	0.38	0.13	0.05	0.0029	0.33	**3.30**	393
Silencio	**236**	**0.85**	**27.9**	0.48	0.16	0.06	0.005	0.42	**3.20**	290
Silencio	**237**	**0.45**	**13.4**	0.45	0.16	0.06	0.0025	0.39	2.26	659
Silencio	**240**	**0.38**	**10.95**	0.32	0.12	0.05	0.005	0.27	2.78	161
Silencio	**241**	**0.34**	**4.25**	0.34	0.13	0.06	0.01	0.28	**1.81**	90
Silencio	**243**	**0.38**	**4.3**	0.30	0.09	0.04	0.0001	0.26	2.25	76
Laches	**180**	**0.96**	**77.9**	0.66	0.20	0.04	0.0017	0.62	**3.61**	5,584
Laches	**181**	**0.53**	**32.3**	0.35	0.10	0.02	0.0025	0.33	**3.19**	1,375
Laches	**182**	**0.33**	**2.68**	0.52	0.16	0.02	0.0025	0.50	**1.35**	180
Laches	**183**	**0.77**	**5.52**	1.03	0.39	0.05	0.0025	0.97	**1.40**	120
Laches	**184**	**0.21**	**1.855**	0.30	0.07	0.01	0.0025	0.30	**1.51**	66
Laches	**185**	**2.52**	**77**	1.98	0.53	0.12	0.0025	1.86	2.95	807
TOTAL		**0.90**	**336**	**0.65**	**0.26**	**0.10**	**0.0001**	**0.55**	**4.62**	**93,487**

Summary Ag (g/t) Sample Statistics by Vein

AREA	VEIN	Ag (g/t) Summary Sample Statistics								
		Mean	Max	Q3	Median	Q1	Min	IQR	CV	Number
Veta de Barro	**1**	**6.29**	**223**	4.60	1.60	0.50	0.05	4.10	2.85	865
Veta de Barro	**2**	**6.58**	**892**	4.10	1.40	0.50	0.05	3.60	**4.82**	2,673
Veta de Barro	**3**	**4.68**	**607**	2.10	0.80	0.10	0.05	2.00	**6.81**	855
Veta de Barro	**4**	**6.74**	**701**	5.13	1.80	0.60	0.05	4.53	**4.83**	528
Veta de Barro	**5**	**3.21**	**123**	3.30	1.20	0.10	0.05	3.20	2.29	1,009
Veta de Barro	**6**	**2.38**	**44.9**	2.80	1.00	0.10	0.05	2.70	**1.83**	264
Veta de Barro	**7**	**2.36**	**64.6**	2.30	0.80	0.10	0.05	2.20	2.38	480
Veta de Barro	**8**	**3.48**	**37.3**	4.20	1.60	0.90	0.1	3.30	**1.41**	229
Veta de Barro	**9**	**2.85**	**155**	2.40	1.10	0.10	0.05	2.30	**3.12**	517
Veta de Barro	**10**	**3.12**	**76.2**	3.00	1.00	0.10	0.05	2.90	2.46	505
Veta de Barro	**11**	**5.91**	**52.6**	6.70	2.40	0.90	0.1	5.80	**1.64**	177
Veta de Barro	**12**	**4.43**	**78.6**	4.03	1.55	0.10	0.05	3.93	2.26	148
Veta de Barro	**13**	**1.53**	**6.4**	2.00	1.10	0.50	0.1	1.50	**1.02**	77
Veta de Barro	**14**	**16.81**	**1065**	3.35	1.10	0.10	0.1	3.25	**6.04**	235
Veta de Barro	**16**	**2.46**	**20.1**	2.20	1.65	0.63	0.1	1.58	**1.76**	20
Veta de Barro	**17**	**2.29**	**56.1**	2.40	0.70	0.10	0.05	2.30	2.22	702
Veta de Barro	**18**	**3.20**	**1120**	1.20	0.40	0.20	0.05	1.00	**12.11**	869
Veta de Barro	**19**	**3.57**	**281**	1.50	0.65	0.10	0.05	1.40	**5.62**	228
Veta de Barro	**20**	**4.22**	**453**	1.90	0.50	0.10	0.1	1.80	**5.00**	720
Centro	**26**	**2.57**	**44.3**	2.10	0.70	0.10	0.1	2.00	2.41	144
Centro	**33**	**2.82**	**174**	2.20	1.00	0.10	0.05	2.10	**3.46**	647
Centro	**47**	**4.19**	**308**	3.90	1.60	0.70	0.1	3.20	2.81	1,314
Centro	**50**	**2.93**	**85**	2.50	1.10	0.50	0.05	2.00	2.63	251
Centro	**51**	**7.26**	**494**	5.20	1.90	0.80	0.1	4.40	**3.04**	3,604
Centro	**52**	**2.57**	**181**	1.80	0.80	0.20	0.05	1.60	2.77	3,437
Centro	**53**	**3.16**	**62.2**	3.40	1.20	0.50	0.1	2.90	**1.65**	1,185
Centro	**54**	**4.60**	**254**	4.50	2.00	0.80	0.1	3.70	2.49	1,239
Centro	**56**	**4.07**	**399**	3.60	1.40	0.60	0.09	3.00	**3.29**	2,563
Centro	**65**	**2.96**	**261**	1.80	0.80	0.10	0.1	1.70	**4.39**	772
Centro	**66**	**4.01**	**287**	2.70	1.10	0.50	0.05	2.20	**3.62**	1,153
Centro	**68**	**1.45**	**41.2**	1.40	0.50	0.10	0.05	1.30	2.32	807
Centro	**69**	**4.47**	**200**	3.50	1.50	0.70	0.1	2.80	2.55	1,977
Centro	**70**	**4.64**	**122**	3.88	1.70	0.93	0.1	2.95	2.13	490
Centro	**71**	**3.34**	**94**	2.20	0.90	0.40	0.05	1.80	2.66	821
Centro	**74**	**3.69**	**252**	3.10	1.40	0.60	0.1	2.50	2.68	1,305
Centro	**77**	**4.69**	**280**	4.00	1.60	0.70	0.05	3.30	2.76	1,399
Centro	**78**	**3.40**	**188**	3.30	1.40	0.60	0.05	2.70	2.37	2,018
Centro	**80**	**2.98**	**60.5**	2.90	1.20	0.60	0.1	2.30	**1.76**	820
Centro	**82**	**2.18**	**108**	1.80	0.70	0.10	0.05	1.70	**3.15**	607
Centro	**84**	**3.01**	**76.4**	3.00	1.10	0.30	0.1	2.70	2.56	234
Centro	**85**	**4.10**	**150.8**	3.40	1.60	0.80	0.1	2.60	2.46	1,054
Centro	**87**	**4.28**	**60.9**	3.38	1.00	0.10	0.1	3.28	2.23	56
Centro	**88**	**1.93**	**60**	1.80	0.70	0.10	0.1	1.70	2.56	476
Centro	**89**	**5.38**	**469**	4.50	2.30	1.20	0.05	3.30	2.94	1,697
Centro	**91**	**4.86**	**130.8**	4.80	2.06	0.90	0.05	3.90	**1.95**	1,228
Centro	**93**	**4.76**	**300**	3.80	1.50	0.70	0.05	3.10	2.67	1,957
Centro	**94**	**5.17**	**274.4**	4.20	1.60	0.70	0.1	3.50	2.68	2,711
Centro	**97**	**2.20**	**89**	2.10	0.80	0.10	0.05	2.00	2.61	396
Centro	**98**	**2.22**	**44.9**	2.60	1.10	0.10	0.1	2.50	**1.81**	396
Centro	**99**	**2.63**	**67.2**	2.70	1.00	0.10	0.05	2.60	2.20	311
Centro	**103**	**4.58**	**113**	4.12	1.50	0.70	0.05	3.42	**2.00**	1,677
Centro	**104**	**2.72**	**58.9**	2.80	1.30	0.60	0.1	2.20	**1.83**	1,017
Centro	**106**	**2.62**	**41.7**	1.80	0.90	0.40	0.1	1.40	2.15	215
Centro	**107**	**1.60**	**34.4**	1.60	0.80	0.50	0.1	1.10	**1.92**	278

AREA	VEIN	Ag (g/t) Summary Sample Statistics								
		Mean	Max	Q3	Median	Q1	Min	IQR	CV	Number
Centro	**114**	**2.86**	**141**	2.20	0.90	0.40	0.05	1.80	2.62	2,742
Centro	**119**	**4.28**	**1905**	2.30	0.90	0.20	0.1	2.10	**10.82**	1,793
Centro	**120**	**2.79**	**79.4**	2.00	0.70	0.20	0.1	1.80	2.42	422
Centro	**122**	**4.04**	**139.2**	3.23	1.10	0.10	0.1	3.13	2.33	752
Centro	**123**	**2.58**	**108**	2.10	0.80	0.10	0.1	2.00	2.45	1,065
Centro	**130**	**7.61**	**327**	6.00	1.80	0.80	0.1	5.20	2.45	2,864
Centro	**135**	**6.48**	**315.7**	4.20	1.60	0.70	0.1	3.50	2.86	2,778
Centro	**143**	**2.99**	**198.9**	2.60	1.00	0.40	0.1	2.20	2.70	1,679
Centro	**145**	**2.15**	**42.4**	2.35	1.35	0.63	0.1	1.73	2.19	86
Silencio	**105**	**2.85**	**302**	1.50	0.80	0.50	0.1	1.00	**5.59**	409
Silencio	**132**	**6.67**	**420**	3.80	1.30	0.50	0.05	3.30	**3.12**	2,178
Silencio	**144**	**7.67**	**514.5**	5.00	1.60	0.70	0.1	4.30	**3.18**	1,357
Silencio	**201**	**2.83**	**82.9**	1.60	1.00	0.40	0.1	1.20	**3.43**	117
Silencio	**202**	**3.51**	**368**	2.25	0.80	0.20	0.1	2.05	**4.78**	851
Silencio	**203**	**1.91**	**46.4**	1.60	0.80	0.10	0.1	1.50	**1.98**	483
Silencio	**204**	**3.51**	**71.2**	2.90	1.20	0.60	0.1	2.30	2.04	572
Silencio	**205**	**3.01**	**41.4**	3.53	1.60	0.80	0.1	2.73	**1.48**	452
Silencio	**206**	**4.25**	**168**	4.00	1.80	0.80	0.1	3.20	2.30	1,709
Silencio	**207**	**3.71**	**108**	3.20	1.10	0.50	0.1	2.70	2.38	470
Silencio	**208**	**3.13**	**57.6**	2.20	1.00	0.10	0.1	2.10	2.16	327
Silencio	**209**	**3.15**	**29.6**	3.00	1.60	0.80	0.1	2.20	**1.56**	285
Silencio	**210**	**1.94**	**19**	2.10	0.90	0.10	0.1	2.00	**1.61**	105
Silencio	**211**	**2.05**	**24.1**	1.90	1.10	0.70	0.1	1.20	**1.41**	117
Silencio	**212**	**2.11**	**42.1**	1.70	1.00	0.60	0.1	1.10	2.37	86
Silencio	**213**	**3.54**	**58.5**	3.10	1.20	0.45	0.1	2.65	2.52	91
Silencio	**214**	**4.08**	**394.5**	2.90	1.30	0.50	0.1	2.40	**4.55**	1,031
Silencio	**215**	**2.94**	**39.4**	3.00	1.40	0.80	0.1	2.20	**1.63**	359
Silencio	**216**	**1.84**	**16.9**	1.60	1.15	0.60	0.1	1.00	**1.39**	120
Silencio	**217**	**2.43**	**186**	1.40	0.80	0.40	0.1	1.00	**5.19**	247
Silencio	**218**	**4.13**	**224.8**	2.33	0.80	0.40	0.1	1.93	**4.30**	180
Silencio	**220**	**4.58**	**109**	4.50	2.00	0.90	0.1	3.60	**1.86**	1,263
Silencio	**222**	**6.30**	**254**	3.90	1.40	0.60	0.1	3.30	2.71	535
Silencio	**223**	**7.43**	**152**	5.60	2.10	0.90	0.1	4.70	2.25	665
Silencio	**224**	**6.84**	**226**	4.00	1.40	0.70	0.1	3.30	2.79	289
Silencio	**230**	**3.21**	**215**	2.40	1.00	0.40	0.05	2.00	**3.65**	1,151
Silencio	**231**	**2.06**	**66.3**	1.80	0.80	0.10	0.1	1.70	2.53	900
Silencio	**232**	**4.23**	**138**	3.30	1.30	0.50	0.1	2.80	2.75	765
Silencio	**233**	**3.65**	**120**	3.00	1.30	0.50	0.1	2.50	2.44	893
Silencio	**234**	**5.86**	**197**	4.50	1.70	0.70	0.1	3.80	2.55	393
Silencio	**236**	**7.44**	**252**	5.75	1.90	0.60	0.1	5.15	2.66	290
Silencio	**237**	**7.77**	**422**	7.30	2.50	0.80	0.1	6.50	2.81	659
Silencio	**240**	**4.13**	**82.2**	2.90	1.10	0.40	0.1	2.50	2.48	161
Silencio	**241**	**1.81**	**28.9**	1.70	0.70	0.43	0.1	1.28	2.00	90
Silencio	**243**	**1.67**	**12.7**	2.10	0.95	0.10	0.05	2.00	**1.43**	76
Laches	**180**	**15.73**	**2000**	10.10	3.20	0.90	0.1	9.20	**3.66**	5,584
Laches	**181**	**10.15**	**1280**	6.10	1.70	0.50	0.1	5.60	**4.58**	1,375
Laches	**182**	**2.86**	**41.8**	3.80	1.50	0.50	0.1	3.30	**1.60**	180
Laches	**183**	**10.00**	**442**	6.53	2.80	1.30	0.1	5.23	**4.10**	120
Laches	**184**	**10.52**	**218**	9.03	1.75	0.20	0.1	8.83	2.77	66
Laches	**185**	**19.43**	**2520**	9.15	3.50	1.50	0.1	7.65	**6.03**	807
TOTAL		**5.33**	**2520**	**3.60**	**1.30**	**0.60**	**0.05**	**3.00**	**4.71**	**93,346**

APPENDIX 2

1.0 g/t Au Indicator Variograms

Azm1 Ind10 Vario

Type	Variance	62/0	332/80	152/10
Nugget	0.056	-	-	-
Spherical	0.046	6	21	6
Spherical	0.023	35	76	25



ind10 WAZI 62 WDIP 0 ind10 WAZI 332 WDIP 80 ind10 WAZI 152 WDIP 10

Azm2 Ind10 Vario

Type	Variance	46.5/0	316.5/76	136.5/14
Nugget	0.038	-	-	-
Spherical	0.072	40	16	6
Spherical	0.039	50	40	14



ind10 WAZI 46.5 WDIP 0 ind10 WAZI 316.5 WDIP 76 ind10 WAZI 136.5 WDIP 14

Azm3 Ind10 Vario

Type	Variance	81.5/0	351.5/80	171.5/10
Nugget	0.05	-	-	-
Spherical	0.022	7	6	8
Spherical	0.048	26	18	24
Spherical	0.020	47	159	51



Azm4 Ind10 Vario

Type	Variance	112/0	22/71	202/19
Nugget	0.05	-	-	-
Spherical	0.042	11.1	20.4	15.7
Spherical	0.035	33.2	49.3	40.4



ind10 WAZI 112 WDIP 0 ind10 WAZI 22 WDIP 71 ind10 WAZI 202 WDIP 19

IdAzm1 Ind10 Vario DH

Type	Variance	Range
Nugget	0.05	-
Spherical	0.052	6
Spherical	0.029	26



ind10 BHID AZI - DIP 90

IdAzm2 Ind10 Vario DH

Type	Variance	Range
Nugget	0.038	-
Spherical	0.036	4.7
Spherical	0.025	10.5
Spherical	0.032	36.2



ind10 BHID AZI - DIP 90

IdAzm3 Ind10 Vario DH

Type	Variance	Range
Nugget	0.05	-
Spherical	0.040	5.0
Spherical	0.051	42.5



ind10 BHID AZI - DIP 90

IdAzm4 Ind10 Vario DH

Type	Variance	Range
Nugget	0.047	-
Spherical	0.042	5.0
Spherical	0.024	26.0



ind10 BHID AZI - DIP 90

APPENDIX 3

Au (g/t) Summary Sample Statistics and Capping Analysis

Eco Oro Minerals - Angostura Project

Summary Sample Statistics and Capping Analysis

AREA	AREA_ID	VETA	Au (g/t) - High (GC10 = 1)								
			Mean	Max	Q3	Median	Q1	Min	IQR	CV	Number
VETABARRO	1	1	3.33	58.3	3.81	1.37	0.46	0.01	3.35	1.83	192
VETABARRO	1	2	4.15	211	3.85	1.75	0.62	0.0001	3.23	2.94	569
VETABARRO	1	3	3.67	52.7	3.23	1.85	0.86	0.053	2.37	1.80	122
VETABARRO	1	4	3.74	189.5	2.68	1.16	0.52	0.0025	2.17	4.45	137
VETABARRO	1	5	3.57	70.1	3.37	1.34	0.57	0.005	2.80	2.22	204
VETABARRO	1	6	3.96	57.8	2.75	1.66	0.57	0.017	2.18	2.31	54
VETABARRO	1	7	3.57	136	2.32	0.94	0.41	0.008	1.91	4.50	71
VETABARRO	1	8	4.67	66	2.22	1.23	0.52	0.054	1.70	2.43	45
VETABARRO	1	9	2.01	13.4	2.08	1.35	0.53	0.011	1.54	1.33	44
VETABARRO	1	10	1.68	9.44	2.07	1.06	0.52	0.0025	1.56	1.15	64
VETABARRO	1	11	2.73	25.3	3.16	1.56	0.66	0.016	2.50	1.64	50
VETABARRO	1	12	1.28	5.72	1.74	0.88	0.24	0.009	1.51	1.11	19
VETABARRO	1	13	1.53	4.25	2.23	1.36	0.54	0.077	1.69	0.84	12
VETABARRO	1	14	3.49	30.7	4.12	1.86	0.39	0.008	3.73	1.69	28
VETABARRO	1	16	2.03	4.18	2.63	1.07	0.96	0.845	1.67	0.92	3
VETABARRO	1	17	4.47	108	2.96	1.16	0.57	0.0113	2.39	3.27	57
VETABARRO	1	18	5.99	196.5	2.23	1.16	0.32	0.05	1.92	4.27	60
VETABARRO	1	19	22.25	145.5	4.01	1.58	0.28	0.074	3.73	2.44	7
VETABARRO	1	20	4.90	74.1	5.63	1.57	0.56	0.017	5.07	1.97	98
CENTRO	2	26	2.96	8.4	3.82	2.22	1.17	0.13	2.65	0.97	7
CENTRO	2	33	3.23	20.7	3.95	1.37	0.33	0.052	3.62	1.38	73
CENTRO	2	47	2.66	39.4	3.18	1.61	0.78	0.051	2.40	1.38	288
CENTRO	2	50	2.38	17.35	3.29	0.99	0.44	0.031	2.85	1.42	47
CENTRO	2	51	3.40	140.04	3.57	1.45	0.55	0.0025	3.02	2.15	967
CENTRO	2	52	3.81	119	3.39	1.46	0.65	0.02	2.74	2.38	494
CENTRO	2	53	1.56	9.47	1.88	0.87	0.30	0.05	1.58	1.27	48
CENTRO	2	54	4.08	252.75	2.74	1.30	0.62	0.0025	2.12	4.27	292
CENTRO	2	56	2.72	115.72	2.50	1.32	0.63	0.031	1.87	2.62	377
CENTRO	2	65	2.37	27.5	2.44	1.22	0.44	0.031	2.00	1.90	38
CENTRO	2	66	5.01	101.5	3.89	1.38	0.54	0.092	3.35	2.43	180
CENTRO	2	68	2.16	10.15	3.22	1.55	0.73	0.166	2.48	0.94	35
CENTRO	2	69	3.27	150	2.60	1.23	0.48	0.035	2.12	3.31	308
CENTRO	2	70	2.72	22.8	3.25	1.65	0.67	0.066	2.58	1.21	100
CENTRO	2	71	4.14	37.5	4.73	1.43	0.39	0.0025	4.34	1.58	120
CENTRO	2	74	2.52	27.6	2.96	1.34	0.54	0.059	2.42	1.46	221
CENTRO	2	77	6.75	262.3	4.97	1.82	0.72	0.006	4.25	3.04	251
CENTRO	2	78	3.07	101.5	2.33	1.25	0.63	0.02	1.70	2.45	288
CENTRO	2	80	2.30	16.6	2.28	1.10	0.46	0.036	1.82	1.49	36
CENTRO	2	82	1.49	6.53	1.77	1.15	0.53	0.115	1.24	0.98	51
CENTRO	2	84	1.36	2.37	2.06	1.23	0.84	0.272	1.22	0.57	8
CENTRO	2	85	2.84	55.6	2.64	1.26	0.60	0.075	2.04	2.30	113
CENTRO	2	87	1.86	2.62	2.24	1.86	1.48	1.1	0.76	0.58	2
CENTRO	2	88	10.02	336	3.35	1.19	0.61	0.04	2.74	4.92	46
CENTRO	2	89	2.21	44.1	2.09	1.15	0.55	0.11	1.54	1.84	293
CENTRO	2	91	2.98	71.7	2.69	1.23	0.42	0.036	2.27	2.48	152
CENTRO	2	93	3.04	81.5	2.66	1.47	0.59	0.06	2.07	2.20	301
CENTRO	2	94	3.21	155	2.64	1.26	0.40	0.039	2.24	3.30	439
CENTRO	2	97	2.88	36.6	2.69	1.18	0.49	0.03	2.20	2.11	78
CENTRO	2	98	3.04	29.2	3.14	1.30	0.59	0.07	2.55	1.74	57
CENTRO	2	99	2.26	11.3	2.59	1.48	0.55	0.065	2.03	1.16	28
CENTRO	2	103	3.31	42.4	3.07	1.47	0.60	0.062	2.47	1.78	222
CENTRO	2	104	1.76	14	2.01	1.18	0.46	0.03	1.55	1.29	67
CENTRO	2	106	0.94	1.89	1.26	0.65	0.45	0.36	0.81	0.63	9
CENTRO	2	107	5.79	78.58	1.96	0.77	0.21	0.04	1.75	2.79	26
CENTRO	2	114	3.66	75.3	3.79	1.75	0.85	0.006	2.94	1.69	948
CENTRO	2	119	2.32	32.3	2.13	1.00	0.38	0.09	1.75	2.18	95
CENTRO	2	120	2.31	9.09	3.75	1.15	0.31	0.08	3.44	1.15	15
CENTRO	2	122	1.92	21.88	2.26	1.15	0.57	0.11	1.69	1.43	147
CENTRO	2	123	1.84	11.42	1.93	1.18	0.65	0.15	1.28	1.14	88
CENTRO	2	130	3.75	234.7	2.75	1.20	0.40	0.02	2.35	3.49	428
CENTRO	2	135	2.48	44.2	2.61	1.24	0.49	0.03	2.13	1.66	453
CENTRO	2	143	1.92	17.8	2.37	1.50	0.65	0.07	1.72	1.09	169
CENTRO	2	145	1.78	8.85	1.95	1.36	0.90	0.372	1.05	0.93	26

Eco Oro Minerals - Angostura Project
Summary Sample Statistics and Capping Analysis

			Au (g/t) - High (GC10 = 1)								
AREA	AREA_ID	VETA	Mean	Max	Q3	Median	Q1	Min	IQR	CV	Number
SILENCIO	3	105	3.39	36.6	2.93	1.03	0.44	0.11	2.49	1.96	61
SILENCIO	3	132	2.23	26.24	2.24	1.15	0.58	0.07	1.66	1.58	265
SILENCIO	3	144	3.21	41	3.46	1.19	0.50	0.045	2.96	1.70	164
SILENCIO	3	201	2.12	8.65	2.83	1.17	0.64	0.19	2.19	1.04	27
SILENCIO	3	202	3.24	44.4	2.76	1.00	0.43	0.08	2.33	2.16	53
SILENCIO	3	203	2.66	12.28	3.74	1.48	0.69	0.226	3.05	1.09	46
SILENCIO	3	204	1.42	5.99	1.76	1.40	0.49	0.13	1.27	0.96	17
SILENCIO	3	205	1.46	7.68	1.91	1.17	0.63	0.22	1.28	0.97	33
SILENCIO	3	206	1.86	23.4	2.11	1.29	0.71	0.113	1.40	1.23	295
SILENCIO	3	207	2.50	22.7	2.97	1.73	0.87	0.06	2.10	1.10	147
SILENCIO	3	208	3.73	40.6	2.97	1.57	0.58	0.086	2.38	1.77	60
SILENCIO	3	209	1.70	8.56	1.14	0.57	0.26	0.024	0.89	1.45	17
SILENCIO	3	210	3.11	20.4	1.87	0.88	0.31	0.09	1.55	1.86	14
SILENCIO	3	211	2.45	9.16	2.92	2.33	0.83	0.09	2.09	1.03	11
SILENCIO	3	212	2.55	11.7	1.84	1.16	0.80	0.214	1.04	1.35	17
SILENCIO	3	213	3.77	45.2	2.72	0.90	0.21	0.072	2.51	2.34	28
SILENCIO	3	214	1.94	11.35	2.24	1.11	0.47	0.0922	1.77	1.21	49
SILENCIO	3	215	2.14	43.4	2.38	1.28	0.77	0.15	1.61	1.84	149
SILENCIO	3	216	1.95	6.99	1.74	1.03	0.54	0.413	1.20	1.15	9
SILENCIO	3	217	3.01	24.59	2.00	1.11	0.74	0.173	1.26	1.94	18
SILENCIO	3	218	2.48	7.99	1.57	1.38	1.31	1.25	0.26	1.09	6
SILENCIO	3	220	2.34	36	2.58	1.35	0.81	0.032	1.78	1.43	279
SILENCIO	3	222	7.38	186.5	3.02	1.17	0.55	0.09	2.47	3.52	57
SILENCIO	3	223	2.88	20.1	3.31	1.55	0.47	0.056	2.84	1.52	89
SILENCIO	3	224	3.69	30.39	5.25	0.85	0.35	0.02	4.90	1.53	59
SILENCIO	3	230	2.10	39.5	2.06	1.08	0.49	0.035	1.57	2.30	70
SILENCIO	3	231	4.27	105.5	2.21	1.18	0.41	0.04	1.80	3.09	100
SILENCIO	3	232	2.50	13.75	3.16	1.29	0.65	0.01	2.50	1.23	86
SILENCIO	3	233	2.63	17.32	2.98	1.01	0.25	0.04	2.74	1.55	46
SILENCIO	3	234	2.44	16.7	2.35	1.09	0.63	0.096	1.72	1.49	22
SILENCIO	3	236	3.32	19.6	4.42	1.03	0.35	0.074	4.07	1.44	28
SILENCIO	3	237	1.95	13.4	2.38	0.94	0.41	0.008	1.98	1.37	56
SILENCIO	3	240	1.68	6.63	2.01	0.89	0.35	0.03	1.65	1.31	8
SILENCIO	3	241	1.28	2.26	1.77	1.28	0.80	0.308	0.98	1.07	2
SILENCIO	3	243	1.25	4.3	1.95	0.32	0.20	0.005	1.75	1.37	10
LACHES	4	180	3.16	70.4	3.15	1.37	0.52	0.0025	2.63	2.00	1,086
LACHES	4	181	2.74	32.3	3.17	1.30	0.54	0.045	2.63	1.54	154
LACHES	4	182	1.61	2.68	2.37	2.12	0.73	0.31	1.63	0.61	7
LACHES	4	183	1.86	5.52	2.57	1.40	1.04	0.019	1.53	0.69	31
LACHES	4	184	-	-	-	-	-	-	-	-	-
LACHES	4	185	5.19	77	4.13	2.12	0.93	0.015	3.19	2.05	347
Total Vetas			3.28	336	2.98	1.37	0.57	0.0001	2.41	2.77	14,290

Eco Oro Minerals - Angostura Project
Summary Sample Statistics and Capping Analysis

AREA	AREA_ID	VETA	Capped Au (g/t) - High (GC10 = 1)				Capping				Au Metal		"Lost"
			Mean	Std. Dev.	CV	Number	Threshold	Mean Red.	Data	%	Original	Capped	(%)
VETABARRO	1	1	3.33	6.10	1.83	192	-	-	-	-	887	887	-
VETABARRO	1	2	3.72	6.94	1.87	569	60	10%	3	0.5	3,461	3,085	11
VETABARRO	1	3	3.67	6.61	1.80	122	-	-	-	-	622	622	-
VETABARRO	1	4	2.53	4.84	1.91	137	30	32%	3	2.2	798	552	31
VETABARRO	1	5	3.30	5.97	1.81	204	40	8%	2	1.0	1,061	1,006	5
VETABARRO	1	6	2.98	4.59	1.54	54	20	25%	3	5.6	419	291	31
VETABARRO	1	7	1.93	2.98	1.54	71	20	46%	1	1.4	337	221	34
VETABARRO	1	8	2.85	4.09	1.43	45	15	39%	3	6.7	299	176	41
VETABARRO	1	9	2.01	2.69	1.33	44	-	-	-	-	143	143	-
VETABARRO	1	10	1.68	1.93	1.15	64	-	-	-	-	149	149	-
VETABARRO	1	11	2.22	2.28	1.03	50	10	19%	2	4.0	184	153	17
VETABARRO	1	12	1.28	1.42	1.11	19	-	-	-	-	38	38	-
VETABARRO	1	13	1.53	1.28	0.84	12	-	-	-	-	27	27	-
VETABARRO	1	14	3.49	5.89	1.69	28	-	-	-	-	129	129	-
VETABARRO	1	16	2.03	1.86	0.92	3	-	-	-	-	17	17	-
VETABARRO	1	17	2.78	4.20	1.51	57	20	38%	2	3.5	360	224	38
VETABARRO	1	18	3.21	6.28	1.95	60	30	46%	1	1.7	555	222	60
VETABARRO	1	19	4.32	7.18	1.66	7	20	81%	1	14.3	207	44	79
VETABARRO	1	20	4.90	9.67	1.97	98	-	-	-	-	827	827	-
CENTRO	2	26	2.96	2.86	0.97	7	-	-	-	-	29	29	-
CENTRO	2	33	3.23	4.44	1.38	73	-	-	-	-	334	334	-
CENTRO	2	47	2.66	3.67	1.38	288	-	-	-	-	1,153	1,153	-
CENTRO	2	50	2.38	3.38	1.42	47	-	-	-	-	181	181	-
CENTRO	2	51	3.40	7.29	2.15	967	-	-	-	-	4,692	4,692	-
CENTRO	2	52	3.36	5.30	1.58	494	30	12%	5	1.0	2,548	2,294	10
CENTRO	2	53	1.56	1.97	1.27	48	-	-	-	-	116	116	-
CENTRO	2	54	3.06	6.07	1.98	292	50	25%	2	0.7	1,240	1,091	12
CENTRO	2	56	2.54	4.75	1.87	377	50	6%	1	0.3	1,384	1,351	2
CENTRO	2	65	2.37	4.50	1.90	38	-	-	-	-	114	114	-
CENTRO	2	66	4.62	9.55	2.07	180	60	8%	2	1.1	1,410	1,306	7
CENTRO	2	68	2.16	2.03	0.94	35	-	-	-	-	121	121	-
CENTRO	2	69	2.62	4.56	1.74	308	30	20%	5	1.6	1,317	1,042	21
CENTRO	2	70	2.72	3.28	1.21	100	-	-	-	-	378	378	-
CENTRO	2	71	4.14	6.53	1.58	120	-	-	-	-	751	751	-
CENTRO	2	74	2.52	3.68	1.46	221	-	-	-	-	793	793	-
CENTRO	2	77	5.81	12.07	2.08	251	70	14%	2	0.8	1,730	1,612	7
CENTRO	2	78	2.86	5.26	1.84	288	40	7%	1	0.3	1,290	1,228	5
CENTRO	2	80	2.30	3.42	1.49	36	-	-	-	-	129	129	-
CENTRO	2	82	1.49	1.46	0.98	51	-	-	-	-	118	118	-
CENTRO	2	84	1.36	0.78	0.57	8	-	-	-	-	19	19	-
CENTRO	2	85	2.37	3.57	1.50	113	20	17%	3	2.7	335	282	16
CENTRO	2	87	1.86	1.07	0.58	2	-	-	-	-	7	7	-
CENTRO	2	88	3.15	4.31	1.37	46	20	69%	1	2.2	555	160	71
CENTRO	2	89	2.21	4.08	1.84	293	-	-	-	-	696	696	-
CENTRO	2	91	2.47	3.87	1.57	152	20	17%	3	2.0	675	532	21
CENTRO	2	93	2.77	4.22	1.53	301	30	9%	2	0.7	1,141	1,067	7
CENTRO	2	94	2.78	5.45	1.96	439	50	13%	2	0.5	1,520	1,425	6
CENTRO	2	97	2.26	3.21	1.42	78	15	22%	3	3.8	315	259	18
CENTRO	2	98	3.04	5.29	1.74	57	-	-	-	-	257	257	-
CENTRO	2	99	2.26	2.62	1.16	28	-	-	-	-	96	96	-
CENTRO	2	103	3.31	5.91	1.78	222	-	-	-	-	906	906	-
CENTRO	2	104	1.76	2.27	1.29	67	-	-	-	-	145	145	-
CENTRO	2	106	0.94	0.59	0.63	9	-	-	-	-	15	15	-
CENTRO	2	107	3.14	5.90	1.88	26	20	46%	2	7.7	145	84	42
CENTRO	2	114	3.66	6.17	1.69	948	-	-	-	-	4,908	4,908	-
CENTRO	2	119	1.72	2.03	1.18	95	10	26%	3	3.2	351	244	30
CENTRO	2	120	2.31	2.66	1.15	15	-	-	-	-	49	49	-
CENTRO	2	122	1.84	2.26	1.23	147	15	4%	2	1.4	375	364	3
CENTRO	2	123	1.84	2.09	1.14	88	-	-	-	-	222	222	-
CENTRO	2	130	3.16	5.99	1.89	428	40	16%	4	0.9	1,807	1,544	15
CENTRO	2	135	2.48	4.12	1.66	453	-	-	-	-	1,449	1,449	-
CENTRO	2	143	1.92	2.10	1.09	169	-	-	-	-	490	490	-
CENTRO	2	145	1.78	1.65	0.93	26	-	-	-	-	95	95	-

Eco Oro Minerals - Angostura Project
Summary Sample Statistics and Capping Analysis

AREA	AREA_ID	VETA	Capped Au (g/t) - High (GC10 = 1)				Capping				Au Metal		"Lost"
			Mean	Std. Dev.	CV	Number	Threshold	Mean Red.	Data	%	Original	Capped	(%)
SILENCIO	3	105	3.39	6.64	1.96	61	-	-	-	-	278	278	-
SILENCIO	3	132	2.23	3.51	1.58	265	-	-	-	-	835	835	-
SILENCIO	3	144	3.21	5.45	1.70	164	-	-	-	-	650	650	-
SILENCIO	3	201	2.12	2.21	1.04	27	-	-	-	-	80	80	-
SILENCIO	3	202	3.24	7.00	2.16	53	-	-	-	-	223	223	-
SILENCIO	3	203	2.66	2.89	1.09	46	-	-	-	-	177	177	-
SILENCIO	3	204	1.42	1.36	0.96	17	-	-	-	-	31	31	-
SILENCIO	3	205	1.46	1.41	0.97	33	-	-	-	-	69	69	-
SILENCIO	3	206	1.86	2.28	1.23	295	-	-	-	-	787	787	-
SILENCIO	3	207	2.50	2.74	1.10	147	-	-	-	-	485	485	-
SILENCIO	3	208	3.73	6.58	1.77	60	-	-	-	-	326	326	-
SILENCIO	3	209	1.70	2.47	1.45	17	-	-	-	-	50	50	-
SILENCIO	3	210	3.11	5.80	1.86	14	-	-	-	-	70	70	-
SILENCIO	3	211	2.45	2.52	1.03	11	-	-	-	-	37	37	-
SILENCIO	3	212	2.55	3.44	1.35	17	-	-	-	-	66	66	-
SILENCIO	3	213	3.77	8.82	2.34	28	-	-	-	-	156	156	-
SILENCIO	3	214	1.94	2.35	1.21	49	-	-	-	-	151	151	-
SILENCIO	3	215	2.14	3.93	1.84	149	-	-	-	-	378	378	-
SILENCIO	3	216	1.95	2.25	1.15	9	-	-	-	-	25	25	-
SILENCIO	3	217	3.01	5.83	1.94	18	-	-	-	-	67	67	-
SILENCIO	3	218	2.48	2.70	1.09	6	-	-	-	-	16	16	-
SILENCIO	3	220	2.34	3.33	1.43	279	-	-	-	-	790	790	-
SILENCIO	3	222	3.25	5.30	1.63	57	20	56%	4	7.0	436	209	52
SILENCIO	3	223	2.88	4.36	1.52	89	-	-	-	-	313	313	-
SILENCIO	3	224	3.69	5.65	1.53	59	-	-	-	-	266	266	-
SILENCIO	3	230	1.82	2.77	1.52	70	20	13%	1	1.4	252	213	15
SILENCIO	3	231	2.34	3.53	1.51	100	15	45%	6	6.0	533	315	41
SILENCIO	3	232	2.50	3.09	1.23	86	-	-	-	-	294	294	-
SILENCIO	3	233	2.63	4.07	1.55	46	-	-	-	-	106	106	-
SILENCIO	3	234	2.44	3.64	1.49	22	-	-	-	-	77	77	-
SILENCIO	3	236	3.32	4.79	1.44	28	-	-	-	-	137	137	-
SILENCIO	3	237	1.95	2.67	1.37	56	-	-	-	-	157	157	-
SILENCIO	3	240	1.68	2.20	1.31	8	-	-	-	-	24	24	-
SILENCIO	3	241	1.28	1.38	1.07	2	-	-	-	-	5	5	-
SILENCIO	3	243	1.25	1.72	1.37	10	-	-	-	-	14	14	-
LACHES	4	180	3.16	6.32	2.00	1,086	-	-	-	-	4,436	4,436	-
LACHES	4	181	2.74	4.21	1.54	154	-	-	-	-	735	735	-
LACHES	4	182	1.61	0.99	0.61	7	-	-	-	-	22	22	-
LACHES	4	183	1.86	1.28	0.69	31	-	-	-	-	92	92	-
LACHES	4	184	-	-	-	-	x	-	-	-	-	-	-
LACHES	4	185	5.19	10.62	2.05	347	-	-	-	-	2,730	2,730	-
Total Vetas			3.01	5.73	1.90	14,290		8%	75	0.52	63,298	58,854	7.0

Eco Oro Minerals - Angostura Project
Summary Sample Statistics and Capping Analysis

			Au (g/t) - Low (GC10 = 0)								
AREA	AREA_ID	VETA	Mean	Max	Q3	Median	Q1	Min	IQR	*CV*	Number
VETABARRO	1	1	0.58	*37.8*	0.48	0.21	0.06	0.0001	0.42	*3.90*	673
VETABARRO	1	2	0.43	*23.5*	0.44	0.17	0.04	0.001	0.40	*2.68*	2,104
VETABARRO	1	3	0.24	*6.81*	0.28	0.10	0.02	0.0001	0.26	*1.93*	733
VETABARRO	1	4	0.67	*30.8*	0.54	0.21	0.03	0.0001	0.51	*3.76*	391
VETABARRO	1	5	0.60	*168*	0.47	0.15	0.02	0.0001	0.45	*9.98*	805
VETABARRO	1	6	0.41	*11.25*	0.48	0.20	0.05	0.0001	0.43	*2.15*	210
VETABARRO	1	7	0.50	*48.4*	0.40	0.14	0.03	0.0007	0.37	*5.30*	409
VETABARRO	1	8	0.75	*40.4*	0.66	0.37	0.19	0.0025	0.47	*4.05*	184
VETABARRO	1	9	0.34	*17.7*	0.35	0.11	0.01	0.0001	0.34	*3.09*	473
VETABARRO	1	10	0.41	*13.55*	0.50	0.15	0.04	0.0001	0.46	*2.25*	441
VETABARRO	1	11	0.55	*9.49*	0.70	0.28	0.05	0.0025	0.64	*1.77*	127
VETABARRO	1	12	0.65	*18.25*	0.41	0.12	0.02	0.0001	0.39	*3.21*	129
VETABARRO	1	13	0.30	*1.725*	0.43	0.19	0.08	0.0025	0.35	*1.09*	65
VETABARRO	1	14	2.28	*199*	0.34	0.12	0.03	0.0025	0.31	*8.54*	207
VETABARRO	1	16	0.60	*2.56*	0.64	0.47	0.19	0.029	0.45	*1.09*	17
VETABARRO	1	17	0.31	*9.47*	0.38	0.12	0.02	0.0006	0.36	*2.25*	645
VETABARRO	1	18	0.23	*6.4*	0.25	0.07	0.01	0.0001	0.24	*2.08*	809
VETABARRO	1	19	0.26	*19.6*	0.14	0.04	0.01	0.0001	0.13	*5.16*	221
VETABARRO	1	20	0.48	*86.4*	0.23	0.08	0.03	0.0025	0.20	*7.98*	622
CENTRO	2	26	0.34	*3.63*	0.45	0.16	0.04	0.0025	0.41	*1.50*	137
CENTRO	2	33	0.36	*12.9*	0.38	0.15	0.05	0.0025	0.33	*2.38*	574
CENTRO	2	47	0.60	*25.9*	0.62	0.32	0.15	0.007	0.47	*2.28*	1,029
CENTRO	2	50	0.40	*9.16*	0.44	0.23	0.11	0.0024	0.33	*1.89*	204
CENTRO	2	51	0.55	*21.9*	0.56	0.29	0.13	0.0023	0.43	*2.08*	2,643
CENTRO	2	52	0.44	*90.4*	0.40	0.19	0.09	0.0005	0.31	*4.62*	2,943
CENTRO	2	53	0.40	*10.94*	0.40	0.22	0.13	0.02	0.27	*1.86*	1,137
CENTRO	2	54	0.58	*69.6*	0.54	0.32	0.16	0.0025	0.38	*4.21*	947
CENTRO	2	56	0.49	*37.9*	0.49	0.23	0.11	0.0025	0.38	*2.71*	2,198
CENTRO	2	65	0.37	*24.9*	0.39	0.18	0.08	0.0025	0.31	*2.85*	734
CENTRO	2	66	0.53	*38.1*	0.51	0.24	0.09	0.001	0.42	*3.10*	979
CENTRO	2	68	0.30	*11.15*	0.31	0.10	0.03	0.0005	0.28	*2.49*	797
CENTRO	2	69	0.48	*25.5*	0.49	0.27	0.14	0.0025	0.35	*2.19*	1,678
CENTRO	2	70	0.47	*8.99*	0.45	0.28	0.16	0.0139	0.29	*1.60*	391
CENTRO	2	71	0.42	*9.9*	0.49	0.24	0.09	0.0025	0.40	*1.83*	701
CENTRO	2	74	0.51	*12.1*	0.52	0.29	0.14	0.0025	0.38	*1.98*	1,085
CENTRO	2	77	0.70	*57.59*	0.56	0.29	0.12	0.0024	0.45	*4.82*	1,148
CENTRO	2	78	0.47	*36*	0.50	0.26	0.11	0.0025	0.39	*2.67*	1,733
CENTRO	2	80	0.40	*11.25*	0.44	0.23	0.13	0.005	0.31	*1.60*	784
CENTRO	2	82	0.45	*25.3*	0.45	0.24	0.11	0.0025	0.35	*2.90*	556
CENTRO	2	84	0.26	*3.95*	0.28	0.13	0.04	0.0025	0.24	*1.62*	231
CENTRO	2	85	0.78	*213.14*	0.55	0.27	0.15	0.0025	0.41	*9.03*	941
CENTRO	2	87	0.46	*5.87*	0.46	0.23	0.12	0.03	0.34	*1.82*	54
CENTRO	2	88	0.38	*16.25*	0.48	0.17	0.06	0.0025	0.42	*2.57*	430
CENTRO	2	89	0.62	*44.8*	0.57	0.32	0.18	0.0027	0.39	*3.19*	1,413
CENTRO	2	91	0.54	*21.81*	0.60	0.34	0.16	0.0001	0.44	*1.83*	1,082
CENTRO	2	93	0.54	*20.5*	0.58	0.32	0.16	0.0006	0.42	*2.09*	1,673
CENTRO	2	94	0.49	*20.06*	0.49	0.26	0.13	0.005	0.36	*2.03*	2,273
CENTRO	2	97	0.37	*6.69*	0.44	0.19	0.06	0.0001	0.38	*1.58*	341
CENTRO	2	98	0.39	*5.52*	0.52	0.23	0.08	0.0025	0.44	*1.38*	343
CENTRO	2	99	0.58	*18.9*	0.52	0.20	0.06	0.0025	0.46	*2.78*	283
CENTRO	2	103	0.49	*12.75*	0.50	0.28	0.15	0.0001	0.35	*1.81*	1,455
CENTRO	2	104	0.50	*22.7*	0.47	0.24	0.13	0.0025	0.34	*2.47*	950
CENTRO	2	106	0.39	*1.815*	0.56	0.28	0.16	0.03	0.40	*0.83*	206
CENTRO	2	107	0.63	*42.4*	0.55	0.28	0.15	0.01	0.40	*4.35*	252
CENTRO	2	114	0.51	*46.3*	0.54	0.28	0.14	0.0011	0.40	*2.83*	1,794
CENTRO	2	119	0.44	*32.1*	0.42	0.19	0.09	0.0001	0.33	*2.96*	1,699
CENTRO	2	120	0.45	*21.23*	0.40	0.23	0.12	0.02	0.28	*2.80*	407
CENTRO	2	122	0.49	*9.43*	0.56	0.30	0.17	0.01	0.39	*1.31*	605
CENTRO	2	123	0.52	*36.08*	0.55	0.27	0.14	0.025	0.41	*2.70*	977
CENTRO	2	130	0.44	*20.1*	0.45	0.21	0.10	0.0025	0.35	*2.35*	2,440
CENTRO	2	135	0.59	*48.6*	0.52	0.24	0.11	0.0023	0.41	*3.04*	2,326
CENTRO	2	143	0.43	*21.7*	0.45	0.23	0.11	0.01	0.34	*2.30*	1,511
CENTRO	2	145	0.68	*3.05*	0.85	0.57	0.33	0.076	0.52	*0.80*	60

AREA	AREA_ID	VETA	Au (g/t) - Low (GC10 = 0)								
			Mean	Max	Q3	Median	Q1	Min	IQR	CV	Number
SILENCIO	3	105	0.47	4.42	0.56	0.33	0.20	0.038	0.36	1.02	348
SILENCIO	3	132	0.43	32.7	0.50	0.23	0.10	0.0001	0.40	2.32	1,913
SILENCIO	3	144	0.43	17.25	0.39	0.19	0.08	0.01	0.31	2.38	1,193
SILENCIO	3	201	0.56	7.9	0.59	0.33	0.19	0.07	0.40	1.69	90
SILENCIO	3	202	0.50	41.8	0.33	0.16	0.07	0.0025	0.26	4.40	798
SILENCIO	3	203	0.49	23.8	0.50	0.18	0.10	0.0025	0.40	2.86	438
SILENCIO	3	204	0.39	22.09	0.31	0.16	0.07	0.0025	0.24	3.30	555
SILENCIO	3	205	0.37	4.82	0.46	0.22	0.11	0.008	0.35	1.29	419
SILENCIO	3	206	0.58	39	0.61	0.29	0.13	0.005	0.48	2.46	1,414
SILENCIO	3	207	0.51	8.71	0.58	0.28	0.15	0.0102	0.44	1.62	323
SILENCIO	3	208	0.57	21.54	0.60	0.24	0.10	0.01	0.50	2.81	267
SILENCIO	3	209	0.43	25.8	0.33	0.13	0.06	0.0025	0.27	3.83	268
SILENCIO	3	210	0.56	6.81	0.45	0.14	0.06	0.01	0.38	2.08	91
SILENCIO	3	211	0.69	12.45	0.46	0.24	0.14	0.023	0.32	2.44	106
SILENCIO	3	212	0.39	5.25	0.43	0.23	0.12	0.04	0.31	1.66	69
SILENCIO	3	213	0.33	1.5	0.41	0.19	0.11	0.014	0.30	1.01	65
SILENCIO	3	214	0.62	177.5	0.32	0.12	0.05	0.0024	0.27	9.51	982
SILENCIO	3	215	0.71	9.17	0.82	0.54	0.28	0.08	0.54	1.37	210
SILENCIO	3	216	0.48	2.74	0.65	0.31	0.15	0.03	0.50	1.07	111
SILENCIO	3	217	0.60	16.6	0.60	0.23	0.12	0.03	0.48	2.55	229
SILENCIO	3	218	0.54	21.27	0.36	0.13	0.07	0.0018	0.29	3.22	174
SILENCIO	3	220	0.33	10.9	0.36	0.14	0.06	0.0025	0.30	1.87	984
SILENCIO	3	222	0.56	19.89	0.45	0.20	0.10	0.01	0.35	2.71	478
SILENCIO	3	223	0.43	36.12	0.39	0.18	0.10	0.0025	0.29	3.86	576
SILENCIO	3	224	0.65	18.8	0.40	0.19	0.10	0.012	0.30	3.37	230
SILENCIO	3	230	0.37	43.84	0.29	0.12	0.05	0.001	0.24	4.60	1,081
SILENCIO	3	231	0.34	40.6	0.25	0.10	0.04	0.005	0.21	5.98	800
SILENCIO	3	232	0.35	13.2	0.42	0.15	0.05	0.0008	0.37	2.08	679
SILENCIO	3	233	0.28	8.24	0.23	0.10	0.04	0.0035	0.19	2.39	847
SILENCIO	3	234	0.35	21.2	0.31	0.13	0.05	0.0029	0.26	3.51	371
SILENCIO	3	236	0.58	27.9	0.36	0.14	0.05	0.005	0.31	3.86	262
SILENCIO	3	237	0.31	5.17	0.36	0.14	0.05	0.0025	0.31	1.61	603
SILENCIO	3	240	0.31	10.95	0.29	0.12	0.05	0.005	0.24	2.97	153
SILENCIO	3	241	0.32	4.25	0.34	0.13	0.06	0.01	0.28	1.84	88
SILENCIO	3	243	0.24	3.24	0.22	0.08	0.04	0.0001	0.18	2.19	66
LACHES	4	180	0.42	77.9	0.38	0.13	0.03	0.0017	0.35	4.54	4,498
LACHES	4	181	0.26	7.17	0.23	0.08	0.01	0.0025	0.22	2.33	1,221
LACHES	4	182	0.28	1.32	0.50	0.13	0.02	0.0025	0.48	1.14	173
LACHES	4	183	0.39	4.64	0.53	0.13	0.02	0.0025	0.51	1.70	89
LACHES	4	184	0.21	1.855	0.30	0.07	0.01	0.0025	0.30	1.51	66
LACHES	4	185	0.49	19.35	0.48	0.20	0.04	0.0025	0.45	2.70	460
Total Vetas			0.47	213.14	0.46	0.21	0.09	0.0001	0.38	4.44	79,197

Eco Oro Minerals - Angostura Project
Summary Sample Statistics and Capping Analysis

AREA	AREA_ID	VETA	Capped Au (g/t) - Low (GC10 = 0)				Capping				Au Metal		"Lost"
			Mean	Std. Dev.	CV	Number	Threshold	Mean Red.	Data	%	Original	Capped	(%)
VETABARRO	1	1	0.50	1.14	2.29	673	10	14%	2	0.3	579	500	14
VETABARRO	1	2	0.41	0.85	2.07	2,104	10	5%	5	0.2	1,340	1,286	4
VETABARRO	1	3	0.24	0.47	1.93	733	-	-	-	-	298	298	-
VETABARRO	1	4	0.54	1.23	2.29	391	10	20%	3	0.8	401	335	17
VETABARRO	1	5	0.40	0.88	2.18	805	10	33%	1	0.1	682	469	31
VETABARRO	1	6	0.38	0.56	1.48	210	5	7%	1	0.5	132	125	5
VETABARRO	1	7	0.35	0.67	1.89	409	5	30%	3	0.7	299	229	23
VETABARRO	1	8	0.54	0.67	1.25	184	5	29%	2	1.1	218	158	28
VETABARRO	1	9	0.31	0.68	2.18	473	6	9%	2	0.4	273	245	10
VETABARRO	1	10	0.41	0.91	2.25	441	-	-	-	-	303	303	-
VETABARRO	1	11	0.55	0.97	1.77	127	-	-	-	-	106	106	-
VETABARRO	1	12	0.58	1.60	2.75	129	10	10%	1	0.8	108	100	8
VETABARRO	1	13	0.30	0.33	1.09	65	-	-	-	-	32	32	-
VETABARRO	1	14	0.46	1.26	2.78	207	10	80%	2	1.0	369	123	67
VETABARRO	1	16	0.60	0.65	1.09	17	-	-	-	-	18	18	-
VETABARRO	1	17	0.31	0.70	2.25	645	-	-	-	-	325	325	-
VETABARRO	1	18	0.23	0.47	2.08	809	-	-	-	-	218	218	-
VETABARRO	1	19	0.20	0.50	2.51	221	5	25%	1	0.5	95	70	26
VETABARRO	1	20	0.27	0.70	2.59	622	6	43%	5	0.8	453	293	35
CENTRO	2	26	0.34	0.51	1.50	137	-	-	-	-	81	81	-
CENTRO	2	33	0.36	0.86	2.38	574	-	-	-	-	341	341	-
CENTRO	2	47	0.60	1.37	2.28	1,029	-	-	-	-	1,018	1,018	-
CENTRO	2	50	0.40	0.76	1.89	204	-	-	-	-	137	137	-
CENTRO	2	51	0.55	1.14	2.08	2,643	-	-	-	-	2,248	2,248	-
CENTRO	2	52	0.40	1.02	2.53	2,943	20	7%	4	0.1	1,763	1,658	6
CENTRO	2	53	0.40	0.75	1.86	1,137	-	-	-	-	564	564	-
CENTRO	2	54	0.50	0.81	1.62	947	10	13%	3	0.3	841	720	14
CENTRO	2	56	0.49	1.34	2.71	2,198	-	-	-	-	1,571	1,571	-
CENTRO	2	65	0.34	0.59	1.71	734	8	6%	1	0.1	427	410	4
CENTRO	2	66	0.48	0.94	1.94	979	10	9%	3	0.3	808	768	5
CENTRO	2	68	0.30	0.75	2.49	797	-	-	-	-	378	378	-
CENTRO	2	69	0.48	1.05	2.19	1,678	-	-	-	-	1,131	1,131	-
CENTRO	2	70	0.47	0.75	1.60	391	-	-	-	-	245	245	-
CENTRO	2	71	0.42	0.77	1.83	701	-	-	-	-	487	487	-
CENTRO	2	74	0.51	1.01	1.98	1,085	-	-	-	-	868	868	-
CENTRO	2	77	0.55	1.31	2.39	1,148	15	21%	5	0.4	1,102	955	13
CENTRO	2	78	0.46	0.93	2.04	1,733	15	3%	3	0.2	1,213	1,193	2
CENTRO	2	80	0.40	0.63	1.60	784	-	-	-	-	427	427	-
CENTRO	2	82	0.41	0.71	1.73	556	7.5	10%	3	0.5	407	363	11
CENTRO	2	84	0.26	0.42	1.62	231	-	-	-	-	88	88	-
CENTRO	2	85	0.57	1.34	2.33	941	20	26%	1	0.1	800	607	24
CENTRO	2	87	0.46	0.83	1.82	54	-	-	-	-	32	32	-
CENTRO	2	88	0.37	0.76	2.09	430	10	4%	1	0.2	256	245	4
CENTRO	2	89	0.57	1.21	2.12	1,413	15	8%	6	0.4	1,136	1,072	6
CENTRO	2	91	0.54	0.99	1.83	1,082	-	-	-	-	795	795	-
CENTRO	2	93	0.54	1.12	2.09	1,673	-	-	-	-	1,233	1,233	-
CENTRO	2	94	0.49	1.00	2.03	2,273	-	-	-	-	1,368	1,368	-
CENTRO	2	97	0.37	0.58	1.58	341	-	-	-	-	196	196	-
CENTRO	2	98	0.39	0.54	1.38	343	-	-	-	-	211	211	-
CENTRO	2	99	0.54	1.23	2.28	283	10	7%	2	0.7	237	226	5
CENTRO	2	103	0.49	0.88	1.81	1,455	-	-	-	-	952	952	-
CENTRO	2	104	0.48	0.88	1.85	950	10	5%	3	0.3	641	609	5
CENTRO	2	106	0.39	0.33	0.83	206	-	-	-	-	113	113	-
CENTRO	2	107	0.46	0.61	1.32	252	5	26%	2	0.8	212	170	19
CENTRO	2	114	0.49	0.92	1.89	1,794	15	4%	2	0.1	1,249	1,209	3
CENTRO	2	119	0.41	0.80	1.98	1,699	10	7%	5	0.3	1,034	982	5
CENTRO	2	120	0.41	0.70	1.72	407	7	10%	2	0.5	226	209	8
CENTRO	2	122	0.49	0.64	1.31	605	-	-	-	-	451	451	-
CENTRO	2	123	0.49	0.82	1.67	977	10	6%	3	0.3	739	706	5
CENTRO	2	130	0.44	1.04	2.35	2,440	-	-	-	-	1,601	1,601	-
CENTRO	2	135	0.57	1.39	2.44	2,326	20	4%	4	0.2	1,906	1,855	3
CENTRO	2	143	0.42	0.78	1.87	1,511	10	3%	2	0.1	975	956	2
CENTRO	2	145	0.68	0.54	0.80	60	-	-	-	-	76	76	-

Eco Oro Minerals - Angostura Project
Summary Sample Statistics and Capping Analysis

AREA	AREA_ID	VETA	Capped Au (g/t) - Low (GC10 = 0)				Capping				Au Metal		"Lost"
			Mean	Std. Dev.	CV	Number	Threshold	Mean Red.	Data	%	Original	Capped	(%)
SILENCIO	3	105	0.47	0.48	1.02	348	-	-	-	-	296	296	-
SILENCIO	3	132	0.43	1.00	2.32	1,913	-	-	-	-	1,214	1,214	-
SILENCIO	3	144	0.43	1.02	2.38	1,193	-	-	-	-	756	756	-
SILENCIO	3	201	0.56	0.95	1.69	90	-	-	-	-	88	88	-
SILENCIO	3	202	0.41	1.04	2.55	798	10	19%	6	0.8	499	440	12
SILENCIO	3	203	0.43	0.73	1.69	438	6	12%	4	0.9	334	290	13
SILENCIO	3	204	0.35	0.78	2.23	555	7.5	10%	2	0.4	315	278	12
SILENCIO	3	205	0.37	0.48	1.29	419	-	-	-	-	219	219	-
SILENCIO	3	206	0.56	1.06	1.89	1,414	15	3%	1	0.1	1,132	1,096	3
SILENCIO	3	207	0.51	0.83	1.62	323	-	-	-	-	249	249	-
SILENCIO	3	208	0.51	0.92	1.82	267	7.5	12%	2	0.7	219	201	8
SILENCIO	3	209	0.37	0.73	1.99	268	7.5	16%	1	0.4	165	147	11
SILENCIO	3	210	0.56	1.17	2.08	91	-	-	-	-	75	75	-
SILENCIO	3	211	0.62	1.27	2.04	106	8	9%	2	1.9	103	96	7
SILENCIO	3	212	0.39	0.66	1.66	69	-	-	-	-	49	49	-
SILENCIO	3	213	0.33	0.33	1.01	65	-	-	-	-	31	31	-
SILENCIO	3	214	0.40	1.09	2.71	982	10	36%	5	0.5	645	531	18
SILENCIO	3	215	0.71	0.97	1.37	210	-	-	-	-	210	210	-
SILENCIO	3	216	0.48	0.51	1.07	111	-	-	-	-	82	82	-
SILENCIO	3	217	0.53	0.94	1.76	229	7.5	11%	2	0.9	197	173	12
SILENCIO	3	218	0.46	0.93	2.00	174	7.5	15%	1	0.6	116	109	6
SILENCIO	3	220	0.33	0.60	1.83	984	10	0%	1	0.1	453	452	0
SILENCIO	3	222	0.56	1.53	2.71	478	-	-	-	-	384	384	-
SILENCIO	3	223	0.38	0.78	2.05	576	8	12%	4	0.7	332	316	5
SILENCIO	3	224	0.50	1.06	2.15	230	7.5	24%	4	1.7	191	154	19
SILENCIO	3	230	0.32	0.79	2.46	1,081	10	13%	3	0.3	508	481	5
SILENCIO	3	231	0.25	0.46	1.86	800	5	28%	3	0.4	350	291	17
SILENCIO	3	232	0.35	0.73	2.08	679	-	-	-	-	355	355	-
SILENCIO	3	233	0.28	0.67	2.39	847	-	-	-	-	286	286	-
SILENCIO	3	234	0.30	0.62	2.03	371	6	12%	1	0.3	178	148	17
SILENCIO	3	236	0.44	1.03	2.33	262	7.5	24%	4	1.5	203	154	24
SILENCIO	3	237	0.31	0.50	1.61	603	-	-	-	-	273	273	-
SILENCIO	3	240	0.28	0.51	1.87	153	5	12%	1	0.7	67	61	9
SILENCIO	3	241	0.32	0.58	1.84	88	-	-	-	-	36	36	-
SILENCIO	3	243	0.24	0.53	2.19	66	-	-	-	-	24	24	-
LACHES	4	180	0.40	1.18	2.99	4,498	20	7%	5	0.1	2,794	2,631	6
LACHES	4	181	0.26	0.60	2.33	1,221	-	-	-	-	549	549	-
LACHES	4	182	0.28	0.32	1.14	173	-	-	-	-	81	81	-
LACHES	4	183	0.39	0.67	1.70	89	-	-	-	-	56	56	-
LACHES	4	184	0.21	0.32	1.51	66	-	-	-	-	21	21	-
LACHES	4	185	0.47	1.02	2.19	460	10	6%	3	0.7	381	364	5
Total Vetas			0.44	0.97	2.22	79,197		7%	138	0.17%	53,350	50,500	5.3

Eco Oro Minerals - Angostura Project
Summary Sample Statistics and Capping Analysis

AREA	AREA_ID	VETA	Au (g/t) - All (A15v4_dh)								
			Mean	Max	Q3	Median	Q1	Min	IQR	CV	Number
VETABARRO	1	1	1.19	58.3	0.72	0.29	0.09	0.0001	0.63	3.09	865
VETABARRO	1	2	1.23	211	0.82	0.26	0.07	0.0001	0.75	4.83	2,673
VETABARRO	1	3	0.73	52.7	0.45	0.14	0.03	0.0001	0.42	3.82	855
VETABARRO	1	4	1.47	189.5	0.85	0.33	0.07	0.0001	0.78	6.02	528
VETABARRO	1	5	1.20	168	0.71	0.23	0.03	0.0001	0.68	5.44	1,009
VETABARRO	1	6	1.14	57.8	0.79	0.27	0.07	0.0001	0.71	3.90	264
VETABARRO	1	7	0.96	136	0.53	0.20	0.04	0.0007	0.50	7.01	480
VETABARRO	1	8	1.52	66	0.83	0.45	0.24	0.0025	0.59	3.87	229
VETABARRO	1	9	0.49	17.7	0.42	0.14	0.02	0.0001	0.40	2.80	517
VETABARRO	1	10	0.57	13.55	0.64	0.19	0.05	0.0001	0.58	2.06	505
VETABARRO	1	11	1.17	25.3	1.19	0.45	0.11	0.0025	1.08	2.31	177
VETABARRO	1	12	0.73	18.25	0.53	0.15	0.03	0.0001	0.50	2.76	148
VETABARRO	1	13	0.50	4.25	0.53	0.27	0.08	0.0025	0.45	1.47	77
VETABARRO	1	14	2.43	199	0.51	0.15	0.03	0.0025	0.47	7.59	235
VETABARRO	1	16	0.81	4.18	0.90	0.53	0.19	0.029	0.71	1.23	20
VETABARRO	1	17	0.65	108	0.43	0.14	0.03	0.0006	0.40	6.68	702
VETABARRO	1	18	0.62	196.5	0.31	0.08	0.02	0.0001	0.29	10.94	869
VETABARRO	1	19	0.94	145.5	0.15	0.04	0.01	0.0001	0.15	10.35	228
VETABARRO	1	20	1.08	86.4	0.35	0.10	0.04	0.0025	0.32	4.85	720
CENTRO	2	26	0.47	8.4	0.48	0.16	0.05	0.0025	0.43	2.04	144
CENTRO	2	33	0.68	20.7	0.47	0.19	0.05	0.0025	0.42	2.80	647
CENTRO	2	47	1.05	39.4	0.97	0.43	0.19	0.007	0.78	2.16	1,317
CENTRO	2	50	0.77	17.35	0.63	0.29	0.13	0.0024	0.50	2.30	251
CENTRO	2	51	1.31	140.04	0.95	0.39	0.16	0.0023	0.79	3.12	3,610
CENTRO	2	52	0.92	119	0.58	0.23	0.11	0.0005	0.47	4.43	3,437
CENTRO	2	53	0.45	10.94	0.42	0.23	0.13	0.02	0.29	1.92	1,185
CENTRO	2	54	1.40	252.75	0.84	0.42	0.20	0.0025	0.65	6.31	1,239
CENTRO	2	56	0.82	115.72	0.66	0.29	0.13	0.0025	0.54	3.77	2,575
CENTRO	2	65	0.46	27.5	0.44	0.19	0.08	0.0025	0.36	3.19	772
CENTRO	2	66	1.23	101.5	0.67	0.31	0.11	0.001	0.56	4.31	1,159
CENTRO	2	68	0.38	11.15	0.34	0.12	0.03	0.0005	0.31	2.43	832
CENTRO	2	69	0.91	150	0.64	0.31	0.16	0.0025	0.48	4.91	1,986
CENTRO	2	70	0.93	22.8	0.82	0.32	0.19	0.0139	0.63	2.01	491
CENTRO	2	71	0.97	37.5	0.60	0.27	0.10	0.0025	0.50	3.01	821
CENTRO	2	74	0.85	27.6	0.70	0.33	0.17	0.0025	0.54	2.26	1,306
CENTRO	2	77	1.78	262.3	0.79	0.35	0.15	0.0024	0.64	5.32	1,399
CENTRO	2	78	0.84	101.5	0.66	0.31	0.13	0.0025	0.53	3.80	2,021
CENTRO	2	80	0.48	16.6	0.48	0.23	0.13	0.005	0.35	2.12	820
CENTRO	2	82	0.54	25.3	0.52	0.26	0.11	0.0025	0.41	2.51	607
CENTRO	2	84	0.30	3.95	0.35	0.15	0.04	0.0025	0.31	1.61	239
CENTRO	2	85	1.00	213.14	0.65	0.29	0.15	0.0025	0.50	7.01	1,054
CENTRO	2	87	0.51	5.87	0.49	0.24	0.12	0.03	0.37	1.72	56
CENTRO	2	88	1.31	336	0.56	0.20	0.06	0.0025	0.50	11.79	476
CENTRO	2	89	0.89	44.8	0.74	0.37	0.21	0.0027	0.53	2.84	1,706
CENTRO	2	91	0.84	71.7	0.72	0.37	0.18	0.0001	0.54	3.39	1,234
CENTRO	2	93	0.92	81.5	0.75	0.37	0.18	0.0006	0.57	3.21	1,974
CENTRO	2	94	0.93	155	0.65	0.30	0.15	0.005	0.50	4.80	2,712
CENTRO	2	97	0.84	36.6	0.66	0.28	0.08	0.0001	0.58	3.39	419
CENTRO	2	98	0.77	29.2	0.66	0.28	0.10	0.0025	0.56	2.92	400
CENTRO	2	99	0.73	18.9	0.63	0.23	0.07	0.0025	0.56	2.44	311
CENTRO	2	103	0.86	42.4	0.65	0.31	0.16	0.0001	0.49	2.89	1,677
CENTRO	2	104	0.59	22.7	0.53	0.26	0.14	0.0025	0.39	2.34	1,017
CENTRO	2	106	0.42	1.89	0.60	0.30	0.16	0.03	0.44	0.85	215
CENTRO	2	107	1.11	78.58	0.60	0.29	0.15	0.01	0.45	5.15	278
CENTRO	2	114	1.60	75.3	1.28	0.47	0.19	0.0011	1.09	2.56	2,742
CENTRO	2	119	0.54	32.3	0.45	0.21	0.10	0.0001	0.35	3.28	1,794
CENTRO	2	120	0.52	21.23	0.43	0.23	0.12	0.02	0.31	2.66	422
CENTRO	2	122	0.77	21.88	0.80	0.36	0.19	0.01	0.61	1.88	752
CENTRO	2	123	0.63	36.08	0.65	0.29	0.15	0.025	0.50	2.41	1,065
CENTRO	2	130	0.94	234.7	0.62	0.25	0.11	0.0025	0.51	5.64	2,868
CENTRO	2	135	0.90	48.6	0.75	0.29	0.13	0.0023	0.62	2.71	2,779
CENTRO	2	143	0.58	21.7	0.55	0.25	0.12	0.01	0.43	2.13	1,680
CENTRO	2	145	1.01	8.85	1.23	0.71	0.42	0.076	0.80	1.11	86

Eco Oro Minerals - Angostura Project
Summary Sample Statistics and Capping Analysis

AREA	AREA_ID	VETA	Au (g/t) - All (A15v4_dh)								
			Mean	Max	Q3	Median	Q1	Min	IQR	CV	Number
SILENCIO	3	105	0.91	36.6	0.68	0.37	0.21	0.038	0.47	3.08	409
SILENCIO	3	132	0.65	32.7	0.62	0.27	0.12	0.0001	0.50	2.54	2,178
SILENCIO	3	144	0.76	41	0.52	0.22	0.10	0.01	0.42	3.01	1,357
SILENCIO	3	201	0.92	8.65	0.80	0.46	0.23	0.07	0.57	1.61	117
SILENCIO	3	202	0.67	44.4	0.39	0.17	0.08	0.0025	0.31	4.21	851
SILENCIO	3	203	0.70	23.8	0.61	0.22	0.10	0.0025	0.51	2.47	484
SILENCIO	3	204	0.42	22.09	0.33	0.16	0.07	0.0025	0.26	3.09	572
SILENCIO	3	205	0.45	7.68	0.55	0.24	0.11	0.008	0.44	1.46	452
SILENCIO	3	206	0.80	39	0.84	0.38	0.16	0.005	0.68	2.10	1,709
SILENCIO	3	207	1.13	22.7	1.31	0.50	0.20	0.0102	1.11	1.69	470
SILENCIO	3	208	1.15	40.6	0.82	0.33	0.11	0.01	0.70	2.94	327
SILENCIO	3	209	0.51	25.8	0.36	0.13	0.06	0.0025	0.30	3.41	285
SILENCIO	3	210	0.90	20.4	0.53	0.20	0.07	0.01	0.46	2.75	105
SILENCIO	3	211	0.85	12.45	0.56	0.31	0.14	0.023	0.42	2.15	117
SILENCIO	3	212	0.82	11.7	0.73	0.32	0.13	0.04	0.61	2.22	86
SILENCIO	3	213	1.36	45.2	0.70	0.29	0.12	0.014	0.58	3.70	93
SILENCIO	3	214	0.69	177.5	0.36	0.13	0.06	0.0024	0.30	8.48	1,031
SILENCIO	3	215	1.30	43.4	1.30	0.74	0.38	0.08	0.92	2.09	359
SILENCIO	3	216	0.59	6.99	0.69	0.34	0.17	0.03	0.53	1.46	120
SILENCIO	3	217	0.78	24.59	0.65	0.27	0.13	0.03	0.52	2.86	247
SILENCIO	3	218	0.61	21.27	0.46	0.13	0.07	0.0018	0.39	2.98	180
SILENCIO	3	220	0.77	36	0.80	0.23	0.08	0.0025	0.72	2.39	1,263
SILENCIO	3	222	1.29	186.5	0.60	0.23	0.11	0.01	0.49	6.83	535
SILENCIO	3	223	0.76	36.12	0.50	0.22	0.10	0.0025	0.40	3.12	665
SILENCIO	3	224	1.27	30.39	0.69	0.26	0.10	0.012	0.58	2.70	289
SILENCIO	3	230	0.48	43.84	0.35	0.13	0.06	0.001	0.29	4.36	1,151
SILENCIO	3	231	0.78	105.5	0.36	0.13	0.05	0.005	0.31	6.34	900
SILENCIO	3	232	0.59	13.75	0.52	0.19	0.05	0.0008	0.47	2.38	765
SILENCIO	3	233	0.40	17.32	0.26	0.10	0.04	0.0035	0.22	3.10	893
SILENCIO	3	234	0.46	21.2	0.38	0.13	0.05	0.0029	0.33	3.30	393
SILENCIO	3	236	0.85	27.9	0.48	0.16	0.06	0.005	0.42	3.20	290
SILENCIO	3	237	0.45	13.4	0.45	0.16	0.06	0.0025	0.39	2.26	659
SILENCIO	3	240	0.38	10.95	0.32	0.12	0.05	0.005	0.27	2.78	161
SILENCIO	3	241	0.34	4.25	0.34	0.13	0.06	0.01	0.28	1.81	90
SILENCIO	3	243	0.38	4.3	0.30	0.09	0.04	0.0001	0.26	2.25	76
LACHES	4	180	0.96	77.9	0.66	0.20	0.04	0.0017	0.62	3.61	5,584
LACHES	4	181	0.53	32.3	0.35	0.10	0.02	0.0025	0.33	3.19	1,375
LACHES	4	182	0.33	2.68	0.52	0.16	0.02	0.0025	0.50	1.35	180
LACHES	4	183	0.77	5.52	1.03	0.39	0.05	0.0025	0.97	1.40	120
LACHES	4	184	0.21	1.855	0.30	0.07	0.01	0.0025	0.30	1.51	66
LACHES	4	185	2.52	77	1.98	0.53	0.12	0.0025	1.86	2.95	807
Total Vetas			0.90	336	0.65	0.26	0.10	0.0001	0.55	4.62	93,487

Angostura: Vein# 1 HG - Au (g/t)



N	192
m	3.329
σ^2	37.035
σ/m	1.828
min	0.010
$q_{0.25}$	0.456
$q_{0.50}$	1.370
$q_{0.75}$	3.810
max	58.300

Class width = 0.500
The last class contains
all values ≥ 12.500

Angostura: Vein# 1 HG - Au (g/t)



Angostura: Vein# 2 HG - Au (g/t)



N	569
m	4.148
σ^2	148.297
σ/m	2.936
min	0.000
$q_{0.25}$	0.621
$q_{0.50}$	1.749
$q_{0.75}$	3.830
max	211.000

Class width = 0.500
The last class contains
all values ≥ 12.500

Angostura: Vein# 2 HG - Au (g/t)



Angostura: Vein# 3 HG - Au (g/t)



N	122
m	3.670
σ^2	43.284
σ/m	1.793
min	0.053
$q_{0.25}$	0.828
$q_{0.50}$	1.845
$q_{0.75}$	3.160
max	52.700

Class width = 0.500
The last class contains
all values ≥ 12.500

Angostura: Vein# 3 HG - Au (g/t)



Angostura: Vein# 4 HG - Au (g/t)



N	137
m	3.736
σ^2	273.994
σ/m	4.430
min	0.002
$q_{0.25}$	0.450
$q_{0.50}$	1.160
$q_{0.75}$	2.540
max	189.500

Class width = 0.500
The last class contains
all values ≥ 12.500

Angostura: Vein# 4 HG - Au (g/t)



Angostura: Vein# 5 HG - Au (g/t)



N	204
m	3.570
σ^2	62.774
σ/m	2.219
min	0.005
$q_{0.25}$	0.561
$q_{0.50}$	1.343
$q_{0.75}$	3.360
max	70.100

Class width = 0.500
The last class contains
all values ≥ 12.500

Angostura: Vein# 5 HG - Au (g/t)



Angostura: Vein# 6 HG - Au (g/t)



N	54
m	3.965
σ^2	82.565
σ/m	2.292
min	0.017
$q_{0.25}$	0.471
$q_{0.50}$	1.655
$q_{0.75}$	2.650
max	57.800

Class width = 0.500
The last class contains
all values ≥ 12.500

Angostura: Vein# 6 HG - Au (g/t)




Angostura: Vein# 7 HG - Au (g/t)
33.8
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 71
m 3.568
σ² 254.630
σ/m 4.472
min 0.008
q0.25 0.400
q0.50 0.939
q0.75 2.250
max 136.000
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 7 HG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 8 HG - Au (g/t)



N	45
m	4.674
σ^2	126.344
σ/m	2.405
min	0.054
$q_{0.25}$	0.505
$q_{0.50}$	1.225
$q_{0.75}$	2.130
max	66.000

Class width = 0.500
The last class contains
all values ≥ 12.500

Angostura: Vein# 8 HG - Au (g/t)



Angostura: Vein# 9 HG - Au (g/t)



N	44
m	2.014
σ^2	7.052
σ/m	1.319
min	0.011
$q_{0.25}$	0.530
$q_{0.50}$	1.353
$q_{0.75}$	2.050
max	13.400

Class width = 0.500
The last class contains
all values ≥ 12.500

Angostura: Vein# 9 HG - Au (g/t)



Angostura: Vein# 10 HG - Au (g/t)



N	64
m	1.682
σ^2	3.663
σ/m	1.138
min	0.002
$q_{0.25}$	0.500
$q_{0.50}$	1.055
$q_{0.75}$	2.070
max	9.440

Class width = 0.500
The last class contains
all values ≥ 12.500

Angostura: Vein# 10 HG - Au (g/t)



Angostura: Vein# 11 HG - Au (g/t)



N	50
m	2.734
σ^2	19.744
σ/m	1.625
min	0.016
$q_{0.25}$	0.450
$q_{0.50}$	1.562
$q_{0.75}$	3.100
max	25.300

Class width = 0.500
The last class contains
all values ≥ 12.500

Angostura: Vein# 11 HG - Au (g/t)




Angostura: Vein# 12 HG - Au (g/t)
31.6
26.3
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 19
m 1.278
σ² 1.902
σ/m 1.079
min 0.009
q0.25 0.218
q0.50 0.881
q0.75 1.680
max 5.720
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 12 HG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 13 HG - Au (g/t)



N	12
m	1.532
σ^2	1.503
σ/m	0.800
min	0.077
$q_{0.25}$	0.345
$q_{0.50}$	1.360
$q_{0.75}$	2.110
max	4.250

Class width = 0.500
The last class contains
all values ≥ 12.500

Angostura: Vein# 13 HG - Au (g/t)




Angostura: Vein# 14 HG - Au (g/t)
28.6
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 28
m 3.487
σ² 33.401
σ/m 1.657
min 0.008
q0.25 0.268
q0.50 1.855
q0.75 3.820
max 30.700
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 14 HG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 16 HG - Au (g/t)
33.3
33.3
33.3
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 3
m 2.032
σ² 2.316
σ/m 0.749
min 0.845
q0.25 0.000
q0.50 1.070
q0.75 1.070
max 4.180
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 16 HG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 17 HG - Au (g/t)



N	57
m	4.466
σ^2	209.513
σ/m	3.241
min	0.011
$q_{0.25}$	0.445
$q_{0.50}$	1.160
$q_{0.75}$	2.310
max	108.000

Class width = 0.500
The last class contains
all values ≥ 12.500

Angostura: Vein# 17 HG - Au (g/t)




Angostura: Vein# 18 HG - Au (g/t)
30.0
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 60
m 5.989
σ² 641.722
σ/m 4.229
min 0.050
q0.25 0.240
q0.50 1.164
q0.75 2.229
max 196.500
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 18 HG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 19 HG - Au (g/t)
42.9
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 7
m 22.248
σ² 2535.086
σ/m 2.263
min 0.074
q0.25 0.074
q0.50 1.580
q0.75 2.390
max 145.500
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 19 HG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 20 HG - Au (g/t)



N	98
m	4.905
σ^2	92.525
σ/m	1.961
min	0.017
$q_{0.25}$	0.544
$q_{0.50}$	1.565
$q_{0.75}$	5.510
max	74.100

Class width = 0.500
The last class contains
all values ≥ 12.500

Angostura: Vein# 20 HG - Au (g/t)



Angostura: Vein# 26 HG - Au (g/t)



N	7
m	2.961
σ^2	7.020
σ/m	0.895
min	0.130
$q_{0.25}$	0.130
$q_{0.50}$	2.220
$q_{0.75}$	2.590
max	8.400

Class width = 0.500
The last class contains
all values ≥ 12.500

Angostura: Vein# 26 HG - Au (g/t)




Angostura: Vein# 33 HG - Au (g/t)
32.9
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 73
m 3.228
σ² 19.450
σ/m 1.366
min 0.052
q0.25 0.315
q0.50 1.370
q0.75 3.650
max 20.700
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 33 HG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 47 HG - Au (g/t)



N	288
m	2.655
σ^2	13.458
σ/m	1.382
min	0.051
$q_{0.25}$	0.767
$q_{0.50}$	1.610
$q_{0.75}$	3.170
max	39.400

Class width = 0.500
The last class contains
all values ≥ 12.500

Angostura: Vein# 47 HG - Au (g/t)




Angostura: Vein# 50 HG - Au (g/t)
34.0
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 47
m 2.380
σ² 11.153
σ/m 1.403
min 0.031
q0.25 0.370
q0.50 0.992
q0.75 3.280
max 17.350
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 50 HG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 51 HG - Au (g/t)



N	967
m	3.397
σ^2	53.129
σ/m	2.146
min	0.002
$q_{0.25}$	0.540
$q_{0.50}$	1.450
$q_{0.75}$	3.570
max	140.040

Class width = 0.500
The last class contains
all values ≥ 12.500

Angostura: Vein# 51 HG - Au (g/t)



Angostura: Vein# 52 HG - Au (g/t)



N	494
m	3.806
σ^2	81.979
σ/m	2.379
min	0.020
$q_{0.25}$	0.636
$q_{0.50}$	1.460
$q_{0.75}$	3.350
max	119.000

Class width = 0.500
The last class contains
all values ≥ 12.500

Angostura: Vein# 52 HG - Au (g/t)




Angostura: Vein# 53 HG - Au (g/t)
35.4
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 48
m 1.558
σ² 3.807
σ/m 1.252
min 0.050
q0.25 0.290
q0.50 0.865
q0.75 1.850
max 9.470
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 53 HG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 54 HG - Au (g/t)



N	292
m	4.084
σ^2	303.311
σ/m	4.264
min	0.002
$q_{0.25}$	0.614
$q_{0.50}$	1.300
$q_{0.75}$	2.740
max	252.750

Class width = 0.500
The last class contains
all values ≥ 12.500

Angostura: Vein# 54 HG - Au (g/t)



Angostura: Vein# 56 HG - Au (g/t)



N	377
m	2.719
σ^2	50.505
σ/m	2.614
min	0.031
$q_{0.25}$	0.600
$q_{0.50}$	1.315
$q_{0.75}$	2.490
max	115.720

Class width = 0.500
The last class contains
all values ≥ 12.500

Angostura: Vein# 56 HG - Au (g/t)




Angostura: Vein# 65 HG - Au (g/t)
28.9
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 38
m 2.373
σ² 19.746
σ/m 1.872
min 0.031
q0.25 0.344
q0.50 1.217
q0.75 2.240
max 27.500
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 65 HG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 66 HG - Au (g/t)



N	180
m	5.013
σ^2	148.090
σ/m	2.427
min	0.092
$q_{0.25}$	0.532
$q_{0.50}$	1.382
$q_{0.75}$	3.880
max	101.500

Class width = 0.500
The last class contains
all values ≥ 12.500

Angostura: Vein# 66 HG - Au (g/t)




Angostura: Vein# 68 HG - Au (g/t)
25.7
Frequency (Percent)
25
20
15
10
5
0
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 35
m 2.157
σ² 3.997
σ/m 0.927
min 0.166
q0.25 0.323
q0.50 1.550
q0.75 3.150
max 10.150
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 68 HG - Au (g/t)
Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 69 HG - Au (g/t)
26.0
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 308
m 3.274
σ² 117.212
σ/m 3.307
min 0.035
q0.25 0.471
q0.50 1.233
q0.75 2.590
max 150.000
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 69 HG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 70 HG - Au (g/t)



N	100
m	2.719
σ^2	10.677
σ/m	1.202
min	0.066
$q_{0.25}$	0.615
$q_{0.50}$	1.645
$q_{0.75}$	3.230
max	22.800

Class width = 0.500
The last class contains
all values ≥ 12.500

Angostura: Vein# 70 HG - Au (g/t)




Angostura: Vein# 71 HG - Au (g/t)
30.8
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 120
m 4.138
σ² 42.335
σ/m 1.572
min 0.002
q0.25 0.387
q0.50 1.430
q0.75 4.620
max 37.500
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 71 HG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 74 HG - Au (g/t)



N	221
m	2.522
σ^2	13.450
σ/m	1.454
min	0.059
$q_{0.25}$	0.509
$q_{0.50}$	1.340
$q_{0.75}$	2.930
max	27.600

Class width = 0.500
The last class contains
all values ≥ 12.500

Angostura: Vein# 74 HG - Au (g/t)



Angostura: Vein# 77 HG - Au (g/t)



N	251
m	6.746
σ^2	419.704
σ/m	3.037
min	0.006
$q_{0.25}$	0.662
$q_{0.50}$	1.820
$q_{0.75}$	4.950
max	262.300

Class width = 0.500
The last class contains
all values ≥ 12.500

Angostura: Vein# 77 HG - Au (g/t)



Angostura: Vein# 78 HG - Au (g/t)



N	288
m	3.071
σ^2	56.562
σ/m	2.449
min	0.020
$q_{0.25}$	0.621
$q_{0.50}$	1.250
$q_{0.75}$	2.310
max	101.500

Class width = 0.500
The last class contains
all values ≥ 12.500

Angostura: Vein# 78 HG - Au (g/t)




Angostura: Vein# 80 HG - Au (g/t)
27.8
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 36
m 2.300
σ² 11.402
σ/m 1.468
min 0.036
q0.25 0.390
q0.50 1.100
q0.75 2.120
max 16.600
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 80 HG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 82 HG - Au (g/t)



N	51
m	1.489
σ^2	2.077
σ/m	0.968
min	0.115
$q_{0.25}$	0.440
$q_{0.50}$	1.145
$q_{0.75}$	1.650
max	6.530

Class width = 0.500
The last class contains
all values ≥ 12.500

Angostura: Vein# 82 HG - Au (g/t)




Angostura: Vein# 84 HG - Au (g/t)
37.5
37.5
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 8
m 1.364
σ² 0.531
σ/m 0.534
min 0.272
q0.25 0.679
q0.50 1.225
q0.75 2.000
max 2.370
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 84 HG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 85 HG - Au (g/t)



N	113
m	2.844
σ^2	42.602
σ/m	2.295
min	0.075
$q_{0.25}$	0.600
$q_{0.50}$	1.260
$q_{0.75}$	2.610
max	55.600

Class width = 0.500
The last class contains
all values ≥ 12.500

Angostura: Vein# 85 HG - Au (g/t)




Angostura: Vein# 87 HG - Au (g/t)
50.0
50.0
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 2
m 1.860
σ² 0.578
σ/m 0.409
min 1.100
q0.25 0.000
q0.50 1.860
q0.75 1.100
max 2.620
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 87 HG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 88 HG - Au (g/t)



N	46
m	10.018
σ^2	2373.263
σ/m	4.863
min	0.040
$q_{0.25}$	0.447
$q_{0.50}$	1.192
$q_{0.75}$	3.300
max	336.000

Class width = 0.500
The last class contains
all values ≥ 12.500

Angostura: Vein# 88 HG - Au (g/t)



Angostura: Vein# 89 HG - Au (g/t)



N	293
m	2.212
σ^2	16.567
σ/m	1.840
min	0.110
$q_{0.25}$	0.550
$q_{0.50}$	1.150
$q_{0.75}$	2.058
max	44.100

Class width = 0.500
The last class contains
all values ≥ 12.500

Angostura: Vein# 89 HG - Au (g/t)




Angostura: Vein# 91 HG - Au (g/t)
28.3
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 152
m 2.975
σ² 53.936
σ/m 2.469
min 0.036
q0.25 0.421
q0.50 1.225
q0.75 2.640
max 71.700
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 91 HG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 93 HG - Au (g/t)



N	301
m	3.041
σ^2	44.684
σ/m	2.198
min	0.060
$q_{0.25}$	0.590
$q_{0.50}$	1.470
$q_{0.75}$	2.650
max	81.500

Class width = 0.500
The last class contains
all values ≥ 12.500

Angostura: Vein# 93 HG - Au (g/t)




Angostura: Vein# 94 HG - Au (g/t)
29.6
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 439
m 3.212
σ² 112.065
σ/m 3.296
min 0.039
q0.25 0.400
q0.50 1.255
q0.75 2.630
max 155.000
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 94 HG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 97 HG - Au (g/t)
25.6
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 78
m 2.879
σ² 36.284
σ/m 2.092
min 0.030
q0.25 0.478
q0.50 1.175
q0.75 2.550
max 36.600
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 97 HG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 98 HG - Au (g/t)



N	57
m	3.036
σ^2	27.514
σ/m	1.728
min	0.070
$q_{0.25}$	0.500
$q_{0.50}$	1.300
$q_{0.75}$	3.120
max	29.200

Class width = 0.500
The last class contains
all values ≥ 12.500

Angostura: Vein# 98 HG - Au (g/t)



Angostura: Vein# 99 HG - Au (g/t)



N	28
m	2.265
σ^2	6.616
σ/m	1.136
min	0.065
$q_{0.25}$	0.535
$q_{0.50}$	1.475
$q_{0.75}$	2.560
max	11.300

Class width = 0.500
The last class contains
all values ≥ 12.500

Angostura: Vein# 99 HG - Au (g/t)



Angostura: Vein# 103 HG - Au (g/t)



N	222
m	3.314
σ^2	34.716
σ/m	1.778
min	0.062
$q_{0.25}$	0.600
$q_{0.50}$	1.470
$q_{0.75}$	3.050
max	42.400

Class width = 0.500
The last class contains
all values ≥ 12.500

Angostura: Vein# 103 HG - Au (g/t)




Angostura: Vein# 104 HG - Au (g/t)
25.4
25.4
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 67
m 1.762
σ² 5.062
σ/m 1.277
min 0.030
q0.25 0.390
q0.50 1.180
q0.75 1.985
max 14.000
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 104 HG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01
0.1
1
2
5
10
20
30
40
50
60
70
80
90
95
98
99
99.9
99.99
Cumulative Probability (percent)


Angostura: Vein# 105 HG - Au (g/t)
27.9
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 61
m 3.390
σ² 43.357
σ/m 1.942
min 0.110
q0.25 0.430
q0.50 1.030
q0.75 2.710
max 36.600
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 105 HG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 106 HG - Au (g/t)
33.3
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 9
m 0.941
σ² 0.309
σ/m 0.591
min 0.360
q0.25 0.420
q0.50 0.650
q0.75 1.070
max 1.890
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 106 HG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 107 HG - Au (g/t)
38.5
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 26
m 5.795
σ² 252.130
σ/m 2.740
min 0.040
q0.25 0.180
q0.50 0.772
q0.75 1.850
max 78.580
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 107 HG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 114 HG - Au (g/t)



N	948
m	3.659
σ^2	38.048
σ/m	1.686
min	0.006
$q_{0.25}$	0.850
$q_{0.50}$	1.750
$q_{0.75}$	3.790
max	75.300

Class width = 0.500
The last class contains
all values ≥ 12.500

Angostura: Vein# 114 HG - Au (g/t)




Angostura: Vein# 119 HG - Au (g/t)
32.6
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 95
m 2.317
σ² 25.160
σ/m 2.165
min 0.090
q0.25 0.345
q0.50 0.997
q0.75 2.110
max 32.300
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 119 HG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 120 HG - Au (g/t)
40.0
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 15
m 2.314
σ² 6.617
σ/m 1.112
min 0.080
q0.25 0.250
q0.50 1.150
q0.75 3.260
max 9.090
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 120 HG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 122 HG - Au (g/t)



N	147
m	1.917
σ^2	7.426
σ/m	1.422
min	0.110
$q_{0.25}$	0.462
$q_{0.50}$	1.150
$q_{0.75}$	2.260
max	21.880

Class width = 0.500
The last class contains
all values ≥ 12.500

Angostura: Vein# 122 HG - Au (g/t)



Angostura: Vein# 123 HG - Au (g/t)



N	88
m	1.839
σ^2	4.315
σ/m	1.129
min	0.150
$q_{0.25}$	0.640
$q_{0.50}$	1.175
$q_{0.75}$	1.900
max	11.420

Class width = 0.500
The last class contains
all values ≥ 12.500

Angostura: Vein# 123 HG - Au (g/t)




Angostura: Vein# 130 HG - Au (g/t)
30.4
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 428
m 3.753
σ² 171.230
σ/m 3.487
min 0.020
q0.25 0.393
q0.50 1.200
q0.75 2.740
max 234.700
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 130 HG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 132 HG - Au (g/t)



N	265
m	2.227
σ^2	12.271
σ/m	1.573
min	0.070
$q_{0.25}$	0.572
$q_{0.50}$	1.150
$q_{0.75}$	2.140
max	26.240

Class width = 0.500
The last class contains
all values ≥ 12.500

Angostura: Vein# 132 HG - Au (g/t)




Angostura: Vein# 135 HG - Au (g/t)
25.8
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 453
m 2.481
σ² 16.931
σ/m 1.658
min 0.030
q0.25 0.470
q0.50 1.235
q0.75 2.590
max 44.200
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 135 HG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 143 HG - Au (g/t)



N	169
m	1.916
σ^2	4.368
σ/m	1.091
min	0.070
$q_{0.25}$	0.646
$q_{0.50}$	1.500
$q_{0.75}$	2.360
max	17.800

Class width = 0.500
The last class contains
all values ≥ 12.500

Angostura: Vein# 143 HG - Au (g/t)



Angostura: Vein# 144 HG - Au (g/t)



N	164
m	3.209
σ^2	29.523
σ/m	1.693
min	0.045
$q_{0.25}$	0.500
$q_{0.50}$	1.185
$q_{0.75}$	3.430
max	41.000

Class width = 0.500
The last class contains
all values ≥ 12.500

Angostura: Vein# 144 HG - Au (g/t)




Angostura: Vein# 145 HG - Au (g/t)
34.6
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 26
m 1.777
σ² 2.609
σ/m 0.909
min 0.372
q0.25 0.842
q0.50 1.360
q0.75 1.760
max 8.850
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 145 HG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 180 HG - Au (g/t)



N	1086
m	3.159
σ^2	39.896
σ/m	2.000
min	0.002
$q_{0.25}$	0.517
$q_{0.50}$	1.372
$q_{0.75}$	3.140
max	70.400

Class width = 0.500
The last class contains
all values ≥ 12.500

Angostura: Vein# 180 HG - Au (g/t)



Angostura: Vein# 181 HG - Au (g/t)



N	154
m	2.738
σ^2	17.623
σ/m	1.533
min	0.045
$q_{0.25}$	0.515
$q_{0.50}$	1.300
$q_{0.75}$	3.150
max	32.300

Class width = 0.500
The last class contains
all values ≥ 12.500

Angostura: Vein# 181 HG - Au (g/t)




Angostura: Vein# 182 HG - Au (g/t)
28.6
28.6
28.6
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 7
m 1.615
σ² 0.840
σ/m 0.568
min 0.310
q0.25 0.310
q0.50 2.120
q0.75 2.140
max 2.680
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 182 HG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 183 HG - Au (g/t)
32.3
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 31
m 1.858
σ² 1.596
σ/m 0.680
min 0.019
q0.25 0.945
q0.50 1.400
q0.75 2.560
max 5.520
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 183 HG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 185 HG - Au (g/t)



N	347
m	5.194
σ^2	112.558
σ/m	2.043
min	0.015
$q_{0.25}$	0.927
$q_{0.50}$	2.120
$q_{0.75}$	4.090
max	77.000

Class width = 0.500
The last class contains
all values ≥ 12.500

Angostura: Vein# 185 HG - Au (g/t)




Angostura: Vein# 201 HG - Au (g/t)
29.6
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 27
m 2.116
σ² 4.684
σ/m 1.023
min 0.190
q0.25 0.570
q0.50 1.170
q0.75 2.740
max 8.650
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 201 HG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 202HG - Au (g/t)
26.4
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 53
m 3.238
σ² 48.124
σ/m 2.143
min 0.080
q0.25 0.410
q0.50 1.000
q0.75 2.540
max 44.400
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 202HG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 203 HG - Au (g/t)



N	46
m	2.655
σ^2	8.161
σ/m	1.076
min	0.226
$q_{0.25}$	0.506
$q_{0.50}$	1.482
$q_{0.75}$	3.690
max	12.280

Class width = 0.500
The last class contains
all values ≥ 12.500

Angostura: Vein# 203 HG - Au (g/t)




Angostura: Vein# 204HG - Au (g/t)
29.4
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 17
m 1.425
σ² 1.749
σ/m 0.928
min 0.130
q0.25 0.370
q0.50 1.400
q0.75 1.720
max 5.990
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 204HG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 205 HG - Au (g/t)



N	33
m	1.460
σ^2	1.927
σ/m	0.951
min	0.220
$q_{0.25}$	0.600
$q_{0.50}$	1.170
$q_{0.75}$	1.550
max	7.680

Class width = 0.500
The last class contains
all values ≥ 12.500

Angostura: Vein# 205 HG - Au (g/t)



Angostura: Vein# 206 HG - Au (g/t)



N	295
m	1.857
σ^2	5.198
σ/m	1.228
min	0.113
$q_{0.25}$	0.700
$q_{0.50}$	1.290
$q_{0.75}$	2.110
max	23.400

Class width = 0.500
The last class contains
all values ≥ 12.500

Angostura: Vein# 206 HG - Au (g/t)



Angostura: Vein# 207 HG - Au (g/t)



N	147
m	2.498
σ^2	7.482
σ/m	1.095
min	0.060
$q_{0.25}$	0.842
$q_{0.50}$	1.730
$q_{0.75}$	2.910
max	22.700

Class width = 0.500
The last class contains
all values ≥ 12.500

Angostura: Vein# 207 HG - Au (g/t)



Angostura: Vein# 208 HG - Au (g/t)



N	60
m	3.726
σ^2	42.551
σ/m	1.751
min	0.086
$q_{0.25}$	0.560
$q_{0.50}$	1.567
$q_{0.75}$	2.740
max	40.600

Class width = 0.500
The last class contains
all values ≥ 12.500

Angostura: Vein# 208 HG - Au (g/t)




Angostura: Vein# 209 HG - Au (g/t)
41.2
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 17
m 1.700
σ² 5.748
σ/m 1.410
min 0.024
q0.25 0.163
q0.50 0.573
q0.75 1.010
max 8.560
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 209 HG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 210HG - Au (g/t)
35.7
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 14
m 3.113
σ² 31.249
σ/m 1.796
min 0.090
q0.25 0.280
q0.50 0.875
q0.75 1.700
max 20.400
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 210HG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 211 HG - Au (g/t)
27.3
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 11
m 2.445
σ² 5.789
σ/m 0.984
min 0.090
q0.25 0.180
q0.50 2.330
q0.75 2.640
max 9.160
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 211 HG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 212HG - Au (g/t)
35.3
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 17
m 2.548
σ² 11.125
σ/m 1.309
min 0.214
q0.25 0.589
q0.50 1.155
q0.75 1.800
max 11.700
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 212HG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 213 HG - Au (g/t)
39.3
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 28
m 3.765
σ² 75.017
σ/m 2.300
min 0.072
q0.25 0.190
q0.50 0.900
q0.75 2.590
max 45.200
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 213 HG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 214 HG - Au (g/t)



N	49
m	1.945
σ^2	5.398
σ/m	1.195
min	0.092
$q_{0.25}$	0.420
$q_{0.50}$	1.110
$q_{0.75}$	2.220
max	11.350

Class width = 0.500
The last class contains
all values ≥ 12.500

Angostura: Vein# 214 HG - Au (g/t)



Angostura: Vein# 215 HG - Au (g/t)



N	149
m	2.137
σ^2	15.305
σ/m	1.830
min	0.150
$q_{0.25}$	0.750
$q_{0.50}$	1.280
$q_{0.75}$	2.340
max	43.400

Class width = 0.500
The last class contains
all values ≥ 12.500

Angostura: Vein# 215 HG - Au (g/t)



Angostura: Vein# 216 HG - Au (g/t)



N	9
m	1.953
σ^2	4.505
σ/m	1.087
min	0.413
$q_{0.25}$	0.420
$q_{0.50}$	1.030
$q_{0.75}$	1.340
max	6.990

Class width = 0.500
The last class contains
all values ≥ 12.500

Angostura: Vein# 216 HG - Au (g/t)




Angostura: Vein# 217 HG - Au (g/t)
27.8
27.8
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 18
m 3.010
σ² 32.068
σ/m 1.881
min 0.173
q0.25 0.620
q0.50 1.105
q0.75 1.460
max 24.590
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 217 HG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 218 HG - Au (g/t)
66.7
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 6
m 2.484
σ² 6.077
σ/m 0.992
min 1.250
q0.25 1.250
q0.50 1.375
q0.75 1.400
max 7.990
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 218 HG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 220 HG - Au (g/t)



N	279
m	2.337
σ^2	11.056
σ/m	1.423
min	0.032
$q_{0.25}$	0.800
$q_{0.50}$	1.350
$q_{0.75}$	2.580
max	36.000

Class width = 0.500
The last class contains
all values ≥ 12.500

Angostura: Vein# 220 HG - Au (g/t)



Angostura: Vein# 222 HG - Au (g/t)



N	57
m	7.375
σ^2	663.606
σ/m	3.493
min	0.090
$q_{0.25}$	0.460
$q_{0.50}$	1.165
$q_{0.75}$	2.910
max	186.500

Class width = 0.500
The last class contains
all values ≥ 12.500

Angostura: Vein# 222 HG - Au (g/t)




Angostura: Vein# 223 HG - Au (g/t)
27.0
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 89
m 2.876
σ² 18.782
σ/m 1.507
min 0.056
q0.25 0.460
q0.50 1.550
q0.75 3.100
max 20.100
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 223 HG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 224 HG - Au (g/t)
39.0
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 59
m 3.693
σ² 31.405
σ/m 1.517
min 0.020
q0.25 0.346
q0.50 0.850
q0.75 5.140
max 30.390
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 224 HG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 230 HG - Au (g/t)
27.1
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 70
m 2.101
σ² 23.058
σ/m 2.286
min 0.035
q0.25 0.450
q0.50 1.080
q0.75 1.980
max 39.500
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 230 HG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 231 HG - Au (g/t)



N	100
m	4.269
σ^2	172.390
σ/m	3.075
min	0.040
$q_{0.25}$	0.401
$q_{0.50}$	1.180
$q_{0.75}$	2.210
max	105.500

Class width = 0.500
The last class contains
all values ≥ 12.500

Angostura: Vein# 231 HG - Au (g/t)



Angostura: Vein# 232 HG - Au (g/t)



N	86
m	2.500
σ^2	9.410
σ/m	1.227
min	0.010
$q_{0.25}$	0.620
$q_{0.50}$	1.285
$q_{0.75}$	3.140
max	13.750

Class width = 0.500
The last class contains
all values ≥ 12.500

Angostura: Vein# 232 HG - Au (g/t)




Angostura: Vein# 233 HG - Au (g/t)
34.8
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 46
m 2.633
σ² 16.242
σ/m 1.530
min 0.040
q0.25 0.230
q0.50 1.010
q0.75 2.800
max 17.320
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 233 HG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 234 HG - Au (g/t)
27.3
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 22
m 2.438
σ² 12.623
σ/m 1.457
min 0.096
q0.25 0.450
q0.50 1.091
q0.75 2.320
max 16.700
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 234 HG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 236 HG - Au (g/t)
35.7
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 28
m 3.318
σ² 22.092
σ/m 1.417
min 0.074
q0.25 0.350
q0.50 1.025
q0.75 4.380
max 19.600
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 236 HG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 237 HG - Au (g/t)



N	56
m	1.950
σ^2	7.004
σ/m	1.357
min	0.008
$q_{0.25}$	0.350
$q_{0.50}$	0.944
$q_{0.75}$	2.310
max	13.400

Class width = 0.500
The last class contains
all values ≥ 12.500

Angostura: Vein# 237 HG - Au (g/t)




Angostura: Vein# 240 HG - Au (g/t)
37.5
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 8
m 1.682
σ² 4.232
σ/m 1.223
min 0.030
q0.25 0.040
q0.50 0.890
q0.75 1.755
max 6.630
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 240 HG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 241 HG - Au (g/t)
50.0
50.0
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 2
m 1.284
σ² 0.953
σ/m 0.760
min 0.308
q0.25 0.000
q0.50 1.284
q0.75 0.308
max 2.260
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 241 HG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 243 HG - Au (g/t)
70.0
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 10
m 1.251
σ² 2.663
σ/m 1.304
min 0.005
q0.25 0.061
q0.50 0.320
q0.75 0.489
max 4.300
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 243 HG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 1 LG - Au (g/t)
76.2
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 673
m 0.578
σ² 5.073
σ/m 3.895
min 0.000
q0.25 0.056
q0.50 0.208
q0.75 0.480
max 37.800
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 1 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 2 LG - Au (g/t)
77.7
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 2104
m 0.435
σ² 1.359
σ/m 2.681
min 0.001
q0.25 0.040
q0.50 0.171
q0.75 0.443
max 23.500
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 2 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 3 LG - Au (g/t)
87.7
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 733
m 0.242
σ² 0.218
σ/m 1.933
min 0.000
q0.25 0.022
q0.50 0.095
q0.75 0.273
max 6.810
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 3 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 4 LG - Au (g/t)
72.6
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 391
m 0.670
σ² 6.352
σ/m 3.760
min 0.000
q0.25 0.030
q0.50 0.212
q0.75 0.538
max 30.800
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 4 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 5 LG - Au (g/t)
77.5
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 805
m 0.597
σ² 35.507
σ/m 9.977
min 0.000
q0.25 0.020
q0.50 0.149
q0.75 0.465
max 168.000
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 5 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 6 LG - Au (g/t)
75.7
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 210
m 0.410
σ² 0.773
σ/m 2.145
min 0.000
q0.25 0.044
q0.50 0.204
q0.75 0.479
max 11.250
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 6 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 7 LG - Au (g/t)
79.7
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 409
m 0.503
σ² 7.103
σ/m 5.295
min 0.001
q0.25 0.026
q0.50 0.142
q0.75 0.399
max 48.400
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 7 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 8 LG - Au (g/t)
62.5
26.1
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 184
m 0.754
σ² 9.277
σ/m 4.038
min 0.002
q0.25 0.185
q0.50 0.374
q0.75 0.657
max 40.400
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 8 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 9 LG - Au (g/t)
85.2
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 473
m 0.344
σ² 1.132
σ/m 3.090
min 0.000
q0.25 0.010
q0.50 0.110
q0.75 0.341
max 17.700
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 9 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 10 LG - Au (g/t)
75.1
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 441
m 0.407
σ² 0.833
σ/m 2.243
min 0.000
q0.25 0.041
q0.50 0.152
q0.75 0.496
max 13.550
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 10 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 11 LG - Au (g/t)
62.2
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 127
m 0.548
σ² 0.932
σ/m 1.762
min 0.002
q0.25 0.050
q0.50 0.280
q0.75 0.681
max 9.490
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 11 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 12 LG - Au (g/t)
79.8
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 129
m 0.646
σ² 4.265
σ/m 3.195
min 0.000
q0.25 0.019
q0.50 0.122
q0.75 0.405
max 18.250
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 12 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 13 LG - Au (g/t)
81.5
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 65
m 0.305
σ² 0.109
σ/m 1.083
min 0.002
q0.25 0.078
q0.50 0.190
q0.75 0.399
max 1.725
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 13 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 14 LG - Au (g/t)



N	207
m	2.282
σ^2	378.245
σ/m	8.523
min	0.002
$q_{0.25}$	0.031
$q_{0.50}$	0.121
$q_{0.75}$	0.338
max	199.000

Class width = 0.500
The last class contains
all values ≥ 12.500

Angostura: Vein# 14 LG - Au (g/t)




Angostura: Vein# 16 LG - Au (g/t)
58.8
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 17
m 0.596
σ² 0.396
σ/m 1.056
min 0.029
q0.25 0.177
q0.50 0.469
q0.75 0.583
max 2.560
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 16 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 17 LG - Au (g/t)
82.9
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 645
m 0.312
σ² 0.490
σ/m 2.247
min 0.001
q0.25 0.023
q0.50 0.120
q0.75 0.380
max 9.470
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 17 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 18 LG - Au (g/t)
86.9
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 809
m 0.227
σ² 0.223
σ/m 2.078
min 0.000
q0.25 0.010
q0.50 0.069
q0.75 0.240
max 6.400
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 18 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 19 LG - Au (g/t)
89.6
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 221
m 0.264
σ² 1.840
σ/m 5.147
min 0.000
q0.25 0.005
q0.50 0.041
q0.75 0.133
max 19.600
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 19 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 20 LG - Au (g/t)
88.7
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 622
m 0.475
σ² 14.355
σ/m 7.972
min 0.002
q0.25 0.030
q0.50 0.080
q0.75 0.220
max 86.400
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 20 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 26 LG - Au (g/t)



N	137
m	0.341
σ^2	0.259
σ/m	1.492
min	0.002
$q_{0.25}$	0.037
$q_{0.50}$	0.160
$q_{0.75}$	0.420
max	3.630

Class width = 0.500
The last class contains
all values ≥ 12.500

Angostura: Vein# 26 LG - Au (g/t)



Angostura: Vein# 33 LG - Au (g/t)



N	574
m	0.361
σ^2	0.739
σ/m	2.382
min	0.002
$q_{0.25}$	0.046
$q_{0.50}$	0.152
$q_{0.75}$	0.380
max	12.900

Class width = 0.500
The last class contains
all values ≥ 12.500

Angostura: Vein# 33 LG - Au (g/t)




Angostura: Vein# 47 LG - Au (g/t)
66.9
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 1029
m 0.602
σ² 1.887
σ/m 2.283
min 0.007
q0.25 0.150
q0.50 0.323
q0.75 0.620
max 25.900
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 47 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 50 LG - Au (g/t)
78.4
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 204
m 0.401
σ² 0.570
σ/m 1.884
min 0.002
q0.25 0.109
q0.50 0.233
q0.75 0.432
max 9.160
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 50 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 51 LG - Au (g/t)
70.5
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 2643
m 0.548
σ² 1.297
σ/m 2.080
min 0.002
q0.25 0.129
q0.50 0.290
q0.75 0.561
max 21.900
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 51 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 52 LG - Au (g/t)
80.5
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 2943
m 0.437
σ² 4.069
σ/m 4.618
min 0.001
q0.25 0.090
q0.50 0.194
q0.75 0.402
max 90.400
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 52 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 53 LG - Au (g/t)
81.1
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 1137
m 0.401
σ² 0.557
σ/m 1.863
min 0.020
q0.25 0.130
q0.50 0.220
q0.75 0.400
max 10.940
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 53 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 54 LG - Au (g/t)
70.1
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 947
m 0.575
σ² 5.870
σ/m 4.211
min 0.002
q0.25 0.160
q0.50 0.322
q0.75 0.541
max 69.600
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 54 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 56 LG - Au (g/t)
75.7
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 2198
m 0.494
σ² 1.794
σ/m 2.712
min 0.002
q0.25 0.108
q0.50 0.230
q0.75 0.484
max 37.900
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 56 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 65 LG - Au (g/t)
80.1
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 734
m 0.365
σ² 1.084
σ/m 2.851
min 0.002
q0.25 0.078
q0.50 0.184
q0.75 0.393
max 24.900
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 65 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 66 LG - Au (g/t)
73.4
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 979
m 0.529
σ² 2.682
σ/m 3.095
min 0.001
q0.25 0.090
q0.50 0.236
q0.75 0.510
max 38.100
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 66 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 68 LG - Au (g/t)
85.2
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 797
m 0.301
σ² 0.561
σ/m 2.492
min 0.001
q0.25 0.030
q0.50 0.100
q0.75 0.303
max 11.150
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 68 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 69 LG - Au (g/t)
75.3
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 1678
m 0.482
σ² 1.110
σ/m 2.186
min 0.002
q0.25 0.143
q0.50 0.268
q0.75 0.490
max 25.500
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 69 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 70 LG - Au (g/t)
77.2
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 391
m 0.466
σ² 0.555
σ/m 1.597
min 0.014
q0.25 0.160
q0.50 0.278
q0.75 0.450
max 8.990
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 70 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 71 LG - Au (g/t)
75.7
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 701
m 0.423
σ² 0.599
σ/m 1.830
min 0.002
q0.25 0.091
q0.50 0.235
q0.75 0.486
max 9.900
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 71 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 74 LG - Au (g/t)



N	1085
m	0.512
σ^2	1.025
σ/m	1.978
min	0.002
$q_{0.25}$	0.140
$q_{0.50}$	0.286
$q_{0.75}$	0.520
max	12.100

Class width = 0.500
The last class contains
all values ≥ 12.500

Angostura: Vein# 74 LG - Au (g/t)



Angostura: Vein# 77 LG - Au (g/t)



N	1148
m	0.696
σ^2	11.217
σ/m	4.814
min	0.002
$q_{0.25}$	0.115
$q_{0.50}$	0.294
$q_{0.75}$	0.560
max	57.590

Class width = 0.500
The last class contains
all values ≥ 12.500

Angostura: Vein# 77 LG - Au (g/t)




Angostura: Vein# 78 LG - Au (g/t)
74.5
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 1733
m 0.472
σ² 1.586
σ/m 2.668
min 0.002
q0.25 0.110
q0.50 0.255
q0.75 0.500
max 36.000
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 78 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 80 LG - Au (g/t)



N	784
m	0.396
σ^2	0.399
σ/m	1.595
min	0.005
$q_{0.25}$	0.130
$q_{0.50}$	0.227
$q_{0.75}$	0.440
max	11.250

Class width = 0.500
The last class contains
all values ≥ 12.500

Angostura: Vein# 80 LG - Au (g/t)




Angostura: Vein# 82 LG - Au (g/t)
78.1
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 556
m 0.453
σ² 1.723
σ/m 2.895
min 0.002
q0.25 0.105
q0.50 0.244
q0.75 0.452
max 25.300
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 82 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 84 LG - Au (g/t)



N	231
m	0.260
σ^2	0.177
σ/m	1.617
min	0.002
$q_{0.25}$	0.040
$q_{0.50}$	0.128
$q_{0.75}$	0.281
max	3.950

Class width = 0.500
The last class contains
all values ≥ 12.500

Angostura: Vein# 84 LG - Au (g/t)




Angostura: Vein# 85 LG - Au (g/t)
71.8
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 941
m 0.778
σ² 49.356
σ/m 9.027
min 0.002
q0.25 0.145
q0.50 0.267
q0.75 0.550
max 213.140
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 85 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 87 LG - Au (g/t)
79.6
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 54
m 0.457
σ² 0.678
σ/m 1.803
min 0.030
q0.25 0.114
q0.50 0.229
q0.75 0.445
max 5.870
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 87 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 88 LG - Au (g/t)
76.3
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 430
m 0.380
σ² 0.950
σ/m 2.567
min 0.002
q0.25 0.058
q0.50 0.170
q0.75 0.475
max 16.250
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 88 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 89 LG - Au (g/t)
70.4
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 1413
m 0.618
σ² 3.889
σ/m 3.192
min 0.003
q0.25 0.180
q0.50 0.320
q0.75 0.569
max 44.800
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 89 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 91 LG - Au (g/t)
67.8
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 1082
m 0.542
σ² 0.981
σ/m 1.827
min 0.000
q0.25 0.162
q0.50 0.341
q0.75 0.600
max 21.810
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 91 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 93 LG - Au (g/t)
69.9
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 1673
m 0.538
σ² 1.262
σ/m 2.088
min 0.001
q0.25 0.160
q0.50 0.317
q0.75 0.580
max 20.500
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 93 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 94 LG - Au (g/t)
75.2
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 2273
m 0.491
σ² 0.991
σ/m 2.027
min 0.005
q0.25 0.130
q0.50 0.260
q0.75 0.492
max 20.060
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 94 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 97 LG - Au (g/t)
77.7
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 341
m 0.368
σ² 0.335
σ/m 1.574
min 0.000
q0.25 0.056
q0.50 0.189
q0.75 0.435
max 6.690
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 97 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 98 LG - Au (g/t)
73.2
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 343
m 0.392
σ² 0.291
σ/m 1.375
min 0.002
q0.25 0.076
q0.50 0.229
q0.75 0.520
max 5.520
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 98 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 99 LG - Au (g/t)
74.2
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 283
m 0.579
σ² 2.580
σ/m 2.775
min 0.002
q0.25 0.060
q0.50 0.196
q0.75 0.523
max 18.900
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 99 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 103 LG - Au (g/t)
74.2
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 1455
m 0.486
σ² 0.769
σ/m 1.805
min 0.000
q0.25 0.150
q0.50 0.280
q0.75 0.500
max 12.750
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 103 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 104 LG - Au (g/t)
76.5
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 950
m 0.503
σ² 1.544
σ/m 2.470
min 0.002
q0.25 0.125
q0.50 0.240
q0.75 0.473
max 22.700
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 104 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 105 LG - Au (g/t)
70.1
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 348
m 0.470
σ² 0.227
σ/m 1.014
min 0.038
q0.25 0.197
q0.50 0.329
q0.75 0.561
max 4.420
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 105 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 106 LG - Au (g/t)
70.4
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 206
m 0.394
σ² 0.106
σ/m 0.824
min 0.030
q0.25 0.157
q0.50 0.282
q0.75 0.550
max 1.815
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 106 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 107 LG - Au (g/t)
71.4
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 252
m 0.628
σ² 7.438
σ/m 4.345
min 0.010
q0.25 0.150
q0.50 0.284
q0.75 0.549
max 42.400
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 107 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 114 LG - Au (g/t)
72.7
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 1794
m 0.510
σ² 2.084
σ/m 2.833
min 0.001
q0.25 0.140
q0.50 0.280
q0.75 0.544
max 46.300
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 114 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 119 LG - Au (g/t)
79.5
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 1699
m 0.437
σ² 1.665
σ/m 2.955
min 0.000
q0.25 0.090
q0.50 0.190
q0.75 0.420
max 32.100
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 119 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 120 LG - Au (g/t)
80.1
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 407
m 0.450
σ² 1.581
σ/m 2.794
min 0.020
q0.25 0.120
q0.50 0.225
q0.75 0.400
max 21.230
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 120 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 122 LG - Au (g/t)
69.6
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 605
m 0.491
σ² 0.412
σ/m 1.307
min 0.010
q0.25 0.169
q0.50 0.296
q0.75 0.559
max 9.430
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 122 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 123 LG - Au (g/t)
71.5
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 977
m 0.518
σ² 1.953
σ/m 2.698
min 0.025
q0.25 0.140
q0.50 0.267
q0.75 0.550
max 36.080
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 123 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 130 LG - Au (g/t)
77.0
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 2440
m 0.441
σ² 1.079
σ/m 2.354
min 0.002
q0.25 0.100
q0.50 0.207
q0.75 0.451
max 20.100
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 130 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 132 LG - Au (g/t)
75.0
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 1913
m 0.433
σ² 1.009
σ/m 2.321
min 0.000
q0.25 0.100
q0.50 0.230
q0.75 0.495
max 32.700
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 132 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 135 LG - Au (g/t)
73.7
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 2326
m 0.591
σ² 3.230
σ/m 3.039
min 0.002
q0.25 0.110
q0.50 0.240
q0.75 0.518
max 48.600
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 135 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 143 LG - Au (g/t)
77.6
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 1511
m 0.432
σ² 0.989
σ/m 2.300
min 0.010
q0.25 0.110
q0.50 0.230
q0.75 0.444
max 21.700
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 143 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 144 LG - Au (g/t)



N	1193
m	0.427
σ^2	1.030
σ/m	2.374
min	0.010
$q_{0.25}$	0.082
$q_{0.50}$	0.185
$q_{0.75}$	0.390
max	17.250

Class width = 0.500
The last class contains
all values ≥ 12.500

Angostura: Vein# 144 LG - Au (g/t)




Angostura: Vein# 145 LG - Au (g/t)
41.7
41.7
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 60
m 0.677
σ² 0.289
σ/m 0.794
min 0.076
q0.25 0.322
q0.50 0.565
q0.75 0.844
max 3.050
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 145 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 180 LG - Au (g/t)
80.6
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 4498
m 0.425
σ² 3.712
σ/m 4.536
min 0.002
q0.25 0.033
q0.50 0.131
q0.75 0.381
max 77.900
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 180 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 181 LG - Au (g/t)
86.7
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 1221
m 0.256
σ² 0.355
σ/m 2.325
min 0.002
q0.25 0.014
q0.50 0.080
q0.75 0.229
max 7.170
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 181 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 182 LG - Au (g/t)
75.7
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 173
m 0.277
σ² 0.099
σ/m 1.137
min 0.002
q0.25 0.019
q0.50 0.133
q0.75 0.487
max 1.320
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 182 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 183 LG - Au (g/t)
73.0
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 89
m 0.394
σ² 0.442
σ/m 1.687
min 0.002
q0.25 0.020
q0.50 0.133
q0.75 0.525
max 4.640
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 183 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 184 - Au (g/t)
83.3
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 66
m 0.209
σ² 0.098
σ/m 1.497
min 0.002
q0.25 0.006
q0.50 0.069
q0.75 0.303
max 1.855
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 184 - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 185 LG - Au (g/t)
75.9
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 460
m 0.494
σ² 1.777
σ/m 2.697
min 0.002
q0.25 0.036
q0.50 0.202
q0.75 0.483
max 19.350
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 185 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 201 LG - Au (g/t)
66.7
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 90
m 0.564
σ² 0.895
σ/m 1.677
min 0.070
q0.25 0.190
q0.50 0.330
q0.75 0.590
max 7.900
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 201 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 202 LG - Au (g/t)
83.2
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 798
m 0.501
σ² 4.847
σ/m 4.394
min 0.002
q0.25 0.070
q0.50 0.160
q0.75 0.330
max 41.800
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 202 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 203 LG - Au (g/t)
74.7
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 438
m 0.493
σ² 1.982
σ/m 2.858
min 0.002
q0.25 0.092
q0.50 0.180
q0.75 0.500
max 23.800
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 203 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 204 LG - Au (g/t)
85.8
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 555
m 0.388
σ² 1.642
σ/m 3.300
min 0.002
q0.25 0.070
q0.50 0.159
q0.75 0.311
max 22.090
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 204 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 205 LG - Au (g/t)
76.6
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 419
m 0.372
σ² 0.229
σ/m 1.285
min 0.008
q0.25 0.107
q0.50 0.224
q0.75 0.460
max 4.820
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 205 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 206 LG - Au (g/t)
66.8
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 1414
m 0.578
σ² 2.027
σ/m 2.462
min 0.005
q0.25 0.130
q0.50 0.292
q0.75 0.610
max 39.000
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 206 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 207 LG - Au (g/t)



N	323
m	0.514
σ^2	0.695
σ/m	1.621
min	0.010
$q_{0.25}$	0.140
$q_{0.50}$	0.280
$q_{0.75}$	0.576
max	8.710

Class width = 0.500
The last class contains
all values ≥ 12.500

Angostura: Vein# 207 LG - Au (g/t)




Angostura: Vein# 208 LG - Au (g/t)
70.0
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 267
m 0.574
σ² 2.592
σ/m 2.805
min 0.010
q0.25 0.100
q0.50 0.240
q0.75 0.600
max 21.540
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 208 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 209 LG - Au (g/t)
81.7
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 268
m 0.434
σ² 2.744
σ/m 3.820
min 0.002
q0.25 0.060
q0.50 0.130
q0.75 0.330
max 25.800
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 209 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 210 LG - Au (g/t)
75.8
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 91
m 0.564
σ² 1.360
σ/m 2.069
min 0.010
q0.25 0.060
q0.50 0.140
q0.75 0.400
max 6.810
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 210 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 211 LG - Au (g/t)
77.4
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 106
m 0.686
σ² 2.773
σ/m 2.428
min 0.023
q0.25 0.138
q0.50 0.242
q0.75 0.460
max 12.450
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 211 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 212 LG - Au (g/t)
79.7
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 69
m 0.394
σ² 0.423
σ/m 1.649
min 0.040
q0.25 0.111
q0.50 0.234
q0.75 0.420
max 5.250
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 212 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 213 LG - Au (g/t)
78.5
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 65
m 0.329
σ² 0.108
σ/m 0.998
min 0.014
q0.25 0.098
q0.50 0.190
q0.75 0.400
max 1.500
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 213 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 214 LG - Au (g/t)
84.1
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 982
m 0.625
σ² 35.265
σ/m 9.505
min 0.002
q0.25 0.052
q0.50 0.120
q0.75 0.317
max 177.500
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 214 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 215 LG - Au (g/t)
46.7
39.0
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 210
m 0.707
σ² 0.929
σ/m 1.363
min 0.080
q0.25 0.277
q0.50 0.541
q0.75 0.810
max 9.170
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 215 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 216 LG - Au (g/t)
65.2
25.2
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 111
m 0.477
σ² 0.257
σ/m 1.064
min 0.030
q0.25 0.140
q0.50 0.310
q0.75 0.650
max 2.740
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 216 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 217 LG - Au (g/t)
68.6
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 229
m 0.600
σ² 2.328
σ/m 2.542
min 0.030
q0.25 0.115
q0.50 0.230
q0.75 0.585
max 16.600
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 217 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 218 LG - Au (g/t)
78.2
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 174
m 0.544
σ² 3.052
σ/m 3.213
min 0.002
q0.25 0.070
q0.50 0.126
q0.75 0.351
max 21.270
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 218 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 220 LG - Au (g/t)
80.8
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 984
m 0.331
σ² 0.383
σ/m 1.870
min 0.002
q0.25 0.060
q0.50 0.140
q0.75 0.360
max 10.900
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 220 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 222 LG - Au (g/t)



N	478
m	0.562
σ^2	2.322
σ/m	2.709
min	0.010
$q_{0.25}$	0.100
$q_{0.50}$	0.200
$q_{0.75}$	0.450
max	19.890

Class width = 0.500
The last class contains
all values ≥ 12.500

Angostura: Vein# 222 LG - Au (g/t)




Angostura: Vein# 223 LG - Au (g/t)
82.1
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 576
m 0.432
σ² 2.768
σ/m 3.855
min 0.002
q0.25 0.094
q0.50 0.180
q0.75 0.390
max 36.120
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 223 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 224 LG - Au (g/t)
77.0
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 230
m 0.653
σ² 4.821
σ/m 3.360
min 0.012
q0.25 0.100
q0.50 0.194
q0.75 0.400
max 18.800
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 224 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 230 LG - Au (g/t)
85.6
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 1081
m 0.371
σ² 2.908
σ/m 4.601
min 0.001
q0.25 0.054
q0.50 0.120
q0.75 0.290
max 43.840
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 230 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 231 LG - Au (g/t)
86.9
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 800
m 0.343
σ² 4.209
σ/m 5.973
min 0.005
q0.25 0.042
q0.50 0.100
q0.75 0.254
max 40.600
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 231 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 232 LG - Au (g/t)
80.7
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 679
m 0.351
σ² 0.529
σ/m 2.076
min 0.001
q0.25 0.046
q0.50 0.148
q0.75 0.420
max 13.200
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 232 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 233 LG - Au (g/t)
88.3
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 847
m 0.278
σ² 0.442
σ/m 2.394
min 0.004
q0.25 0.040
q0.50 0.098
q0.75 0.230
max 8.240
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 233 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 234 LG - Au (g/t)
83.8
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 371
m 0.345
σ² 1.470
σ/m 3.510
min 0.003
q0.25 0.050
q0.50 0.130
q0.75 0.300
max 21.200
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 234 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 236 LG - Au (g/t)
79.4
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 262
m 0.584
σ² 5.061
σ/m 3.850
min 0.005
q0.25 0.050
q0.50 0.140
q0.75 0.360
max 27.900
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 236 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 237 LG - Au (g/t)
80.8
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 603
m 0.312
σ² 0.253
σ/m 1.613
min 0.002
q0.25 0.050
q0.50 0.138
q0.75 0.360
max 5.170
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 237 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 240 LG - Au (g/t)
85.0
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 153
m 0.314
σ² 0.861
σ/m 2.956
min 0.005
q0.25 0.047
q0.50 0.120
q0.75 0.290
max 10.950
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 240 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 241 LG - Au (g/t)
83.0
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 88
m 0.318
σ² 0.338
σ/m 1.831
min 0.010
q0.25 0.057
q0.50 0.129
q0.75 0.342
max 4.250
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 241 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 243 LG - Au (g/t)
86.4
25
20
15
10
5
0
Frequency (Percent)
0.000
3.250
6.500
9.750
13.000
Au (g/t)
N 66
m 0.244
σ² 0.281
σ/m 2.170
min 0.000
q0.25 0.021
q0.50 0.076
q0.75 0.200
max 3.240
Class width = 0.500
The last class contains
all values ≥ 12.500


Angostura: Vein# 243 LG - Au (g/t)
1000
100
10
1.0
0.10
0.010
0.0010
Au (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

APPENDIX 4

Ag (g/t) Summary Sample Statistics and Capping Analysis

Eco Oro Minerals - Angostura Project
Summary Sample Statistics and Capping Analysis

			Ag (g/t) - High (GC10 = 1)								
AREA	AREA_ID	VETA	Mean	Max	Q3	Median	Q1	Min	IQR	*CV*	Number
VETABARRO	1	1	17.44	*223*	17.05	6.05	2.25	0.1	14.80	*1.82*	192
VETABARRO	1	2	20.76	*892*	15.60	5.60	2.00	0.05	13.60	*3.16*	569
VETABARRO	1	3	23.62	*607*	14.70	4.30	1.65	0.1	13.05	*3.41*	122
VETABARRO	1	4	16.14	*701*	12.50	4.80	1.60	0.1	10.90	*3.83*	137
VETABARRO	1	5	7.49	*123*	7.68	3.60	1.60	0.1	6.08	*1.79*	204
VETABARRO	1	6	4.80	*44.9*	6.00	2.85	1.03	0.1	4.98	*1.48*	54
VETABARRO	1	7	6.23	*58*	6.15	3.00	1.00	0.1	5.15	*1.63*	71
VETABARRO	1	8	5.35	*27.3*	5.90	4.20	1.40	0.1	4.50	*1.04*	45
VETABARRO	1	9	4.46	*27.4*	5.53	2.20	1.48	0.1	4.05	*1.20*	44
VETABARRO	1	10	9.13	*76.2*	10.45	2.90	1.28	0.1	9.18	*1.67*	64
VETABARRO	1	11	12.56	*52.6*	16.73	5.75	2.25	0.1	14.48	*1.15*	50
VETABARRO	1	12	7.32	*25.9*	8.80	5.30	3.05	0.1	5.75	*0.96*	19
VETABARRO	1	13	2.96	*6.3*	4.08	2.65	1.10	0.8	2.98	*0.66*	12
VETABARRO	1	14	36.53	*237*	20.50	4.20	1.73	0.1	18.78	*1.88*	28
VETABARRO	1	16	2.97	*3.7*	3.20	2.70	2.60	2.5	0.60	*0.22*	3
VETABARRO	1	17	8.73	*56.1*	8.70	5.50	1.70	0.1	7.00	*1.34*	57
VETABARRO	1	18	29.36	*1120*	6.15	2.45	1.08	0.1	5.08	*4.96*	60
VETABARRO	1	19	50.39	*281*	32.20	3.10	2.05	0.1	30.15	*2.06*	7
VETABARRO	1	20	19.37	*453*	16.30	5.10	2.23	0.1	14.08	*2.62*	98
CENTRO	2	26	15.73	*44.3*	22.05	7.90	6.65	0.5	15.40	*1.03*	7
CENTRO	2	33	9.23	*174*	7.00	2.90	1.40	0.1	5.60	*2.62*	73
CENTRO	2	47	8.87	*308*	8.88	3.55	1.50	0.1	7.38	*2.42*	286
CENTRO	2	50	7.18	*73.2*	9.00	3.00	1.65	0.1	7.35	*1.60*	47
CENTRO	2	51	17.01	*494*	16.60	6.40	2.20	0.1	14.40	*2.05*	964
CENTRO	2	52	5.37	*181*	4.28	1.70	0.80	0.1	3.48	*2.31*	494
CENTRO	2	53	5.91	*33.6*	7.70	2.20	1.00	0.1	6.70	*1.34*	48
CENTRO	2	54	10.30	*254*	11.13	5.25	2.18	0.1	8.95	*1.99*	292
CENTRO	2	56	10.94	*399*	10.20	4.60	2.00	0.1	8.20	*2.54*	377
CENTRO	2	65	16.54	*173*	17.58	4.80	1.63	0.1	15.95	*1.98*	38
CENTRO	2	66	14.18	*287*	11.70	4.10	1.20	0.1	10.50	*2.34*	180
CENTRO	2	68	6.81	*27.1*	9.40	2.50	1.25	0.1	8.15	*1.22*	35
CENTRO	2	69	12.16	*171*	11.93	4.55	1.78	0.1	10.15	*1.76*	308
CENTRO	2	70	12.09	*122*	13.85	5.20	2.60	0.5	11.25	*1.51*	99
CENTRO	2	71	12.24	*94*	14.45	2.60	0.90	0.1	13.55	*1.57*	120
CENTRO	2	74	10.38	*252*	10.40	3.90	2.00	0.1	8.40	*2.00*	221
CENTRO	2	77	12.65	*280*	12.40	4.70	1.80	0.1	10.60	*2.07*	251
CENTRO	2	78	8.25	*106.3*	8.58	3.90	1.83	0.1	6.75	*1.58*	286
CENTRO	2	80	9.42	*60.5*	10.58	3.85	1.58	0.5	9.00	*1.40*	36
CENTRO	2	82	5.04	*46*	6.40	3.00	0.90	0.1	5.50	*1.47*	51
CENTRO	2	84	6.94	*18.9*	6.90	4.90	4.00	2	2.90	*0.81*	8
CENTRO	2	85	7.73	*87.5*	8.00	3.80	1.50	0.1	6.50	*1.56*	113
CENTRO	2	87	20.65	*21*	20.83	20.65	20.48	20.3	0.35	*0.02*	2
CENTRO	2	88	6.83	*34.5*	7.78	3.05	1.23	0.1	6.55	*1.35*	46
CENTRO	2	89	11.70	*469*	9.60	3.80	2.10	0.1	7.50	*2.77*	293
CENTRO	2	91	8.36	*71.3*	8.78	3.40	1.98	0.1	6.80	*1.47*	152
CENTRO	2	93	10.90	*300*	11.40	4.50	1.70	0.1	9.70	*2.16*	301
CENTRO	2	94	12.94	*247*	13.30	5.20	1.80	0.1	11.50	*1.90*	438
CENTRO	2	97	5.35	*89*	4.33	2.00	0.95	0.1	3.38	*2.28*	68
CENTRO	2	98	4.77	*44.9*	4.40	2.10	0.90	0.1	3.50	*1.69*	57
CENTRO	2	99	5.95	*67.2*	3.53	2.85	2.18	0.1	1.35	*2.09*	28
CENTRO	2	103	11.58	*113*	14.35	4.75	1.93	0.1	12.43	*1.43*	222
CENTRO	2	104	7.49	*58.9*	7.55	4.10	1.80	0.1	5.75	*1.37*	67
CENTRO	2	106	4.33	*22.6*	3.10	1.80	1.20	0.9	1.90	*1.61*	9
CENTRO	2	107	3.43	*24.6*	3.18	1.80	0.80	0.1	2.38	*1.49*	26
CENTRO	2	114	2.95	*141*	2.40	1.20	0.60	0.1	1.80	*2.35*	948
CENTRO	2	119	5.49	*76.3*	5.30	2.10	1.00	0.1	4.30	*1.90*	95
CENTRO	2	120	2.99	*12.6*	3.05	1.60	1.30	0.9	1.75	*1.03*	15
CENTRO	2	122	8.34	*139.2*	8.20	3.90	1.80	0.1	6.40	*1.81*	147
CENTRO	2	123	3.75	*35.2*	3.60	1.90	0.88	0.1	2.73	*1.61*	88
CENTRO	2	130	18.73	*327*	19.40	5.65	1.90	0.1	17.50	*1.95*	428
CENTRO	2	135	14.42	*315.7*	11.20	4.30	1.70	0.1	9.50	*2.25*	453
CENTRO	2	143	5.71	*46.3*	6.60	3.00	1.40	0.1	5.20	*1.36*	169
CENTRO	2	145	4.01	*42.4*	2.93	2.10	1.43	0.6	1.50	*2.03*	26

			Ag (g/t) - High (GC10 = 1)								
AREA	AREA_ID	VETA	Mean	Max	Q3	Median	Q1	Min	IQR	CV	Number
SILENCIO	3	105	11.34	302	5.70	1.40	0.60	0.1	5.10	3.53	61
SILENCIO	3	132	20.80	420	17.50	3.90	1.60	0.1	15.90	2.25	265
SILENCIO	3	144	30.68	514.5	31.33	11.30	3.75	0.1	27.58	1.96	164
SILENCIO	3	201	2.24	20.8	1.75	1.30	1.10	0.1	0.65	1.71	27
SILENCIO	3	202	9.16	85.75	8.23	3.60	1.50	0.1	6.73	1.69	53
SILENCIO	3	203	4.14	46.4	4.05	1.60	1.00	0.1	3.05	1.74	46
SILENCIO	3	204	9.91	37.4	12.70	6.70	3.60	0.8	9.10	1.02	17
SILENCIO	3	205	4.78	30.1	3.90	2.90	1.50	0.5	2.40	1.25	33
SILENCIO	3	206	6.75	128	6.00	2.90	1.60	0.1	4.40	2.00	295
SILENCIO	3	207	8.03	108	7.55	3.70	1.65	0.1	5.90	1.66	147
SILENCIO	3	208	7.93	57.6	8.65	3.05	1.28	0.1	7.38	1.48	60
SILENCIO	3	209	6.33	27.3	7.90	1.70	1.10	0.1	6.80	1.27	17
SILENCIO	3	210	2.29	5	2.88	2.40	1.25	0.1	1.63	0.60	14
SILENCIO	3	211	1.73	4	2.30	1.40	0.90	0.2	1.40	0.71	11
SILENCIO	3	212	5.01	42.1	2.10	1.40	0.90	0.1	1.20	2.10	17
SILENCIO	3	213	8.37	58.5	7.20	3.10	0.55	0.1	6.65	1.83	27
SILENCIO	3	214	14.90	142	16.90	5.50	2.40	0.1	14.50	1.72	49
SILENCIO	3	215	4.74	37.8	5.90	2.60	1.20	0.1	4.70	1.26	149
SILENCIO	3	216	4.03	10.2	5.00	3.50	2.50	1.3	2.50	0.67	9
SILENCIO	3	217	5.29	21	7.33	2.55	1.53	0.6	5.80	1.06	18
SILENCIO	3	218	15.63	53.8	11.55	8.25	7.13	4.1	4.43	1.21	6
SILENCIO	3	220	8.69	109	8.20	4.20	2.35	0.1	5.85	1.54	279
SILENCIO	3	222	17.62	254	15.20	5.10	1.10	0.1	14.10	2.27	57
SILENCIO	3	223	22.34	152	24.40	7.50	3.40	0.5	21.00	1.51	89
SILENCIO	3	224	15.67	226	10.00	3.00	1.45	0.6	8.55	2.24	59
SILENCIO	3	230	3.91	35.1	4.30	1.95	0.80	0.1	3.50	1.60	70
SILENCIO	3	231	6.16	57.2	7.73	2.35	1.10	0.1	6.63	1.54	100
SILENCIO	3	232	15.85	121	14.08	5.55	2.60	0.1	11.48	1.64	86
SILENCIO	3	233	15.57	120	13.15	6.30	2.83	0.1	10.33	1.62	46
SILENCIO	3	234	18.92	91	25.88	8.10	3.83	0.8	22.05	1.23	22
SILENCIO	3	236	24.63	252	22.65	6.35	2.70	0.1	19.95	2.02	28
SILENCIO	3	237	21.10	422	19.13	6.40	3.65	0.1	15.48	2.70	56
SILENCIO	3	240	17.39	70.6	19.58	7.55	0.40	0.1	19.18	1.45	8
SILENCIO	3	241	18.50	28.9	23.70	18.50	13.30	8.1	10.40	0.80	2
SILENCIO	3	243	5.22	12.7	7.85	4.35	2.30	0.1	5.55	0.84	10
LACHES	4	180	47.64	2000	43.43	15.15	5.33	0.1	38.11	2.39	1,086
LACHES	4	181	47.63	1280	43.38	11.45	6.25	0.7	37.13	2.56	154
LACHES	4	182	3.97	6.8	5.85	3.30	2.05	1.9	3.80	0.54	7
LACHES	4	183	9.62	68.6	12.60	4.40	2.40	0.1	10.20	1.41	31
LACHES	4	184	-	-	-	-	-	-	-	-	-
LACHES	4	185	37.77	2520	14.15	6.90	3.60	0.1	10.55	4.68	347
Total Vetas			15.42	2520	11.80	4.20	1.60	0.05	10.20	3.50	14,270

Eco Oro Minerals - Angostura Project
Summary Sample Statistics and Capping Analysis

AREA	AREA_ID	VETA	Capped Ag (g/t) - High (GC10 = 1)				Capping				Ag Metal		"Lost"
			Mean	Max	CV	Number	Threshold	Mean Red.	Data	%	Original	Capped	(%)
VETABARRO	1	1	17.44	223	1.82	192	-	-	-	-	4,338	4,338	-
VETABARRO	1	2	14.58	100	1.55	569	100	30%	17	3.0	15,839	11,824	25
VETABARRO	1	3	10.70	50	1.27	122	50	55%	6	4.9	3,329	1,730	48
VETABARRO	1	4	11.93	125	1.76	137	125	26%	1	0.7	3,607	2,743	24
VETABARRO	1	5	7.49	123	1.79	204	-	-	-	-	2,082	2,082	-
VETABARRO	1	6	4.04	15	0.96	54	15	16%	2	3.7	427	355	17
VETABARRO	1	7	4.91	20	1.13	71	20	21%	6	8.5	716	606	15
VETABARRO	1	8	5.35	27.3	1.04	45	-	-	-	-	348	348	-
VETABARRO	1	9	4.46	27.4	1.20	44	-	-	-	-	358	358	-
VETABARRO	1	10	9.13	76.2	1.67	64	-	-	-	-	749	749	-
VETABARRO	1	11	12.56	52.6	1.15	50	-	-	-	-	841	841	-
VETABARRO	1	12	7.32	25.9	0.96	19	-	-	-	-	224	224	-
VETABARRO	1	13	2.96	6.3	0.66	12	-	-	-	-	59	59	-
VETABARRO	1	14	36.53	237	1.88	28	-	-	-	-	1,255	1,255	-
VETABARRO	1	16	2.97	3.7	0.22	3	-	-	-	-	24	24	-
VETABARRO	1	17	8.73	56.1	1.34	57	-	-	-	-	638	638	-
VETABARRO	1	18	6.14	30	1.47	60	30	79%	6	10.0	2,939	469	84
VETABARRO	1	19	50.39	281	2.06	7	-	-	-	-	485	485	-
VETABARRO	1	20	19.37	453	2.62	98	-	-	-	-	3,188	3,188	-
CENTRO	2	26	15.73	44.3	1.03	7	-	-	-	-	148	148	-
CENTRO	2	33	6.42	40	1.41	73	40	30%	2	2.7	838	652	22
CENTRO	2	47	8.15	100	1.63	286	100	8%	1	0.3	3,765	3,485	7
CENTRO	2	50	6.26	30	1.10	47	30	13%	1	2.1	566	480	15
CENTRO	2	51	17.01	494	2.05	964	-	-	-	-	23,293	23,293	-
CENTRO	2	52	5.37	181	2.31	494	-	-	-	-	3,550	3,550	-
CENTRO	2	53	5.91	33.6	1.34	48	-	-	-	-	431	431	-
CENTRO	2	54	10.30	254	1.99	292	-	-	-	-	3,485	3,485	-
CENTRO	2	56	10.04	150	1.83	377	150	8%	2	0.5	5,047	4,762	6
CENTRO	2	65	16.54	173	1.98	38	-	-	-	-	853	853	-
CENTRO	2	66	14.18	287	2.34	180	-	-	-	-	3,741	3,741	-
CENTRO	2	68	6.81	27.1	1.22	35	-	-	-	-	376	376	-
CENTRO	2	69	12.16	171	1.76	308	-	-	-	-	4,701	4,701	-
CENTRO	2	70	10.86	50	1.16	99	50	10%	2	2.0	1,780	1,651	7
CENTRO	2	71	12.24	94	1.57	120	-	-	-	-	2,086	2,086	-
CENTRO	2	74	9.60	80	1.43	221	80	7%	1	0.5	2,997	2,825	6
CENTRO	2	77	12.65	280	2.07	251	-	-	-	-	3,875	3,875	-
CENTRO	2	78	8.25	106.3	1.58	286	-	-	-	-	3,506	3,506	-
CENTRO	2	80	9.42	60.5	1.40	36	-	-	-	-	444	444	-
CENTRO	2	82	5.04	46	1.47	51	-	-	-	-	374	374	-
CENTRO	2	84	6.94	18.9	0.81	8	-	-	-	-	85	85	-
CENTRO	2	85	7.73	87.5	1.56	113	-	-	-	-	921	921	-
CENTRO	2	87	20.65	21	0.02	2	-	-	-	-	83	83	-
CENTRO	2	88	6.83	34.5	1.35	46	-	-	-	-	327	327	-
CENTRO	2	89	10.10	100	1.65	293	100	14%	3	1.0	3,151	2,842	10
CENTRO	2	91	8.36	71.3	1.47	152	-	-	-	-	1,734	1,734	-
CENTRO	2	93	9.95	100	1.51	301	100	9%	2	0.7	4,041	3,683	9
CENTRO	2	94	12.94	247	1.90	438	-	-	-	-	6,695	6,695	-
CENTRO	2	97	4.40	30	1.56	68	30	18%	3	4.4	545	480	12
CENTRO	2	98	4.77	44.9	1.69	57	-	-	-	-	401	401	-
CENTRO	2	99	5.95	67.2	2.09	28	-	-	-	-	222	222	-
CENTRO	2	103	11.58	113	1.43	222	-	-	-	-	2,926	2,926	-
CENTRO	2	104	7.49	58.9	1.37	67	-	-	-	-	603	603	-
CENTRO	2	106	4.33	22.6	1.61	9	-	-	-	-	53	53	-
CENTRO	2	107	3.43	24.6	1.49	26	-	-	-	-	109	109	-
CENTRO	2	114	2.86	60	1.95	948	60	3%	1	0.1	3,808	3,739	2
CENTRO	2	119	5.49	76.3	1.90	95	-	-	-	-	756	756	-
CENTRO	2	120	2.99	12.6	1.03	15	-	-	-	-	57	57	-
CENTRO	2	122	8.34	139.2	1.81	147	-	-	-	-	1,548	1,548	-
CENTRO	2	123	3.75	35.2	1.61	88	-	-	-	-	400	400	-
CENTRO	2	130	18.73	327	1.95	428	-	-	-	-	8,835	8,835	-
CENTRO	2	135	12.43	100	1.69	453	100	14%	11	2.4	7,182	6,402	11
CENTRO	2	143	5.71	46.3	1.36	169	-	-	-	-	1,419	1,419	-
CENTRO	2	145	4.01	42.4	2.03	26	-	-	-	-	214	214	-

Eco Oro Minerals - Angostura Project
Summary Sample Statistics and Capping Analysis

AREA	AREA_ID	VETA	Capped Ag (g/t) - High (GC10 = 1)				Capping				Ag Metal		"Lost"
			Mean	Max	CV	Number	Threshold	Mean Red.	Data	%	Original	Capped	(%)
SILENCIO	3	105	7.70	80	2.09	61	80	32%	1	1.6	932	633	32
SILENCIO	3	132	20.80	420	2.25	265	-	-	-	-	7,478	7,478	-
SILENCIO	3	144	30.68	514.5	1.96	164	-	-	-	-	5,554	5,554	-
SILENCIO	3	201	2.24	20.8	1.71	27	-	-	-	-	84	84	-
SILENCIO	3	202	9.16	85.75	1.69	53	-	-	-	-	440	440	-
SILENCIO	3	203	4.14	46.4	1.74	46	-	-	-	-	279	279	-
SILENCIO	3	204	9.91	37.4	1.02	17	-	-	-	-	226	226	-
SILENCIO	3	205	4.78	30.1	1.25	33	-	-	-	-	192	192	-
SILENCIO	3	206	6.75	128	2.00	295	-	-	-	-	3,058	3,058	-
SILENCIO	3	207	8.03	108	1.66	147	-	-	-	-	1,726	1,726	-
SILENCIO	3	208	7.93	57.6	1.48	60	-	-	-	-	749	749	-
SILENCIO	3	209	6.33	27.3	1.27	17	-	-	-	-	173	173	-
SILENCIO	3	210	2.29	5	0.60	14	-	-	-	-	44	44	-
SILENCIO	3	211	1.73	4	0.71	11	-	-	-	-	33	33	-
SILENCIO	3	212	5.01	42.1	2.10	17	-	-	-	-	110	110	-
SILENCIO	3	213	8.37	58.5	1.83	27	-	-	-	-	298	298	-
SILENCIO	3	214	14.90	142	1.72	49	-	-	-	-	986	986	-
SILENCIO	3	215	4.74	37.8	1.26	149	-	-	-	-	821	821	-
SILENCIO	3	216	4.03	10.2	0.67	9	-	-	-	-	60	60	-
SILENCIO	3	217	5.29	21	1.06	18	-	-	-	-	148	148	-
SILENCIO	3	218	15.63	53.8	1.21	6	-	-	-	-	102	102	-
SILENCIO	3	220	8.69	109	1.54	279	-	-	-	-	2,894	2,894	-
SILENCIO	3	222	17.62	254	2.27	57	-	-	-	-	1,229	1,229	-
SILENCIO	3	223	22.34	152	1.51	89	-	-	-	-	2,377	2,377	-
SILENCIO	3	224	8.12	30	1.26	59	30	48%	9	15.3	1,421	678	52
SILENCIO	3	230	3.91	35.1	1.60	70	-	-	-	-	410	410	-
SILENCIO	3	231	6.16	57.2	1.54	100	-	-	-	-	859	859	-
SILENCIO	3	232	15.85	121	1.64	86	-	-	-	-	1,859	1,859	-
SILENCIO	3	233	15.57	120	1.62	46	-	-	-	-	622	622	-
SILENCIO	3	234	18.92	91	1.23	22	-	-	-	-	607	607	-
SILENCIO	3	236	24.63	252	2.02	28	-	-	-	-	938	938	-
SILENCIO	3	237	21.10	422	2.70	56	-	-	-	-	1,818	1,818	-
SILENCIO	3	240	17.39	70.6	1.45	8	-	-	-	-	240	240	-
SILENCIO	3	241	18.50	28.9	0.80	2	-	-	-	-	74	74	-
SILENCIO	3	243	5.22	12.7	0.84	10	-	-	-	-	67	67	-
LACHES	4	180	45.33	700	1.97	1,086	700	5%	5	0.5	66,629	63,362	5
LACHES	4	181	41.19	400	1.74	154	400	14%	2	1.3	11,539	10,184	12
LACHES	4	182	3.97	6.8	0.54	7	-	-	-	-	54	54	-
LACHES	4	183	9.62	68.6	1.41	31	-	-	-	-	569	569	-
LACHES	4	184	-	-	-	-	x	-	-	-	-	-	-
LACHES	4	185	18.03	150	1.79	347	150	52%	12	3.5	18,850	9,648	49
Total Vetas			13.95	700	2.56	14,270		10%	96	0.7	289,968	263,252	9.2

AREA	AREA_ID	VETA	Ag (g/t) - Low (GC10 = 0)								
			Mean	Max	Q3	Median	Q1	Min	IQR	CV	Number
VETABARRO	1	1	3.11	163	3.10	1.20	0.10	0.05	3.00	2.89	673
VETABARRO	1	2	2.74	209	2.60	1.00	0.40	0.05	2.20	2.57	2,104
VETABARRO	1	3	1.53	165	1.40	0.60	0.10	0.05	1.30	4.29	733
VETABARRO	1	4	3.44	86.1	3.40	1.30	0.10	0.05	3.30	2.20	391
VETABARRO	1	5	2.13	36.9	2.40	0.90	0.10	0.05	2.30	1.91	805
VETABARRO	1	6	1.76	28.4	2.18	0.80	0.10	0.05	2.08	1.73	210
VETABARRO	1	7	1.68	64.6	1.80	0.70	0.10	0.05	1.70	2.40	409
VETABARRO	1	8	3.02	37.3	3.40	1.40	0.88	0.1	2.53	1.54	184
VETABARRO	1	9	2.70	155	2.20	0.90	0.10	0.05	2.10	3.38	473
VETABARRO	1	10	2.25	67.1	2.40	0.80	0.10	0.05	2.30	2.36	441
VETABARRO	1	11	3.29	46.2	4.35	1.70	0.50	0.1	3.85	1.51	127
VETABARRO	1	12	4.01	78.6	3.60	1.30	0.10	0.05	3.50	2.58	129
VETABARRO	1	13	1.27	6.4	1.60	0.90	0.10	0.1	1.50	1.04	65
VETABARRO	1	14	14.14	1065	2.75	0.90	0.10	0.1	2.65	7.43	207
VETABARRO	1	16	2.37	20.1	1.90	1.50	0.10	0.1	1.80	1.98	17
VETABARRO	1	17	1.72	38.8	2.00	0.60	0.10	0.05	1.90	2.03	645
VETABARRO	1	18	1.26	65	1.00	0.40	0.10	0.05	0.90	3.09	809
VETABARRO	1	19	2.08	80.2	1.50	0.60	0.10	0.05	1.40	3.32	221
VETABARRO	1	20	1.83	173	1.00	0.30	0.10	0.1	0.90	4.58	622
CENTRO	2	26	1.90	38.8	1.80	0.60	0.10	0.1	1.70	2.32	137
CENTRO	2	33	2.01	77.4	1.90	0.80	0.10	0.05	1.80	2.65	574
CENTRO	2	47	2.89	128	2.93	1.30	0.60	0.1	2.33	2.22	1,028
CENTRO	2	50	1.95	85	1.83	1.00	0.50	0.05	1.33	3.16	204
CENTRO	2	51	3.70	438	3.10	1.40	0.60	0.1	2.50	3.58	2,640
CENTRO	2	52	2.10	73.5	1.50	0.70	0.10	0.05	1.40	2.69	2,943
CENTRO	2	53	3.04	62.2	3.40	1.20	0.50	0.1	2.90	1.66	1,137
CENTRO	2	54	2.84	84.4	3.20	1.50	0.70	0.1	2.50	1.88	947
CENTRO	2	56	2.88	261	2.80	1.10	0.50	0.09	2.30	2.84	2,186
CENTRO	2	65	2.25	261	1.60	0.70	0.10	0.1	1.50	4.72	734
CENTRO	2	66	2.13	73.9	2.00	0.90	0.20	0.05	1.80	2.35	973
CENTRO	2	68	1.21	41.2	1.20	0.50	0.10	0.05	1.10	2.25	772
CENTRO	2	69	3.05	200	2.90	1.30	0.69	0.1	2.21	2.45	1,669
CENTRO	2	70	2.76	48	2.60	1.40	0.80	0.1	1.80	1.68	391
CENTRO	2	71	1.81	38.8	1.90	0.80	0.10	0.05	1.80	2.05	701
CENTRO	2	74	2.33	76.8	2.40	1.20	0.58	0.1	1.83	1.87	1,084
CENTRO	2	77	2.94	78.9	2.90	1.40	0.60	0.05	2.30	2.05	1,148
CENTRO	2	78	2.60	188	2.60	1.20	0.50	0.05	2.10	2.52	1,732
CENTRO	2	80	2.69	37.5	2.70	1.20	0.60	0.1	2.10	1.63	784
CENTRO	2	82	1.92	108	1.50	0.70	0.10	0.05	1.40	3.53	556
CENTRO	2	84	2.87	76.4	2.78	1.00	0.23	0.1	2.55	2.70	226
CENTRO	2	85	3.66	150.8	3.00	1.50	0.70	0.1	2.30	2.66	941
CENTRO	2	87	3.67	60.9	3.08	0.90	0.10	0.1	2.98	2.50	54
CENTRO	2	88	1.41	60	1.60	0.60	0.10	0.1	1.50	2.78	430
CENTRO	2	89	4.06	153	3.90	2.00	1.00	0.05	2.90	2.11	1,404
CENTRO	2	91	4.37	130.8	4.20	1.90	0.90	0.05	3.30	2.03	1,076
CENTRO	2	93	3.64	131	3.00	1.30	0.60	0.05	2.40	2.50	1,656
CENTRO	2	94	3.68	274.4	3.00	1.30	0.60	0.1	2.40	2.71	2,273
CENTRO	2	97	1.55	23.4	1.63	0.70	0.10	0.05	1.53	1.71	328
CENTRO	2	98	1.79	18.2	2.20	1.00	0.10	0.1	2.10	1.45	339
CENTRO	2	99	2.30	46.7	2.35	1.00	0.10	0.05	2.25	1.98	283
CENTRO	2	103	3.51	75.5	3.25	1.30	0.60	0.05	2.65	1.94	1,455
CENTRO	2	104	2.39	43	2.58	1.20	0.50	0.1	2.08	1.75	950
CENTRO	2	106	2.55	41.7	1.70	0.80	0.20	0.1	1.50	2.19	206
CENTRO	2	107	1.42	34.4	1.40	0.80	0.50	0.1	0.90	1.94	252
CENTRO	2	114	2.82	134	2.10	0.80	0.40	0.05	1.70	2.77	1,794
CENTRO	2	119	4.21	1905	2.20	0.90	0.20	0.1	2.00	11.28	1,698
CENTRO	2	120	2.78	79.4	2.00	0.60	0.20	0.1	1.80	2.46	407
CENTRO	2	122	2.99	72.6	2.20	0.80	0.10	0.1	2.10	2.35	605
CENTRO	2	123	2.47	108	2.00	0.70	0.10	0.1	1.90	2.56	977
CENTRO	2	130	5.66	222	4.60	1.60	0.60	0.1	4.00	2.16	2,436
CENTRO	2	135	4.93	205.8	3.40	1.30	0.60	0.1	2.80	2.79	2,325
CENTRO	2	143	2.68	198.9	2.20	0.90	0.40	0.1	1.80	3.00	1,510
CENTRO	2	145	1.35	6.2	1.80	0.95	0.40	0.1	1.40	1.00	60

			Ag (g/t) - Low (GC10 = 0)								
AREA	AREA_ID	VETA	Mean	Max	Q3	Median	Q1	Min	IQR	CV	Number
SILENCIO	3	105	1.36	19.9	1.30	0.70	0.10	0.1	1.20	1.80	348
SILENCIO	3	132	4.71	215	3.00	1.20	0.50	0.05	2.50	2.67	1,913
SILENCIO	3	144	4.51	106	3.60	1.40	0.60	0.1	3.00	2.22	1,193
SILENCIO	3	201	3.01	82.9	1.48	0.80	0.33	0.1	1.15	3.62	90
SILENCIO	3	202	3.14	368	2.00	0.80	0.20	0.1	1.80	5.36	798
SILENCIO	3	203	1.67	23.9	1.40	0.70	0.10	0.1	1.30	1.87	437
SILENCIO	3	204	3.32	71.2	2.60	1.10	0.55	0.1	2.05	2.11	555
SILENCIO	3	205	2.87	41.4	3.40	1.50	0.70	0.1	2.70	1.49	419
SILENCIO	3	206	3.73	168	3.60	1.60	0.80	0.1	2.80	2.33	1,414
SILENCIO	3	207	1.74	65.3	1.60	0.70	0.10	0.1	1.50	2.59	323
SILENCIO	3	208	2.05	28.9	1.80	0.80	0.10	0.1	1.70	2.12	267
SILENCIO	3	209	2.95	29.6	2.80	1.60	0.80	0.1	2.00	1.55	268
SILENCIO	3	210	1.88	19	1.70	0.80	0.10	0.1	1.60	1.76	91
SILENCIO	3	211	2.09	24.1	1.90	1.00	0.70	0.1	1.20	1.45	106
SILENCIO	3	212	1.40	11.9	1.60	1.00	0.60	0.1	1.00	1.19	69
SILENCIO	3	213	1.51	8.2	2.15	0.60	0.40	0.1	1.75	1.09	64
SILENCIO	3	214	3.54	394.5	2.68	1.20	0.50	0.1	2.18	5.09	982
SILENCIO	3	215	1.66	39.4	1.70	1.00	0.60	0.1	1.10	1.91	210
SILENCIO	3	216	1.66	16.9	1.50	1.00	0.60	0.1	0.90	1.49	111
SILENCIO	3	217	2.21	186	1.20	0.80	0.40	0.1	0.80	5.89	229
SILENCIO	3	218	3.73	224.8	2.10	0.80	0.40	0.1	1.70	4.73	174
SILENCIO	3	220	3.41	68.6	3.60	1.60	0.70	0.1	2.90	1.78	984
SILENCIO	3	222	4.95	100	3.40	1.30	0.60	0.1	2.80	2.23	478
SILENCIO	3	223	5.12	107	4.60	1.75	0.80	0.1	3.80	2.05	576
SILENCIO	3	224	4.58	89.6	2.98	1.20	0.60	0.1	2.38	2.40	230
SILENCIO	3	230	3.17	215	2.30	1.00	0.30	0.05	2.00	3.79	1,081
SILENCIO	3	231	1.55	66.3	1.50	0.70	0.10	0.1	1.40	2.66	800
SILENCIO	3	232	2.76	138	2.60	1.20	0.50	0.1	2.10	2.52	679
SILENCIO	3	233	3.00	83.2	2.70	1.20	0.50	0.1	2.20	2.15	847
SILENCIO	3	234	5.08	197	3.95	1.60	0.60	0.1	3.35	2.75	371
SILENCIO	3	236	5.61	117	4.90	1.80	0.60	0.1	4.30	2.14	262
SILENCIO	3	237	6.53	219	6.90	2.20	0.80	0.1	6.10	2.19	603
SILENCIO	3	240	3.44	82.2	2.80	1.10	0.40	0.1	2.40	2.45	153
SILENCIO	3	241	1.43	12.6	1.40	0.70	0.40	0.1	1.00	1.46	88
SILENCIO	3	243	1.13	6.6	1.83	0.70	0.10	0.05	1.73	1.15	66
LACHES	4	180	8.03	612	6.30	2.20	0.69	0.1	5.61	3.28	4,498
LACHES	4	181	5.42	326	4.30	1.30	0.10	0.1	4.20	3.54	1,221
LACHES	4	182	2.82	41.8	3.40	1.40	0.50	0.1	2.90	1.65	173
LACHES	4	183	10.13	442	5.80	2.40	0.80	0.1	5.00	4.64	89
LACHES	4	184	10.52	218	9.03	1.75	0.20	0.1	8.83	2.77	66
LACHES	4	185	5.60	134	4.43	1.90	0.80	0.1	3.63	2.15	460
Total Vetas			3.51	1905	2.80	1.10	0.50	0.05	2.30	4.00	79,076

Eco Oro Minerals - Angostura Project
Summary Sample Statistics and Capping Analysis

			Capped Ag (g/t) - Low (GC10 = 0)				Capping				Ag Metal		"Lost"
AREA	AREA_ID	VETA	Mean	Max	CV	Number	Threshold	Mean Red.	Data	%	Original	Capped	(%)
VETABARRO	1	1	2.79	40	1.86	673	40	10%	4	0.6	2,971	2,740	8
VETABARRO	1	2	2.65	50	2.01	2,104	50	4%	4	0.2	8,587	8,283	4
VETABARRO	1	3	1.53	165	4.29	733	-	-	-	-	1,799	1,799	-
VETABARRO	1	4	3.40	70	2.10	391	70	1%	1	0.3	2,100	2,084	1
VETABARRO	1	5	2.13	36.9	1.91	805	40	-	-	-	2,572	2,572	-
VETABARRO	1	6	1.76	28.4	1.73	210	-	-	-	-	570	570	-
VETABARRO	1	7	1.68	64.6	2.40	409	-	-	-	-	1,072	1,072	-
VETABARRO	1	8	3.02	37.3	1.54	184	-	-	-	-	883	883	-
VETABARRO	1	9	2.24	30	1.90	473	30	17%	5	1.1	2,166	1,826	16
VETABARRO	1	10	2.02	20	1.58	441	20	10%	4	0.9	1,707	1,549	9
VETABARRO	1	11	3.12	25	1.19	127	25	5%	1	0.8	673	652	3
VETABARRO	1	12	3.29	30	1.78	129	30	18%	2	1.6	698	592	15
VETABARRO	1	13	1.27	6.4	1.04	65	-	-	-	-	136	136	-
VETABARRO	1	14	3.69	50	2.42	207	50	74%	3	1.4	2,515	1,060	58
VETABARRO	1	16	1.48	5	0.95	17	5	37%	1	5.9	76	45	40
VETABARRO	1	17	1.72	38.8	2.03	645	-	-	-	-	1,762	1,762	-
VETABARRO	1	18	1.19	30	2.42	809	30	6%	2	0.2	1,236	1,190	4
VETABARRO	1	19	1.71	25	2.14	221	25	18%	2	0.9	755	634	16
VETABARRO	1	20	1.55	40	2.80	622	40	15%	3	0.5	1,927	1,736	10
CENTRO	2	26	1.64	15	1.63	137	15	14%	2	1.5	442	391	12
CENTRO	2	33	1.80	20	1.73	574	20	10%	4	0.7	1,878	1,758	6
CENTRO	2	47	2.78	50	1.76	1,028	50	4%	2	0.2	4,649	4,552	2
CENTRO	2	50	1.61	15	1.37	204	15	18%	1	0.5	658	574	13
CENTRO	2	51	3.44	100	2.53	2,640	100	7%	9	0.3	14,637	13,830	6
CENTRO	2	52	2.10	73.5	2.69	2,943	-	-	-	-	8,447	8,447	-
CENTRO	2	53	3.04	62.2	1.66	1,137	-	-	-	-	4,266	4,266	-
CENTRO	2	54	2.84	84.4	1.88	947	-	-	-	-	3,885	3,885	-
CENTRO	2	56	2.88	261	2.84	2,186	-	-	-	-	9,118	9,118	-
CENTRO	2	65	1.98	60	2.60	734	60	12%	1	0.1	2,785	2,404	14
CENTRO	2	66	2.09	50	2.14	973	50	2%	3	0.3	3,261	3,190	2
CENTRO	2	68	1.17	20	1.93	772	20	4%	3	0.4	1,509	1,463	3
CENTRO	2	69	2.99	100	2.07	1,669	100	2%	1	0.1	6,674	6,624	1
CENTRO	2	70	2.76	48	1.68	391	-	-	-	-	1,406	1,406	-
CENTRO	2	71	1.81	38.8	2.05	701	-	-	-	-	1,952	1,952	-
CENTRO	2	74	2.33	76.8	1.87	1,084	-	-	-	-	3,938	3,938	-
CENTRO	2	77	2.94	78.9	2.05	1,148	-	-	-	-	5,087	5,087	-
CENTRO	2	78	2.60	188	2.52	1,732	-	-	-	-	6,562	6,562	-
CENTRO	2	80	2.69	37.5	1.63	784	-	-	-	-	3,095	3,095	-
CENTRO	2	82	1.58	25	2.04	556	25	18%	5	0.9	1,653	1,369	17
CENTRO	2	84	2.29	20	1.55	226	20	20%	3	1.3	821	703	14
CENTRO	2	85	3.41	60	2.08	941	60	7%	5	0.5	3,396	3,207	6
CENTRO	2	87	2.91	20	1.78	54	20	21%	1	1.9	239	198	17
CENTRO	2	88	1.26	20	1.82	430	20	10%	3	0.7	892	815	9
CENTRO	2	89	4.02	100	1.99	1,404	100	1%	1	0.1	7,367	7,316	1
CENTRO	2	91	4.37	130.8	2.03	1,076	-	-	-	-	6,038	6,038	-
CENTRO	2	93	3.64	131	2.50	1,656	-	-	-	-	8,496	8,496	-
CENTRO	2	94	3.54	80	2.17	2,273	80	4%	5	0.2	10,705	10,509	2
CENTRO	2	97	1.55	23.4	1.71	328	-	-	-	-	764	764	-
CENTRO	2	98	1.79	18.2	1.45	339	-	-	-	-	904	904	-
CENTRO	2	99	2.30	46.7	1.98	283	-	-	-	-	1,026	1,026	-
CENTRO	2	103	3.51	75.5	1.94	1,455	-	-	-	-	6,718	6,718	-
CENTRO	2	104	2.39	43	1.75	950	-	-	-	-	2,914	2,914	-
CENTRO	2	106	2.55	41.7	2.19	206	-	-	-	-	631	631	-
CENTRO	2	107	1.42	34.4	1.94	252	-	-	-	-	488	488	-
CENTRO	2	114	2.77	90	2.59	1,794	90	2%	2	0.1	7,282	7,129	2
CENTRO	2	119	2.96	100	2.71	1,698	100	30%	3	0.2	10,496	6,601	37
CENTRO	2	120	2.61	35	2.07	407	35	6%	2	0.5	1,487	1,417	5
CENTRO	2	122	2.93	50	2.23	605	50	2%	2	0.3	2,439	2,402	2
CENTRO	2	123	2.41	50	2.30	977	50	3%	2	0.2	3,149	3,088	2
CENTRO	2	130	5.66	222	2.16	2,436	-	-	-	-	20,775	20,775	-
CENTRO	2	135	4.74	100	2.51	2,325	100	4%	12	0.5	16,122	15,645	3
CENTRO	2	143	2.51	50	2.20	1,510	50	7%	5	0.3	5,901	5,555	6
CENTRO	2	145	1.33	5	0.97	60	5	1%	1	1.7	152	149	2

Eco Oro Minerals - Angostura Project
Summary Sample Statistics and Capping Analysis

AREA	AREA_ID	VETA	Capped Ag (g/t) - Low (GC10 = 0)				Capping				Ag Metal		"Lost"
			Mean	Max	CV	Number	Threshold	Mean Red.	Data	%	Original	Capped	(%)
SILENCIO	3	105	1.36	19.9	1.80	348	25	-	-	-	840	840	-
SILENCIO	3	132	4.59	100	2.45	1,913	100	3%	5	0.3	12,409	12,149	2
SILENCIO	3	144	4.47	80	2.16	1,193	80	1%	3	0.3	8,282	8,201	1
SILENCIO	3	201	1.43	10	1.47	90	10	53%	4	4.4	445	235	47
SILENCIO	3	202	2.14	30	2.10	798	30	32%	10	1.3	3,130	2,403	23
SILENCIO	3	203	1.67	23.9	1.87	437	-	-	-	-	1,105	1,105	-
SILENCIO	3	204	3.32	71.2	2.11	555	-	-	-	-	2,568	2,568	-
SILENCIO	3	205	2.87	41.4	1.49	419	-	-	-	-	1,625	1,625	-
SILENCIO	3	206	3.73	168	2.33	1,414	-	-	-	-	7,258	7,258	-
SILENCIO	3	207	1.59	20	1.82	323	20	9%	2	0.6	813	765	6
SILENCIO	3	208	1.93	20	1.90	267	20	6%	6	2.2	870	824	5
SILENCIO	3	209	2.95	29.6	1.55	268	-	-	-	-	1,255	1,255	-
SILENCIO	3	210	1.88	19	1.76	91	-	-	-	-	281	281	-
SILENCIO	3	211	1.95	10	1.16	106	10	6%	1	0.9	328	314	4
SILENCIO	3	212	1.28	5	0.84	69	5	8%	2	2.9	173	161	7
SILENCIO	3	213	1.51	8.2	1.09	64	10	-	-	-	146	146	-
SILENCIO	3	214	2.80	45	2.04	982	45	21%	5	0.5	4,306	3,918	9
SILENCIO	3	215	1.66	39.4	1.91	210	-	-	-	-	510	510	-
SILENCIO	3	216	1.66	16.9	1.49	111	-	-	-	-	259	259	-
SILENCIO	3	217	1.28	20	1.79	229	20	42%	2	0.9	687	423	38
SILENCIO	3	218	2.11	15	1.62	174	15	43%	7	4.0	688	489	29
SILENCIO	3	220	3.41	68.6	1.78	984	-	-	-	-	4,853	4,853	-
SILENCIO	3	222	4.95	100	2.23	478	-	-	-	-	3,370	3,370	-
SILENCIO	3	223	5.12	107	2.05	576	-	-	-	-	4,246	4,246	-
SILENCIO	3	224	4.19	50	2.01	230	50	8%	3	1.3	1,495	1,382	8
SILENCIO	3	230	2.56	45	2.29	1,081	45	19%	12	1.1	4,369	3,751	14
SILENCIO	3	231	1.39	20	1.72	800	20	10%	5	0.6	1,755	1,625	7
SILENCIO	3	232	2.61	50	1.81	679	50	5%	2	0.3	2,817	2,715	4
SILENCIO	3	233	2.95	50	2.01	847	50	2%	2	0.2	3,346	3,278	2
SILENCIO	3	234	4.77	80	2.20	371	80	6%	1	0.3	2,689	2,572	4
SILENCIO	3	236	5.47	80	1.98	262	80	3%	1	0.4	1,885	1,848	2
SILENCIO	3	237	6.27	100	1.82	603	100	4%	2	0.3	5,402	5,194	4
SILENCIO	3	240	3.23	50	2.07	153	50	6%	1	0.7	719	685	5
SILENCIO	3	241	1.43	12.6	1.46	88	-	-	-	-	180	180	-
SILENCIO	3	243	1.13	6.6	1.15	66	-	-	-	-	134	134	-
LACHES	4	180	7.77	300	2.86	4,498	300	3%	10	0.2	51,923	50,719	2
LACHES	4	181	4.78	100	2.43	1,221	100	12%	9	0.7	11,515	10,104	12
LACHES	4	182	2.82	41.8	1.65	173	-	-	-	-	821	821	-
LACHES	4	183	6.07	80	1.88	89	80	40%	1	1.1	1,585	861	46
LACHES	4	184	8.42	80	1.89	66	80	20%	1	1.5	1,263	987	22
LACHES	4	185	5.34	60	1.88	460	60	5%	3	0.7	4,353	4,182	4
Total Vetas			3.32	300	2.69	79,076		6%	210	0.3	396,006	377,821	4.6

			Ag (g/t) - All (A15v4_dh)								
AREA	AREA_ID	VETA	Mean	Max	Q3	Median	Q1	Min	IQR	*CV*	Number
VETABARRO	1	1	6.29	*223*	4.60	1.60	0.50	0.05	4.10	*2.85*	865
VETABARRO	1	2	6.58	*892*	4.10	1.40	0.50	0.05	3.60	***4.82***	2,673
VETABARRO	1	3	4.68	*607*	2.10	0.80	0.10	0.05	2.00	***6.81***	855
VETABARRO	1	4	6.74	*701*	5.13	1.80	0.60	0.05	4.53	***4.83***	528
VETABARRO	1	5	3.21	*123*	3.30	1.20	0.10	0.05	3.20	*2.29*	1,009
VETABARRO	1	6	2.38	*44.9*	2.80	1.00	0.10	0.05	2.70	***1.83***	264
VETABARRO	1	7	2.36	*64.6*	2.30	0.80	0.10	0.05	2.20	*2.38*	480
VETABARRO	1	8	3.48	*37.3*	4.20	1.60	0.90	0.1	3.30	***1.41***	229
VETABARRO	1	9	2.85	*155*	2.40	1.10	0.10	0.05	2.30	***3.12***	517
VETABARRO	1	10	3.12	*76.2*	3.00	1.00	0.10	0.05	2.90	*2.46*	505
VETABARRO	1	11	5.91	*52.6*	6.70	2.40	0.90	0.1	5.80	***1.64***	177
VETABARRO	1	12	4.43	*78.6*	4.03	1.55	0.10	0.05	3.93	*2.26*	148
VETABARRO	1	13	1.53	*6.4*	2.00	1.10	0.50	0.1	1.50	***1.02***	77
VETABARRO	1	14	16.81	*1065*	3.35	1.10	0.10	0.1	3.25	***6.04***	235
VETABARRO	1	16	2.46	*20.1*	2.20	1.65	0.63	0.1	1.58	***1.76***	20
VETABARRO	1	17	2.29	*56.1*	2.40	0.70	0.10	0.05	2.30	*2.22*	702
VETABARRO	1	18	3.20	*1120*	1.20	0.40	0.20	0.05	1.00	***12.11***	869
VETABARRO	1	19	3.57	*281*	1.50	0.65	0.10	0.05	1.40	***5.62***	228
VETABARRO	1	20	4.22	*453*	1.90	0.50	0.10	0.1	1.80	***5.00***	720
CENTRO	2	26	2.57	*44.3*	2.10	0.70	0.10	0.1	2.00	*2.41*	144
CENTRO	2	33	2.82	*174*	2.20	1.00	0.10	0.05	2.10	***3.46***	647
CENTRO	2	47	4.19	*308*	3.90	1.60	0.70	0.1	3.20	*2.81*	1,314
CENTRO	2	50	2.93	*85*	2.50	1.10	0.50	0.05	2.00	*2.63*	251
CENTRO	2	51	7.26	*494*	5.20	1.90	0.80	0.1	4.40	***3.04***	3,604
CENTRO	2	52	2.57	*181*	1.80	0.80	0.20	0.05	1.60	*2.77*	3,437
CENTRO	2	53	3.16	*62.2*	3.40	1.20	0.50	0.1	2.90	***1.65***	1,185
CENTRO	2	54	4.60	*254*	4.50	2.00	0.80	0.1	3.70	*2.49*	1,239
CENTRO	2	56	4.07	*399*	3.60	1.40	0.60	0.09	3.00	***3.29***	2,563
CENTRO	2	65	2.96	*261*	1.80	0.80	0.10	0.1	1.70	***4.39***	772
CENTRO	2	66	4.01	*287*	2.70	1.10	0.50	0.05	2.20	***3.62***	1,153
CENTRO	2	68	1.45	*41.2*	1.40	0.50	0.10	0.05	1.30	*2.32*	807
CENTRO	2	69	4.47	*200*	3.50	1.50	0.70	0.1	2.80	*2.55*	1,977
CENTRO	2	70	4.64	*122*	3.88	1.70	0.93	0.1	2.95	*2.13*	490
CENTRO	2	71	3.34	*94*	2.20	0.90	0.40	0.05	1.80	*2.66*	821
CENTRO	2	74	3.69	*252*	3.10	1.40	0.60	0.1	2.50	*2.68*	1,305
CENTRO	2	77	4.69	*280*	4.00	1.60	0.70	0.05	3.30	*2.76*	1,399
CENTRO	2	78	3.40	*188*	3.30	1.40	0.60	0.05	2.70	*2.37*	2,018
CENTRO	2	80	2.98	*60.5*	2.90	1.20	0.60	0.1	2.30	***1.76***	820
CENTRO	2	82	2.18	*108*	1.80	0.70	0.10	0.05	1.70	***3.15***	607
CENTRO	2	84	3.01	*76.4*	3.00	1.10	0.30	0.1	2.70	*2.56*	234
CENTRO	2	85	4.10	*150.8*	3.40	1.60	0.80	0.1	2.60	*2.46*	1,054
CENTRO	2	87	4.28	*60.9*	3.38	1.00	0.10	0.1	3.28	*2.23*	56
CENTRO	2	88	1.93	*60*	1.80	0.70	0.10	0.1	1.70	*2.56*	476
CENTRO	2	89	5.38	*469*	4.50	2.30	1.20	0.05	3.30	*2.94*	1,697
CENTRO	2	91	4.86	*130.8*	4.80	2.06	0.90	0.05	3.90	***1.95***	1,228
CENTRO	2	93	4.76	*300*	3.80	1.50	0.70	0.05	3.10	*2.67*	1,957
CENTRO	2	94	5.17	*274.4*	4.20	1.60	0.70	0.1	3.50	*2.68*	2,711
CENTRO	2	97	2.20	*89*	2.10	0.80	0.10	0.05	2.00	*2.61*	396
CENTRO	2	98	2.22	*44.9*	2.60	1.10	0.10	0.1	2.50	***1.81***	396
CENTRO	2	99	2.63	*67.2*	2.70	1.00	0.10	0.05	2.60	*2.20*	311
CENTRO	2	103	4.58	*113*	4.12	1.50	0.70	0.05	3.42	***2.00***	1,677
CENTRO	2	104	2.72	*58.9*	2.80	1.30	0.60	0.1	2.20	***1.83***	1,017
CENTRO	2	106	2.62	*41.7*	1.80	0.90	0.40	0.1	1.40	*2.15*	215
CENTRO	2	107	1.60	*34.4*	1.60	0.80	0.50	0.1	1.10	***1.92***	278
CENTRO	2	114	2.86	*141*	2.20	0.90	0.40	0.05	1.80	*2.62*	2,742
CENTRO	2	119	4.28	*1905*	2.30	0.90	0.20	0.1	2.10	***10.82***	1,793
CENTRO	2	120	2.79	*79.4*	2.00	0.70	0.20	0.1	1.80	*2.42*	422
CENTRO	2	122	4.04	*139.2*	3.23	1.10	0.10	0.1	3.13	*2.33*	752
CENTRO	2	123	2.58	*108*	2.10	0.80	0.10	0.1	2.00	*2.45*	1,065
CENTRO	2	130	7.61	*327*	6.00	1.80	0.80	0.1	5.20	*2.45*	2,864
CENTRO	2	135	6.48	*315.7*	4.20	1.60	0.70	0.1	3.50	*2.86*	2,778
CENTRO	2	143	2.99	*198.9*	2.60	1.00	0.40	0.1	2.20	*2.70*	1,679
CENTRO	2	145	2.15	*42.4*	2.35	1.35	0.63	0.1	1.73	*2.19*	86

			Ag (g/t) - All (A15v4_dh)								
AREA	AREA_ID	VETA	Mean	Max	Q3	Median	Q1	Min	IQR	CV	Number
SILENCIO	3	105	2.85	302	1.50	0.80	0.50	0.1	1.00	5.59	409
SILENCIO	3	132	6.67	420	3.80	1.30	0.50	0.05	3.30	3.12	2,178
SILENCIO	3	144	7.67	514.5	5.00	1.60	0.70	0.1	4.30	3.18	1,357
SILENCIO	3	201	2.83	82.9	1.60	1.00	0.40	0.1	1.20	3.43	117
SILENCIO	3	202	3.51	368	2.25	0.80	0.20	0.1	2.05	4.78	851
SILENCIO	3	203	1.91	46.4	1.60	0.80	0.10	0.1	1.50	1.98	483
SILENCIO	3	204	3.51	71.2	2.90	1.20	0.60	0.1	2.30	2.04	572
SILENCIO	3	205	3.01	41.4	3.53	1.60	0.80	0.1	2.73	1.48	452
SILENCIO	3	206	4.25	168	4.00	1.80	0.80	0.1	3.20	2.30	1,709
SILENCIO	3	207	3.71	108	3.20	1.10	0.50	0.1	2.70	2.38	470
SILENCIO	3	208	3.13	57.6	2.20	1.00	0.10	0.1	2.10	2.16	327
SILENCIO	3	209	3.15	29.6	3.00	1.60	0.80	0.1	2.20	1.56	285
SILENCIO	3	210	1.94	19	2.10	0.90	0.10	0.1	2.00	1.61	105
SILENCIO	3	211	2.05	24.1	1.90	1.10	0.70	0.1	1.20	1.41	117
SILENCIO	3	212	2.11	42.1	1.70	1.00	0.60	0.1	1.10	2.37	86
SILENCIO	3	213	3.54	58.5	3.10	1.20	0.45	0.1	2.65	2.52	91
SILENCIO	3	214	4.08	394.5	2.90	1.30	0.50	0.1	2.40	4.55	1,031
SILENCIO	3	215	2.94	39.4	3.00	1.40	0.80	0.1	2.20	1.63	359
SILENCIO	3	216	1.84	16.9	1.60	1.15	0.60	0.1	1.00	1.39	120
SILENCIO	3	217	2.43	186	1.40	0.80	0.40	0.1	1.00	5.19	247
SILENCIO	3	218	4.13	224.8	2.33	0.80	0.40	0.1	1.93	4.30	180
SILENCIO	3	220	4.58	109	4.50	2.00	0.90	0.1	3.60	1.86	1,263
SILENCIO	3	222	6.30	254	3.90	1.40	0.60	0.1	3.30	2.71	535
SILENCIO	3	223	7.43	152	5.60	2.10	0.90	0.1	4.70	2.25	665
SILENCIO	3	224	6.84	226	4.00	1.40	0.70	0.1	3.30	2.79	289
SILENCIO	3	230	3.21	215	2.40	1.00	0.40	0.05	2.00	3.65	1,151
SILENCIO	3	231	2.06	66.3	1.80	0.80	0.10	0.1	1.70	2.53	900
SILENCIO	3	232	4.23	138	3.30	1.30	0.50	0.1	2.80	2.75	765
SILENCIO	3	233	3.65	120	3.00	1.30	0.50	0.1	2.50	2.44	893
SILENCIO	3	234	5.86	197	4.50	1.70	0.70	0.1	3.80	2.55	393
SILENCIO	3	236	7.44	252	5.75	1.90	0.60	0.1	5.15	2.66	290
SILENCIO	3	237	7.77	422	7.30	2.50	0.80	0.1	6.50	2.81	659
SILENCIO	3	240	4.13	82.2	2.90	1.10	0.40	0.1	2.50	2.48	161
SILENCIO	3	241	1.81	28.9	1.70	0.70	0.43	0.1	1.28	2.00	90
SILENCIO	3	243	1.67	12.7	2.10	0.95	0.10	0.05	2.00	1.43	76
LACHES	4	180	15.73	2000	10.10	3.20	0.90	0.1	9.20	3.66	5,584
LACHES	4	181	10.15	1280	6.10	1.70	0.50	0.1	5.60	4.58	1,375
LACHES	4	182	2.86	41.8	3.80	1.50	0.50	0.1	3.30	1.60	180
LACHES	4	183	10.00	442	6.53	2.80	1.30	0.1	5.23	4.10	120
LACHES	4	184	10.52	218	9.03	1.75	0.20	0.1	8.83	2.77	66
LACHES	4	185	19.43	2520	9.15	3.50	1.50	0.1	7.65	6.03	807
Total Vetas			5.33	2520	3.60	1.30	0.60	0.05	3.00	4.71	93,346

Angostura: Vein# 1 HG - Ag (g/t)



N	192
m	17.44
σ^2	1004.30
σ/m	1.82
min	0.10
$q_{0.25}$	2.10
$q_{0.50}$	6.05
$q_{0.75}$	17.00
max	223.00

Class width = 2.00
The last class contains all values ≥ 50.00

Angostura: Vein# 1 HG - Ag (g/t)



Angostura: Vein# 2 HG - Ag (g/t)



N	569
m	20.76
σ^2	4289.04
σ/m	3.15
min	0.05
$q_{0.25}$	2.00
$q_{0.50}$	5.60
$q_{0.75}$	15.40
max	892.00

Class width = 2.00
The last class contains all values ≥ 50.00

Angostura: Vein# 2 HG - Ag (g/t)



Angostura: Vein# 3 HG - Ag (g/t)



N	122
m	23.62
σ^2	6434.17
σ/m	3.40
min	0.10
$q_{0.25}$	1.60
$q_{0.50}$	4.30
$q_{0.75}$	14.40
max	607.00

Class width = 2.00
The last class contains all values ≥ 50.00

Angostura: Vein# 3 HG - Ag (g/t)



Angostura: Vein# 4 HG - Ag (g/t)



N	137
m	16.14
σ^2	3795.11
σ/m	3.82
min	0.10
$q_{0.25}$	1.50
$q_{0.50}$	4.80
$q_{0.75}$	12.40
max	701.00

Class width = 2.00
The last class contains
all values ≥ 50.00

Angostura: Vein# 4 HG - Ag (g/t)



Angostura: Vein# 5 HG - Ag (g/t)



N	204
m	7.49
σ^2	178.93
σ/m	1.79
min	0.10
$q_{0.25}$	1.60
$q_{0.50}$	3.60
$q_{0.75}$	7.60
max	123.00

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 5 HG - Ag (g/t)



Angostura: Vein# 6 HG - Ag (g/t)



N	54
m	4.80
σ^2	49.53
σ/m	1.47
min	0.10
$q_{0.25}$	1.00
$q_{0.50}$	2.85
$q_{0.75}$	5.70
max	44.90

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 6 HG - Ag (g/t)




Angostura: Vein# 7 HG - Ag (g/t)
25.4
25
20
15
10
5
0
Frequency (Percent)
0.00
6.50
13.00
19.50
26.00
Ag (g/t)
N 71
m 6.23
σ² 101.09
σ/m 1.61
min 0.10
q0.25 0.80
q0.50 3.00
q0.75 6.10
max 58.00
Class width = 1.00
The last class contains
all values ≥ 25.00


Angostura: Vein# 7 HG - Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
Ag (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 8 HG - Ag (g/t)



N	45
m	5.35
σ^2	30.30
σ/m	1.03
min	0.10
$q_{0.25}$	1.30
$q_{0.50}$	4.20
$q_{0.75}$	5.90
max	27.30

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 8 HG - Ag (g/t)




Angostura: Vein# 9 HG - Ag (g/t)
31.8
25
20
15
10
5
0
Frequency (Percent)
0.00
6.50
13.00
19.50
26.00
Ag (g/t)
N 44
m 4.46
σ² 28.08
σ/m 1.19
min 0.10
q0.25 1.40
q0.50 2.20
q0.75 5.50
max 27.40
Class width = 1.00
The last class contains
all values ≥ 25.00


Angostura: Vein# 9 HG - Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
Ag (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 10 HG - Ag (g/t)



N	64
m	9.13
σ^2	229.69
σ/m	1.66
min	0.10
$q_{0.25}$	1.20
$q_{0.50}$	2.90
$q_{0.75}$	10.00
max	76.20

Class width = 1.00
The last class contains all values ≥ 25.00

Angostura: Vein# 10 HG - Ag (g/t)



Angostura: Vein# 11 HG - Ag (g/t)



N	50
m	12.56
σ^2	206.02
σ/m	1.14
min	0.10
$q_{0.25}$	2.20
$q_{0.50}$	5.75
$q_{0.75}$	16.50
max	52.60

Class width = 2.00
The last class contains
all values ≥ 50.00

Angostura: Vein# 11 HG - Ag (g/t)



Angostura: Vein# 12 HG - Ag (g/t)



N	19
m	7.32
σ^2	47.11
σ/m	0.94
min	0.10
$q_{0.25}$	2.80
$q_{0.50}$	5.30
$q_{0.75}$	8.80
max	25.90

Class width = 2.00
The last class contains
all values ≥ 50.00

Angostura: Vein# 12 HG - Ag (g/t)




Angostura: Vein# 13 HG - Ag (g/t)
41.7
30
25
20
15
10
5
0
Frequency (Percent)
0.00
13.00
26.00
39.00
52.00
Ag (g/t)
N 12
m 2.96
σ² 3.54
σ/m 0.64
min 0.80
q0.25 1.10
q0.50 2.65
q0.75 4.00
max 6.30
Class width = 2.00
The last class contains
all values ≥ 50.00


Angostura: Vein# 13 HG - Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
Ag (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 14 HG - Ag (g/t)
32.1
30
25
20
15
10
5
0
Frequency (Percent)
0.00
13.00
26.00
39.00
52.00
Ag (g/t)
N 28
m 36.53
σ² 4565.72
σ/m 1.85
min 0.10
q0.25 1.50
q0.50 4.20
q0.75 16.20
max 237.00
Class width = 2.00
The last class contains
all values ≥ 50.00


Angostura: Vein# 14 HG - Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
Ag (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 16 HG - Ag (g/t)
100.0
30
25
20
15
10
5
0
Frequency (Percent)
0.00
13.00
26.00
39.00
52.00
Ag (g/t)
N 3
m 2.97
σ² 0.28
σ/m 0.18
min 2.50
q0.25 0.00
q0.50 2.70
q0.75 2.70
max 3.70
Class width = 2.00
The last class contains
all values ≥ 50.00


Angostura: Vein# 16 HG - Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
Ag (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 17 HG - Ag (g/t)



N	57
m	8.73
σ^2	133.67
σ/m	1.32
min	0.10
$q_{0.25}$	1.70
$q_{0.50}$	5.50
$q_{0.75}$	8.70
max	56.10

Class width = 2.00
The last class contains all values ≥ 50.00

Angostura: Vein# 17 HG - Ag (g/t)




Angostura: Vein# 18 HG - Ag (g/t)
46.7
30
25
20
15
10
5
0
Frequency (Percent)
0.00
13.00
26.00
39.00
52.00
Ag (g/t)
N 60
m 29.36
σ² 20834.48
σ/m 4.92
min 0.10
q0.25 1.00
q0.50 2.45
q0.75 6.00
max 1120.00
Class width = 2.00
The last class contains
all values ≥ 50.00


Angostura: Vein# 18 HG - Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
Ag (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 19 HG - Ag (g/t)
42.9
30
25
20
15
10
5
0
Frequency (Percent)
0.00
13.00
26.00
39.00
52.00
Ag (g/t)
N 7
m 50.39
σ² 9272.52
σ/m 1.91
min 0.10
q0.25 0.10
q0.50 3.10
q0.75 3.70
max 281.00
Class width = 2.00
The last class contains
all values ≥ 50.00


Angostura: Vein# 19 HG - Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
Ag (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 20 HG - Ag (g/t)



N	98
m	19.37
σ^2	2552.82
σ/m	2.61
min	0.10
$q_{0.25}$	2.20
$q_{0.50}$	5.10
$q_{0.75}$	15.40
max	453.00

Class width = 2.00
The last class contains all values ≥ 50.00

Angostura: Vein# 20 HG - Ag (g/t)



Angostura: Vein# 26 HG - Ag (g/t)



N	7
m	15.73
σ^2	224.28
σ/m	0.95
min	0.50
$q_{0.25}$	0.50
$q_{0.50}$	7.90
$q_{0.75}$	11.70
max	44.30

Class width = 2.00
The last class contains
all values ≥ 50.00

Angostura: Vein# 26 HG - Ag (g/t)




Angostura: Vein# 33 HG - Ag (g/t)
38.4
30
25
20
15
10
5
0
Frequency (Percent)
0.00
13.00
26.00
39.00
52.00
Ag (g/t)
N 73
m 9.23
σ² 576.79
σ/m 2.60
min 0.10
q0.25 1.40
q0.50 2.90
q0.75 5.90
max 174.00
Class width = 2.00
The last class contains
all values ≥ 50.00


Angostura: Vein# 33 HG - Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
Ag (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 47 HG - Ag (g/t)



N	286
m	8.87
σ^2	460.96
σ/m	2.42
min	0.10
$q_{0.25}$	1.50
$q_{0.50}$	3.55
$q_{0.75}$	8.80
max	308.00

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 47 HG - Ag (g/t)



Angostura: Vein# 50 HG - Ag (g/t)



N	47
m	7.18
σ^2	129.20
σ/m	1.58
min	0.10
$q_{0.25}$	1.40
$q_{0.50}$	3.00
$q_{0.75}$	8.10
max	73.20

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 50 HG - Ag (g/t)



Angostura: Vein# 51 HG - Ag (g/t)



N	964
m	17.01
σ^2	1211.19
σ/m	2.05
min	0.10
$q_{0.25}$	2.20
$q_{0.50}$	6.40
$q_{0.75}$	16.60
max	494.00

Class width = 2.00
The last class contains all values ≥ 50.00

Angostura: Vein# 51 HG - Ag (g/t)



Angostura: Vein# 52 HG - Ag (g/t)



N	494
m	5.37
σ^2	153.37
σ/m	2.31
min	0.10
$q_{0.25}$	0.80
$q_{0.50}$	1.70
$q_{0.75}$	4.20
max	181.00

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 52 HG - Ag (g/t)



Angostura: Vein# 53 HG - Ag (g/t)



N	48
m	5.91
σ^2	61.50
σ/m	1.33
min	0.10
$q_{0.25}$	1.00
$q_{0.50}$	2.20
$q_{0.75}$	7.20
max	33.60

Class width = 1.00
The last class contains all values ≥ 25.00

Angostura: Vein# 53 HG - Ag (g/t)



Angostura: Vein# 54 HG - Ag (g/t)



N	292
m	10.30
σ^2	420.45
σ/m	1.99
min	0.10
$q_{0.25}$	2.10
$q_{0.50}$	5.25
$q_{0.75}$	11.10
max	254.00

Class width = 2.00
The last class contains
all values ≥ 50.00

Angostura: Vein# 54 HG - Ag (g/t)



Angostura: Vein# 56 HG - Ag (g/t)



N	377
m	10.94
σ^2	773.03
σ/m	2.54
min	0.10
$q_{0.25}$	2.00
$q_{0.50}$	4.60
$q_{0.75}$	10.00
max	399.00

Class width = 2.00
The last class contains all values ≥ 50.00

Angostura: Vein# 56 HG - Ag (g/t)




Angostura: Vein# 65 HG - Ag (g/t)
28.9
25
20
15
10
5
0
Frequency (Percent)
0.00
13.00
26.00
39.00
52.00
Ag (g/t)
N 38
m 16.54
σ² 1041.74
σ/m 1.95
min 0.10
q0.25 1.50
q0.50 4.80
q0.75 14.20
max 173.00
Class width = 2.00
The last class contains
all values ≥ 50.00


Angostura: Vein# 65 HG - Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
Ag (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 66 HG - Ag (g/t)
33.9
30
25
20
15
10
5
0
Frequency (Percent)
0.00
13.00
26.00
39.00
52.00
Ag (g/t)
N 180
m 14.18
σ² 1091.40
σ/m 2.33
min 0.10
q0.25 1.20
q0.50 4.10
q0.75 11.60
max 287.00
Class width = 2.00
The last class contains
all values ≥ 50.00


Angostura: Vein# 66 HG - Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
Ag (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 68 HG - Ag (g/t)



N	35
m	6.81
σ^2	67.51
σ/m	1.21
min	0.10
$q_{0.25}$	1.00
$q_{0.50}$	2.50
$q_{0.75}$	9.10
max	27.10

Class width = 1.00
The last class contains all values ≥ 25.00

Angostura: Vein# 68 HG - Ag (g/t)



Angostura: Vein# 69 HG - Ag (g/t)



N	308
m	12.16
σ^2	458.70
σ/m	1.76
min	0.10
$q_{0.25}$	1.70
$q_{0.50}$	4.55
$q_{0.75}$	11.90
max	171.00

Class width = 2.00
The last class contains
all values ≥ 50.00

Angostura: Vein# 69 HG - Ag (g/t)



Angostura: Vein# 70 HG - Ag (g/t)



N	99
m	12.09
σ^2	328.26
σ/m	1.50
min	0.50
$q_{0.25}$	2.20
$q_{0.50}$	5.20
$q_{0.75}$	13.60
max	122.00

Class width = 2.00
The last class contains
all values ≥ 50.00

Angostura: Vein# 70 HG - Ag (g/t)



Angostura: Vein# 71 HG - Ag (g/t)



N	120
m	12.24
σ^2	364.77
σ/m	1.56
min	0.10
$q_{0.25}$	0.90
$q_{0.50}$	2.60
$q_{0.75}$	14.40
max	94.00

Class width = 2.00
The last class contains all values ≥ 50.00

Angostura: Vein# 71 HG - Ag (g/t)



Angostura: Vein# 74 HG - Ag (g/t)



N	221
m	10.38
σ^2	430.65
σ/m	2.00
min	0.10
$q_{0.25}$	2.00
$q_{0.50}$	3.90
$q_{0.75}$	10.40
max	252.00

Class width = 2.00
The last class contains
all values ≥ 50.00

Angostura: Vein# 74 HG - Ag (g/t)



Angostura: Vein# 77 HG - Ag (g/t)



N	251
m	12.65
σ^2	684.15
σ/m	2.07
min	0.10
$q_{0.25}$	1.80
$q_{0.50}$	4.70
$q_{0.75}$	12.40
max	280.00

Class width = 2.00
The last class contains
all values ≥ 50.00

Angostura: Vein# 77 HG - Ag (g/t)



Angostura: Vein# 78 HG - Ag (g/t)



N	286
m	8.25
σ^2	169.15
σ/m	1.58
min	0.10
$q_{0.25}$	1.80
$q_{0.50}$	3.90
$q_{0.75}$	8.50
max	106.30

Class width = 1.00
The last class contains all values ≥ 25.00

Angostura: Vein# 78 HG - Ag (g/t)



Angostura: Vein# 80 HG - Ag (g/t)



N	36
m	9.42
σ^2	170.33
σ/m	1.39
min	0.50
$q_{0.25}$	1.20
$q_{0.50}$	3.85
$q_{0.75}$	9.50
max	60.50

Class width = 1.00
The last class contains all values ≥ 25.00

Angostura: Vein# 80 HG - Ag (g/t)



Angostura: Vein# 82 HG - Ag (g/t)



N	51
m	5.04
σ^2	53.54
σ/m	1.45
min	0.10
$q_{0.25}$	0.90
$q_{0.50}$	3.00
$q_{0.75}$	6.40
max	46.00

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 82 HG - Ag (g/t)



Angostura: Vein# 84 HG - Ag (g/t)



N	8
m	6.94
σ^2	27.48
σ/m	0.76
min	2.00
$q_{0.25}$	3.70
$q_{0.50}$	4.90
$q_{0.75}$	5.30
max	18.90

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 84 HG - Ag (g/t)



Angostura: Vein# 85 HG - Ag (g/t)



N	113
m	7.73
σ^2	144.21
σ/m	1.55
min	0.10
$q_{0.25}$	1.40
$q_{0.50}$	3.80
$q_{0.75}$	8.00
max	87.50

Class width = 1.00
The last class contains all values ≥ 25.00

Angostura: Vein# 85 HG - Ag (g/t)



Angostura: Vein# 87 HG - Ag (g/t)



N	2
m	20.65
σ^2	0.12
σ/m	0.02
min	20.30
$q_{0.25}$	0.00
$q_{0.50}$	20.65
$q_{0.75}$	20.30
max	21.00

Class width = 1.00
The last class contains all values ≥ 25.00

Angostura: Vein# 87 HG - Ag (g/t)




Angostura: Vein# 88 HG - Ag (g/t)
26.1
25
20
15
10
5
0
Frequency (Percent)
0.00
6.50
13.00
19.50
26.00
Ag (g/t)
N 46
m 6.83
σ² 82.69
σ/m 1.33
min 0.10
q0.25 1.20
q0.50 3.05
q0.75 7.40
max 34.50
Class width = 1.00
The last class contains
all values ≥ 25.00


Angostura: Vein# 88 HG - Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
Ag (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 89 HG - Ag (g/t)



N	293
m	11.70
σ^2	1047.42
σ/m	2.77
min	0.10
$q_{0.25}$	2.10
$q_{0.50}$	3.80
$q_{0.75}$	9.60
max	469.00

Class width = 2.00
The last class contains
all values ≥ 50.00

Angostura: Vein# 89 HG - Ag (g/t)



Angostura: Vein# 91 HG - Ag (g/t)



N	152
m	8.36
σ^2	150.32
σ/m	1.47
min	0.10
$q_{0.25}$	1.90
$q_{0.50}$	3.40
$q_{0.75}$	8.70
max	71.30

Class width = 2.00
The last class contains all values ≥ 50.00

Angostura: Vein# 91 HG - Ag (g/t)



Angostura: Vein# 93 HG - Ag (g/t)



N	301
m	10.90
σ^2	550.93
σ/m	2.15
min	0.10
$q_{0.25}$	1.70
$q_{0.50}$	4.50
$q_{0.75}$	11.30
max	300.00

Class width = 2.00
The last class contains
all values ≥ 50.00

Angostura: Vein# 93 HG - Ag (g/t)



Angostura: Vein# 94 HG - Ag (g/t)



N	438
m	12.94
σ^2	600.77
σ/m	1.89
min	0.10
$q_{0.25}$	1.80
$q_{0.50}$	5.20
$q_{0.75}$	13.30
max	247.00

Class width = 2.00
The last class contains
all values ≥ 50.00

Angostura: Vein# 94 HG - Ag (g/t)



Angostura: Vein# 97 HG - Ag (g/t)



N	68
m	5.35
σ^2	145.81
σ/m	2.26
min	0.10
$q_{0.25}$	0.80
$q_{0.50}$	2.00
$q_{0.75}$	4.20
max	89.00

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 97 HG - Ag (g/t)




Angostura: Vein# 98 HG - Ag (g/t)
28.1
25
20
15
10
5
0
Frequency (Percent)
0.00
6.50
13.00
19.50
26.00
Ag (g/t)
N 57
m 4.77
σ² 63.76
σ/m 1.67
min 0.10
q0.25 0.90
q0.50 2.10
q0.75 3.70
max 44.90
Class width = 1.00
The last class contains
all values ≥ 25.00


Angostura: Vein# 98 HG - Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
Ag (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 99 HG - Ag (g/t)



N	28
m	5.95
σ^2	149.71
σ/m	2.06
min	0.10
$q_{0.25}$	2.10
$q_{0.50}$	2.85
$q_{0.75}$	3.40
max	67.20

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 99 HG - Ag (g/t)



Angostura: Vein# 103 HG - Ag (g/t)



N	222
m	11.58
σ^2	273.51
σ/m	1.43
min	0.10
$q_{0.25}$	1.90
$q_{0.50}$	4.75
$q_{0.75}$	14.20
max	113.00

Class width = 2.00
The last class contains all values ≥ 50.00

Angostura: Vein# 103 HG - Ag (g/t)



Angostura: Vein# 104 HG - Ag (g/t)



N	67
m	7.49
σ^2	103.71
σ/m	1.36
min	0.10
$q_{0.25}$	1.70
$q_{0.50}$	4.10
$q_{0.75}$	7.40
max	58.90

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 104 HG - Ag (g/t)



Angostura: Vein# 105 HG - Ag (g/t)



N	61
m	11.34
σ^2	1575.46
σ/m	3.50
min	0.10
$q_{0.25}$	0.60
$q_{0.50}$	1.40
$q_{0.75}$	5.10
max	302.00

Class width = 2.00
The last class contains
all values ≥ 50.00

Angostura: Vein# 105 HG - Ag (g/t)



Angostura: Vein# 106 HG - Ag (g/t)



N	9
m	4.33
σ^2	43.16
σ/m	1.52
min	0.90
$q_{0.25}$	1.00
$q_{0.50}$	1.80
$q_{0.75}$	2.20
max	22.60

Class width = 2.00
The last class contains all values ≥ 50.00

Angostura: Vein# 106 HG - Ag (g/t)



Angostura: Vein# 107 HG - Ag (g/t)



N	26
m	3.43
σ^2	24.98
σ/m	1.46
min	0.10
$q_{0.25}$	0.50
$q_{0.50}$	1.80
$q_{0.75}$	3.10
max	24.60

Class width = 2.00
The last class contains
all values ≥ 50.00

Angostura: Vein# 107 HG - Ag (g/t)



Angostura: Vein# 114 HG - Ag (g/t)



N	948
m	2.95
σ^2	47.95
σ/m	2.35
min	0.10
$q_{0.25}$	0.60
$q_{0.50}$	1.20
$q_{0.75}$	2.40
max	141.00

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 114 HG - Ag (g/t)



Angostura: Vein# 119 HG - Ag (g/t)



N	95
m	5.49
σ^2	108.05
σ/m	1.89
min	0.10
$q_{0.25}$	1.00
$q_{0.50}$	2.10
$q_{0.75}$	5.20
max	76.30

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 119 HG - Ag (g/t)




Angostura: Vein# 120 HG - Ag (g/t)
53.3
25
20
15
10
5
0
Frequency (Percent)
0.00
6.50
13.00
19.50
26.00
Ag (g/t)
N 15
m 2.99
σ² 8.79
σ/m 0.99
min 0.90
q0.25 1.20
q0.50 1.60
q0.75 2.60
max 12.60
Class width = 1.00
The last class contains
all values ≥ 25.00


Angostura: Vein# 120 HG - Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
Ag (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 122 HG - Ag (g/t)



N	147
m	8.34
σ^2	225.63
σ/m	1.80
min	0.10
$q_{0.25}$	1.80
$q_{0.50}$	3.90
$q_{0.75}$	8.00
max	139.20

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 122 HG - Ag (g/t)



Angostura: Vein# 123 HG - Ag (g/t)



N	88
m	3.75
σ^2	35.81
σ/m	1.60
min	0.10
$q_{0.25}$	0.80
$q_{0.50}$	1.90
$q_{0.75}$	3.60
max	35.20

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 123 HG - Ag (g/t)



Angostura: Vein# 130 HG - Ag (g/t)



N	428
m	18.73
σ^2	1330.66
σ/m	1.95
min	0.10
$q_{0.25}$	1.90
$q_{0.50}$	5.65
$q_{0.75}$	19.40
max	327.00

Class width = 3.00
The last class contains all values ≥ 75.00

Angostura: Vein# 130 HG - Ag (g/t)




Angostura: Vein# 132 HG - Ag (g/t)
43.0
30
25
20
15
10
5
0
Frequency (Percent)
0.00
19.50
39.00
58.50
78.00
Ag (g/t)
N 265
m 20.80
σ² 2187.35
σ/m 2.25
min 0.10
q0.25 1.60
q0.50 3.90
q0.75 17.10
max 420.00
Class width = 3.00
The last class contains
all values ≥ 75.00


Angostura: Vein# 132 HG - Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
Ag (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 135 HG - Ag (g/t)



N	453
m	14.42
σ^2	1055.06
σ/m	2.25
min	0.10
$q_{0.25}$	1.70
$q_{0.50}$	4.30
$q_{0.75}$	11.00
max	315.70

Class width = 2.00
The last class contains
all values ≥ 50.00

Angostura: Vein# 135 HG - Ag (g/t)



Angostura: Vein# 143 HG - Ag (g/t)



N	169
m	5.71
σ^2	59.62
σ/m	1.35
min	0.10
$q_{0.25}$	1.40
$q_{0.50}$	3.00
$q_{0.75}$	6.40
max	46.30

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 143 HG - Ag (g/t)



Angostura: Vein# 144 HG - Ag (g/t)



N	164
m	30.68
σ^2	3578.50
σ/m	1.95
min	0.10
$q_{0.25}$	3.60
$q_{0.50}$	11.30
$q_{0.75}$	31.30
max	514.50

Class width = 3.00
The last class contains all values ≥ 75.00

Angostura: Vein# 144 HG - Ag (g/t)



Angostura: Vein# 145 HG - Ag (g/t)



N	26
m	4.01
σ^2	63.66
σ/m	1.99
min	0.60
$q_{0.25}$	1.30
$q_{0.50}$	2.10
$q_{0.75}$	2.70
max	42.40

Class width = 3.00
The last class contains all values ≥ 75.00

Angostura: Vein# 145 HG - Ag (g/t)



Angostura: Vein# 180 HG - Ag (g/t)



N	1086
m	47.64
σ^2	12937.98
σ/m	2.39
min	0.10
$q_{0.25}$	5.30
$q_{0.50}$	15.15
$q_{0.75}$	43.22
max	2000.00

Class width = 4.00
The last class contains
all values ≥ 100.00

Angostura: Vein# 180 HG - Ag (g/t)



Angostura: Vein# 181 HG - Ag (g/t)



N	154
m	47.63
σ^2	14792.07
σ/m	2.55
min	0.70
$q_{0.25}$	6.00
$q_{0.50}$	11.45
$q_{0.75}$	40.60
max	1280.00

Class width = 3.00
The last class contains all values ≥ 75.00

Angostura: Vein# 181 HG - Ag (g/t)




Angostura: Vein# 182 HG - Ag (g/t)
42.9
30
25
20
15
10
5
0
Frequency (Percent)
0.00
19.50
39.00
58.50
78.00
Ag (g/t)
N 7
m 3.97
σ² 3.94
σ/m 0.50
min 1.90
q0.25 1.90
q0.50 3.30
q0.75 5.40
max 6.80
Class width = 3.00
The last class contains
all values ≥ 75.00


Angostura: Vein# 182 HG - Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
Ag (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 183 HG - Ag (g/t)



N	31
m	9.62
σ^2	177.15
σ/m	1.38
min	0.10
$q_{0.25}$	2.30
$q_{0.50}$	4.40
$q_{0.75}$	12.50
max	68.60

Class width = 3.00
The last class contains all values ≥ 75.00

Angostura: Vein# 183 HG - Ag (g/t)



Angostura: Vein# 185 HG - Ag (g/t)



N	347
m	37.77
σ^2	31141.34
σ/m	4.67
min	0.10
$q_{0.25}$	3.60
$q_{0.50}$	6.90
$q_{0.75}$	14.00
max	2520.00

Class width = 2.00
The last class contains
all values ≥ 50.00

Angostura: Vein# 185 HG - Ag (g/t)



Angostura: Vein# 201 HG - Ag (g/t)



N	27
m	2.24
σ^2	14.18
σ/m	1.68
min	0.10
$q_{0.25}$	1.00
$q_{0.50}$	1.30
$q_{0.75}$	1.70
max	20.80

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 201 HG - Ag (g/t)



Angostura: Vein# 202 HG - Ag (g/t)



N	53
m	9.16
σ^2	236.46
σ/m	1.68
min	0.10
$q_{0.25}$	1.40
$q_{0.50}$	3.60
$q_{0.75}$	7.50
max	85.75

Class width = 1.00
The last class contains all values ≥ 25.00

Angostura: Vein# 202 HG - Ag (g/t)



Angostura: Vein# 203 HG - Ag (g/t)



N	46
m	4.14
σ^2	50.66
σ/m	1.72
min	0.10
$q_{0.25}$	0.90
$q_{0.50}$	1.60
$q_{0.75}$	3.90
max	46.40

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 203 HG - Ag (g/t)




Angostura: Vein# 204 HG - Ag (g/t)
Frequency (Percent)
25
20
15
10
5
0
0.00
6.50
13.00
19.50
26.00
Ag (g/t)
N 17
m 9.91
σ² 95.54
σ/m 0.99
min 0.80
q0.25 3.10
q0.50 6.70
q0.75 12.20
max 37.40
Class width = 1.00
The last class contains
all values ≥ 25.00


Angostura: Vein# 204 HG - Ag (g/t)
Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 205 HG - Ag (g/t)



N	33
m	4.78
σ^2	34.58
σ/m	1.23
min	0.50
$q_{0.25}$	1.20
$q_{0.50}$	2.90
$q_{0.75}$	3.70
max	30.10

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 205 HG - Ag (g/t)



Angostura: Vein# 206 HG - Ag (g/t)



N	295
m	6.75
σ^2	181.82
σ/m	2.00
min	0.10
$q_{0.25}$	1.60
$q_{0.50}$	2.90
$q_{0.75}$	6.00
max	128.00

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 206 HG - Ag (g/t)



Angostura: Vein# 207 HG - Ag (g/t)



N	147
m	8.03
σ^2	177.01
σ/m	1.66
min	0.10
$q_{0.25}$	1.60
$q_{0.50}$	3.70
$q_{0.75}$	7.50
max	108.00

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 207 HG - Ag (g/t)




Angostura: Vein# 208 HG - Ag (g/t)
38.3
30
25
20
15
10
5
0
Frequency (Percent)
0.00
13.00
26.00
39.00
52.00
Ag (g/t)
N 60
m 7.93
σ² 136.39
σ/m 1.47
min 0.10
q0.25 1.20
q0.50 3.05
q0.75 8.60
max 57.60
Class width = 2.00
The last class contains
all values ≥ 50.00


Angostura: Vein# 208 HG - Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
Ag (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 209 HG - Ag (g/t)



N	17
m	6.33
σ^2	61.17
σ/m	1.24
min	0.10
$q_{0.25}$	0.90
$q_{0.50}$	1.70
$q_{0.75}$	6.80
max	27.30

Class width = 2.00
The last class contains all values ≥ 50.00

Angostura: Vein# 209 HG - Ag (g/t)



Angostura: Vein# 210 HG - Ag (g/t)



N	14
m	2.29
σ^2	1.73
σ/m	0.58
min	0.10
$q_{0.25}$	1.20
$q_{0.50}$	2.40
$q_{0.75}$	2.50
max	5.00

Class width = 2.00
The last class contains all values ≥ 50.00

Angostura: Vein# 210 HG - Ag (g/t)



Angostura: Vein# 211 HG - Ag (g/t)



N	11
m	1.73
σ^2	1.38
σ/m	0.68
min	0.20
$q_{0.25}$	0.60
$q_{0.50}$	1.40
$q_{0.75}$	1.80
max	4.00

Class width = 2.00
The last class contains all values ≥ 50.00

Angostura: Vein# 211 HG - Ag (g/t)




Angostura: Vein# 212 HG - Ag (g/t)
64.7
30
25
20
15
10
5
0
Frequency (Percent)
0.00
13.00
26.00
39.00
52.00
Ag (g/t)
N 17
m 5.01
σ² 104.14
σ/m 2.04
min 0.10
q0.25 0.80
q0.50 1.40
q0.75 2.00
max 42.10
Class width = 2.00
The last class contains
all values ≥ 50.00


Angostura: Vein# 212 HG - Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
Ag (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 213 HG - Ag (g/t)



N	27
m	8.37
σ^2	225.56
σ/m	1.80
min	0.10
$q_{0.25}$	0.40
$q_{0.50}$	3.10
$q_{0.75}$	6.80
max	58.50

Class width = 2.00
The last class contains all values ≥ 50.00

Angostura: Vein# 213 HG - Ag (g/t)



Angostura: Vein# 214 HG - Ag (g/t)



N	49
m	14.90
σ^2	641.29
σ/m	1.70
min	0.10
$q_{0.25}$	1.80
$q_{0.50}$	5.50
$q_{0.75}$	16.60
max	142.00

Class width = 1.00
The last class contains all values ≥ 25.00

Angostura: Vein# 214 HG - Ag (g/t)




Angostura: Vein# 215 HG - Ag (g/t)
25.5
25
20
15
10
5
0
Frequency (Percent)
0.00
6.50
13.00
19.50
26.00
Ag (g/t)
N 149
m 4.74
σ² 35.58
σ/m 1.26
min 0.10
q0.25 1.20
q0.50 2.60
q0.75 5.90
max 37.80
Class width = 1.00
The last class contains
all values ≥ 25.00


Angostura: Vein# 215 HG - Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
Ag (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 216 HG - Ag (g/t)



N	9
m	4.03
σ^2	6.43
σ/m	0.63
min	1.30
$q_{0.25}$	1.40
$q_{0.50}$	3.50
$q_{0.75}$	4.10
max	10.20

Class width = 1.00
The last class contains all values ≥ 25.00

Angostura: Vein# 216 HG - Ag (g/t)



Angostura: Vein# 217 HG - Ag (g/t)



N	18
m	5.29
σ^2	29.79
σ/m	1.03
min	0.60
$q_{0.25}$	1.00
$q_{0.50}$	2.55
$q_{0.75}$	6.80
max	21.00

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 217 HG - Ag (g/t)




Angostura: Vein# 218 HG - Ag (g/t)
33.3
25
20
15
10
5
0
Frequency (Percent)
0.00
6.50
13.00
19.50
26.00
Ag (g/t)
N 6
m 15.63
σ² 297.48
σ/m 1.10
min 4.10
q0.25 4.10
q0.50 8.25
q0.75 9.00
max 53.80
Class width = 1.00
The last class contains
all values ≥ 25.00


Angostura: Vein# 218 HG - Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
Ag (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 220 HG - Ag (g/t)



N	279
m	8.69
σ^2	177.52
σ/m	1.53
min	0.10
$q_{0.25}$	2.30
$q_{0.50}$	4.20
$q_{0.75}$	8.10
max	109.00

Class width = 1.00
The last class contains all values ≥ 25.00

Angostura: Vein# 220 HG - Ag (g/t)



Angostura: Vein# 222 HG - Ag (g/t)



N	57
m	17.62
σ^2	1569.34
σ/m	2.25
min	0.10
$q_{0.25}$	1.00
$q_{0.50}$	5.10
$q_{0.75}$	11.60
max	254.00

Class width = 3.00
The last class contains
all values ≥ 75.00

Angostura: Vein# 222 HG - Ag (g/t)



Angostura: Vein# 223 HG - Ag (g/t)



N	89
m	22.34
σ^2	1122.40
σ/m	1.50
min	0.50
$q_{0.25}$	3.40
$q_{0.50}$	7.50
$q_{0.75}$	22.60
max	152.00

Class width = 3.00
The last class contains all values ≥ 75.00

Angostura: Vein# 223 HG - Ag (g/t)




Angostura: Vein# 224 HG - Ag (g/t)
37.3
30
25
20
15
10
5
0
Frequency (Percent)
0.00
13.00
26.00
39.00
52.00
Ag (g/t)
N 59
m 15.67
σ² 1214.63
σ/m 2.22
min 0.60
q0.25 1.40
q0.50 3.00
q0.75 9.00
max 226.00
Class width = 2.00
The last class contains
all values ≥ 50.00


Angostura: Vein# 224 HG - Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
Ag (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 230 HG - Ag (g/t)



N	70
m	3.91
σ^2	38.64
σ/m	1.59
min	0.10
$q_{0.25}$	0.70
$q_{0.50}$	1.95
$q_{0.75}$	4.30
max	35.10

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 230 HG - Ag (g/t)



Angostura: Vein# 231 HG - Ag (g/t)



N	100
m	6.16
σ^2	89.26
σ/m	1.53
min	0.10
$q_{0.25}$	1.10
$q_{0.50}$	2.35
$q_{0.75}$	7.70
max	57.20

Class width = 1.00
The last class contains all values ≥ 25.00

Angostura: Vein# 231 HG - Ag (g/t)




Angostura: Vein# 232 HG - Ag (g/t)
32.6
30
25
20
15
10
5
0
Frequency (Percent)
0.00
19.50
39.00
58.50
78.00
Ag (g/t)
N 86
m 15.85
σ² 670.22
σ/m 1.63
min 0.10
q0.25 2.50
q0.50 5.55
q0.75 14.00
max 121.00
Class width = 3.00
The last class contains
all values ≥ 75.00


Angostura: Vein# 232 HG - Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
Ag (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 233 HG - Ag (g/t)



N	46
m	15.57
σ^2	622.98
σ/m	1.60
min	0.10
$q_{0.25}$	2.40
$q_{0.50}$	6.30
$q_{0.75}$	13.00
max	120.00

Class width = 3.00
The last class contains all values ≥ 75.00

Angostura: Vein# 233 HG - Ag (g/t)



Angostura: Vein# 234 HG - Ag (g/t)



N	22
m	18.92
σ^2	515.48
σ/m	1.20
min	0.80
$q_{0.25}$	2.70
$q_{0.50}$	8.10
$q_{0.75}$	22.80
max	91.00

Class width = 3.00
The last class contains
all values ≥ 75.00

Angostura: Vein# 234 HG - Ag (g/t)



Angostura: Vein# 236 HG - Ag (g/t)



N	28
m	24.63
σ^2	2393.19
σ/m	1.99
min	0.10
$q_{0.25}$	2.10
$q_{0.50}$	6.35
$q_{0.75}$	21.30
max	252.00

Class width = 2.00
The last class contains
all values ≥ 50.00

Angostura: Vein# 236 HG - Ag (g/t)



Angostura: Vein# 237 HG - Ag (g/t)



N	56
m	21.10
σ^2	3190.42
σ/m	2.68
min	0.10
$q_{0.25}$	3.50
$q_{0.50}$	6.40
$q_{0.75}$	18.30
max	422.00

Class width = 2.00
The last class contains
all values ≥ 50.00

Angostura: Vein# 237 HG - Ag (g/t)



Angostura: Vein# 240 HG - Ag (g/t)



N	8
m	17.39
σ^2	557.82
σ/m	1.36
min	0.10
$q_{0.25}$	0.10
$q_{0.50}$	7.55
$q_{0.75}$	12.80
max	70.60

Class width = 2.00
The last class contains all values ≥ 50.00

Angostura: Vein# 240 HG - Ag (g/t)




Angostura: Vein# 241 HG - Ag (g/t)
50.0
50.0
30
25
20
15
10
5
0
Frequency (Percent)
0.00
13.00
26.00
39.00
52.00
Ag (g/t)
N 2
m 18.50
σ² 108.16
σ/m 0.56
min 8.10
q0.25 0.00
q0.50 18.50
q0.75 8.10
max 28.90
Class width = 2.00
The last class contains
all values ≥ 50.00


Angostura: Vein# 241 HG - Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
Ag (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 243 HG - Ag (g/t)



N	10
m	5.22
σ^2	17.27
σ/m	0.80
min	0.10
$q_{0.25}$	0.10
$q_{0.50}$	4.35
$q_{0.75}$	6.20
max	12.70

Class width = 2.00
The last class contains
all values ≥ 50.00

Angostura: Vein# 243 HG - Ag (g/t)




Angostura: Vein# 1 LG - Ag (g/t)
46.2
25
20
15
10
5
0
Frequency (Percent)
0.00
6.50
13.00
19.50
26.00
Ag (g/t)
N 673
m 3.11
σ² 80.71
σ/m 2.89
min 0.05
q0.25 0.10
q0.50 1.20
q0.75 3.00
max 163.00
Class width = 1.00
The last class contains
all values ≥ 25.00


Angostura: Vein# 1 LG - Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
Ag (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 2 LG - Ag (g/t)



N	2104
m	2.74
σ^2	49.77
σ/m	2.57
min	0.05
$q_{0.25}$	0.40
$q_{0.50}$	1.00
$q_{0.75}$	2.60
max	209.00

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 2 LG - Ag (g/t)



Angostura: Vein# 3 LG - Ag (g/t)



N	733
m	1.53
σ^2	42.81
σ/m	4.29
min	0.05
$q_{0.25}$	0.10
$q_{0.50}$	0.60
$q_{0.75}$	1.40
max	165.00

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 3 LG - Ag (g/t)




Angostura: Vein# 4 LG - Ag (g/t)
41.2
25
20
15
10
5
0
Frequency (Percent)
0.00
6.50
13.00
19.50
26.00
Ag (g/t)
N 391
m 3.44
σ² 57.00
σ/m 2.19
min 0.05
q0.25 0.10
q0.50 1.30
q0.75 3.40
max 86.10
Class width = 1.00
The last class contains
all values ≥ 25.00


Angostura: Vein# 4 LG - Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
Ag (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 5 LG - Ag (g/t)
52.9
25
20
15
10
5
0
Frequency (Percent)
0.00
6.50
13.00
19.50
26.00
Ag (g/t)
N 805
m 2.13
σ² 16.53
σ/m 1.91
min 0.05
q0.25 0.10
q0.50 0.90
q0.75 2.40
max 36.90
Class width = 1.00
The last class contains
all values ≥ 25.00


Angostura: Vein# 5 LG - Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
Ag (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 6 LG - Ag (g/t)
56.2
25
20
15
10
5
0
Frequency (Percent)
0.00
6.50
13.00
19.50
26.00
Ag (g/t)
N 210
m 1.76
σ² 9.15
σ/m 1.72
min 0.05
q0.25 0.10
q0.50 0.80
q0.75 2.10
max 28.40
Class width = 1.00
The last class contains
all values ≥ 25.00


Angostura: Vein# 6 LG - Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
Ag (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 7 LG - Ag (g/t)



N	409
m	1.68
σ^2	16.34
σ/m	2.40
min	0.05
$q_{0.25}$	0.10
$q_{0.50}$	0.70
$q_{0.75}$	1.70
max	64.60

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 7 LG - Ag (g/t)



Angostura: Vein# 8 LG - Ag (g/t)



N	184
m	3.02
σ^2	21.46
σ/m	1.53
min	0.10
$q_{0.25}$	0.80
$q_{0.50}$	1.40
$q_{0.75}$	3.40
max	37.30

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 8 LG - Ag (g/t)



Angostura: Vein# 9 LG - Ag (g/t)



N	473
m	2.70
σ^2	83.14
σ/m	3.38
min	0.05
$q_{0.25}$	0.10
$q_{0.50}$	0.90
$q_{0.75}$	2.20
max	155.00

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 9 LG - Ag (g/t)



Angostura: Vein# 10 LG - Ag (g/t)



N	441
m	2.25
σ^2	28.11
σ/m	2.35
min	0.05
$q_{0.25}$	0.10
$q_{0.50}$	0.80
$q_{0.75}$	2.40
max	67.10

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 10 LG - Ag (g/t)



Angostura: Vein# 11 LG - Ag (g/t)



N	127
m	3.29
σ^2	24.53
σ/m	1.51
min	0.10
$q_{0.25}$	0.50
$q_{0.50}$	1.70
$q_{0.75}$	4.20
max	46.20

Class width = 1.00
The last class contains all values ≥ 25.00

Angostura: Vein# 11 LG - Ag (g/t)



Angostura: Vein# 12 LG - Ag (g/t)



N	129
m	4.01
σ^2	105.98
σ/m	2.57
min	0.05
$q_{0.25}$	0.10
$q_{0.50}$	1.30
$q_{0.75}$	3.50
max	78.60

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 12 LG - Ag (g/t)




Angostura: Vein# 13 LG - Ag (g/t)
50.8
29.2
25
20
15
10
5
0
Frequency (Percent)
0.00
6.50
13.00
19.50
26.00
Ag (g/t)
N 65
m 1.27
σ² 1.72
σ/m 1.04
min 0.10
q0.25 0.10
q0.50 0.90
q0.75 1.50
max 6.40
Class width = 1.00
The last class contains
all values ≥ 25.00


Angostura: Vein# 13 LG - Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
Ag (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 14 LG - Ag (g/t)



N	207
m	14.14
σ^2	10980.58
σ/m	7.41
min	0.10
$q_{0.25}$	0.10
$q_{0.50}$	0.90
$q_{0.75}$	2.70
max	1065.00

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 14 LG - Ag (g/t)




Angostura: Vein# 16 LG - Ag (g/t)
35.3
41.2
25
20
15
10
5
0
Frequency (Percent)
0.00
6.50
13.00
19.50
26.00
Ag (g/t)
N 17
m 2.37
σ² 20.73
σ/m 1.92
min 0.10
q0.25 0.10
q0.50 1.50
q0.75 1.70
max 20.10
Class width = 1.00
The last class contains
all values ≥ 25.00


Angostura: Vein# 16 LG - Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
Ag (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 17 LG - Ag (g/t)



N	645
m	1.72
σ^2	12.10
σ/m	2.02
min	0.05
$q_{0.25}$	0.10
$q_{0.50}$	0.60
$q_{0.75}$	1.90
max	38.80

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 17 LG - Ag (g/t)




Angostura: Vein# 18 LG - Ag (g/t)
73.2
25
20
15
10
5
0
Frequency (Percent)
0.00
6.50
13.00
19.50
26.00
Ag (g/t)
N 809
m 1.26
σ² 15.23
σ/m 3.09
min 0.05
q0.25 0.10
q0.50 0.40
q0.75 1.00
max 65.00
Class width = 1.00
The last class contains
all values ≥ 25.00


Angostura: Vein# 18 LG - Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
Ag (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 19 LG - Ag (g/t)



N	221
m	2.08
σ^2	47.75
σ/m	3.32
min	0.05
$q_{0.25}$	0.10
$q_{0.50}$	0.60
$q_{0.75}$	1.50
max	80.20

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 19 LG - Ag (g/t)




Angostura: Vein# 20 LG - Ag (g/t)
74.0
25
20
15
10
5
0
Frequency (Percent)
0.00
6.50
13.00
19.50
26.00
Ag (g/t)
N 622
m 1.83
σ² 70.30
σ/m 4.57
min 0.10
q0.25 0.10
q0.50 0.30
q0.75 1.00
max 173.00
Class width = 1.00
The last class contains
all values ≥ 25.00


Angostura: Vein# 20 LG - Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
Ag (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 26 LG - Ag (g/t)



N	137
m	1.90
σ^2	19.15
σ/m	2.31
min	0.10
$q_{0.25}$	0.10
$q_{0.50}$	0.60
$q_{0.75}$	1.80
max	38.80

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 26 LG - Ag (g/t)



Angostura: Vein# 33 LG - Ag (g/t)



N	574
m	2.01
σ^2	28.23
σ/m	2.65
min	0.05
$q_{0.25}$	0.10
$q_{0.50}$	0.80
$q_{0.75}$	1.90
max	77.40

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 33 LG - Ag (g/t)



Angostura: Vein# 47 LG - Ag (g/t)



N	1028
m	2.89
σ^2	41.31
σ/m	2.22
min	0.10
$q_{0.25}$	0.60
$q_{0.50}$	1.30
$q_{0.75}$	2.90
max	128.00

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 47 LG - Ag (g/t)




Angostura: Vein# 50 LG - Ag (g/t)
49.5
27.0
25
20
15
10
5
0
Frequency (Percent)
0.00
6.50
13.00
19.50
26.00
Ag (g/t)
N 204
m 1.95
σ² 37.91
σ/m 3.15
min 0.05
q0.25 0.50
q0.50 1.00
q0.75 1.80
max 85.00
Class width = 1.00
The last class contains
all values ≥ 25.00


Angostura: Vein# 50 LG - Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
Ag (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 51 LG - Ag (g/t)
37.8
25
20
15
10
5
0
Frequency (Percent)
0.00
6.50
13.00
19.50
26.00
Ag (g/t)
N 2640
m 3.70
σ² 175.21
σ/m 3.58
min 0.10
q0.25 0.60
q0.50 1.40
q0.75 3.10
max 438.00
Class width = 1.00
The last class contains
all values ≥ 25.00


Angostura: Vein# 51 LG - Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
Ag (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 52 LG - Ag (g/t)



N	2943
m	2.10
σ^2	31.98
σ/m	2.69
min	0.05
$q_{0.25}$	0.10
$q_{0.50}$	0.70
$q_{0.75}$	1.50
max	73.50

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 52 LG - Ag (g/t)



Angostura: Vein# 53 LG - Ag (g/t)



N	1137
m	3.04
σ^2	25.37
σ/m	1.66
min	0.10
$q_{0.25}$	0.50
$q_{0.50}$	1.20
$q_{0.75}$	3.40
max	62.20

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 53 LG - Ag (g/t)



Angostura: Vein# 54 LG - Ag (g/t)



N	947
m	2.84
σ^2	28.37
σ/m	1.88
min	0.10
$q_{0.25}$	0.60
$q_{0.50}$	1.50
$q_{0.75}$	3.20
max	84.40

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 54 LG - Ag (g/t)




Angostura: Vein# 56 LG - Ag (g/t)
44.1
25
20
15
10
5
0
Frequency (Percent)
0.00
6.50
13.00
19.50
26.00
Ag (g/t)
N 2186
m 2.88
σ² 66.92
σ/m 2.84
min 0.09
q0.25 0.50
q0.50 1.10
q0.75 2.80
max 261.00
Class width = 1.00
The last class contains
all values ≥ 25.00


Angostura: Vein# 56 LG - Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
Ag (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 65 LG - Ag (g/t)



N	734
m	2.25
σ^2	113.06
σ/m	4.72
min	0.10
$q_{0.25}$	0.10
$q_{0.50}$	0.70
$q_{0.75}$	1.60
max	261.00

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 65 LG - Ag (g/t)




Angostura: Vein# 66 LG - Ag (g/t)
51.3
25
20
15
10
5
0
Frequency (Percent)
0.00
6.50
13.00
19.50
26.00
Ag (g/t)
N 973
m 2.13
σ² 25.01
σ/m 2.35
min 0.05
q0.25 0.20
q0.50 0.90
q0.75 2.00
max 73.90
Class width = 1.00
The last class contains
all values ≥ 25.00


Angostura: Vein# 66 LG - Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
Ag (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 68 LG - Ag (g/t)
68.3
25
20
15
10
5
0
Frequency (Percent)
0.00
6.50
13.00
19.50
26.00
Ag (g/t)
N 772
m 1.21
σ² 7.42
σ/m 2.25
min 0.05
q0.25 0.10
q0.50 0.50
q0.75 1.20
max 41.20
Class width = 1.00
The last class contains
all values ≥ 25.00


Angostura: Vein# 68 LG - Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
Ag (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 69 LG - Ag (g/t)
36.2
27.0
25
20
15
10
5
0
Frequency (Percent)
0.00
6.50
13.00
19.50
26.00
Ag (g/t)
N 1669
m 3.05
σ² 55.90
σ/m 2.45
min 0.10
q0.25 0.69
q0.50 1.30
q0.75 2.90
max 200.00
Class width = 1.00
The last class contains
all values ≥ 25.00


Angostura: Vein# 69 LG - Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
Ag (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 70 LG - Ag (g/t)
29.9
34.3
25
20
15
10
5
0
Frequency (Percent)
0.00
6.50
13.00
19.50
26.00
Ag (g/t)
N 391
m 2.76
σ² 21.49
σ/m 1.68
min 0.10
q0.25 0.80
q0.50 1.40
q0.75 2.60
max 48.00
Class width = 1.00
The last class contains
all values ≥ 25.00


Angostura: Vein# 70 LG - Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
Ag (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 71 LG - Ag (g/t)



N	701
m	1.81
σ^2	13.78
σ/m	2.05
min	0.05
$q_{0.25}$	0.10
$q_{0.50}$	0.80
$q_{0.75}$	1.90
max	38.80

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 71 LG - Ag (g/t)




Angostura: Vein# 74 LG - Ag (g/t)
41.8
26.2
25
20
15
10
5
0
Frequency (Percent)
0.00
6.50
13.00
19.50
26.00
Ag (g/t)
N 1084
m 2.33
σ² 18.96
σ/m 1.87
min 0.10
q0.25 0.50
q0.50 1.20
q0.75 2.40
max 76.80
Class width = 1.00
The last class contains
all values ≥ 25.00


Angostura: Vein# 74 LG - Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
Ag (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 77 LG - Ag (g/t)



N	1148
m	2.94
σ^2	36.59
σ/m	2.05
min	0.05
$q_{0.25}$	0.60
$q_{0.50}$	1.40
$q_{0.75}$	2.90
max	78.90

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 77 LG - Ag (g/t)



Angostura: Vein# 78 LG - Ag (g/t)



N	1732
m	2.60
σ^2	43.03
σ/m	2.52
min	0.05
$q_{0.25}$	0.50
$q_{0.50}$	1.20
$q_{0.75}$	2.60
max	188.00

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 78 LG - Ag (g/t)



Angostura: Vein# 80 LG - Ag (g/t)



N	784
m	2.69
σ^2	19.12
σ/m	1.63
min	0.10
$q_{0.25}$	0.60
$q_{0.50}$	1.20
$q_{0.75}$	2.70
max	37.50

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 80 LG - Ag (g/t)



Angostura: Vein# 82 LG - Ag (g/t)



N	556
m	1.92
σ^2	45.67
σ/m	3.52
min	0.05
$q_{0.25}$	0.10
$q_{0.50}$	0.70
$q_{0.75}$	1.50
max	108.00

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 82 LG - Ag (g/t)



Angostura: Vein# 84 LG - Ag (g/t)



N	226
m	2.87
σ^2	59.74
σ/m	2.69
min	0.10
$q_{0.25}$	0.10
$q_{0.50}$	1.00
$q_{0.75}$	2.70
max	76.40

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 84 LG - Ag (g/t)




Angostura: Vein# 85 LG - Ag (g/t)
32.4
26.4
25
20
15
10
5
0
Frequency (Percent)
0.00
6.50
13.00
19.50
26.00
Ag (g/t)
N 941
m 3.66
σ² 94.84
σ/m 2.66
min 0.10
q0.25 0.70
q0.50 1.50
q0.75 3.00
max 150.80
Class width = 1.00
The last class contains
all values ≥ 25.00


Angostura: Vein# 85 LG - Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
Ag (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 87 LG - Ag (g/t)



N	54
m	3.67
σ^2	82.61
σ/m	2.48
min	0.10
$q_{0.25}$	0.10
$q_{0.50}$	0.90
$q_{0.75}$	2.70
max	60.90

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 87 LG - Ag (g/t)




Angostura: Vein# 88 LG - Ag (g/t)
62.3
25
20
15
10
5
0
Frequency (Percent)
0.00
6.50
13.00
19.50
26.00
Ag (g/t)
N 430
m 1.41
σ² 15.33
σ/m 2.78
min 0.10
q0.25 0.10
q0.50 0.60
q0.75 1.60
max 60.00
Class width = 1.00
The last class contains
all values ≥ 25.00


Angostura: Vein# 88 LG - Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
Ag (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 89 LG - Ag (g/t)



N	1404
m	4.06
σ^2	73.11
σ/m	2.11
min	0.05
$q_{0.25}$	1.00
$q_{0.50}$	2.00
$q_{0.75}$	3.90
max	153.00

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 89 LG - Ag (g/t)



Angostura: Vein# 91 LG - Ag (g/t)



N	1076
m	4.37
σ^2	79.01
σ/m	2.03
min	0.05
$q_{0.25}$	0.90
$q_{0.50}$	1.90
$q_{0.75}$	4.20
max	130.80

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 91 LG - Ag (g/t)



Angostura: Vein# 93 LG - Ag (g/t)



N	1656
m	3.64
σ^2	82.74
σ/m	2.50
min	0.05
$q_{0.25}$	0.60
$q_{0.50}$	1.30
$q_{0.75}$	3.00
max	131.00

Class width = 1.00
The last class contains all values ≥ 25.00

Angostura: Vein# 93 LG - Ag (g/t)




Angostura: Vein# 94 LG - Ag (g/t)
38.7
25.1
Frequency (Percent)
25
20
15
10
5
0
0.00
6.50
13.00
19.50
26.00
Ag (g/t)
N 2273
m 3.68
σ² 99.57
σ/m 2.71
min 0.10
q0.25 0.60
q0.50 1.30
q0.75 3.00
max 274.40
Class width = 1.00
The last class contains
all values ≥ 25.00


Angostura: Vein# 94 LG - Ag (g/t)
Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
0.01
0.1
1
2
5
10
20
30
40
50
60
70
80
90
95
98
99
99.9
99.99
Cumulative Probability (percent)

Angostura: Vein# 97 LG - Ag (g/t)



N	328
m	1.55
σ^2	7.00
σ/m	1.71
min	0.05
$q_{0.25}$	0.10
$q_{0.50}$	0.70
$q_{0.75}$	1.60
max	23.40

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 97 LG - Ag (g/t)




Angostura: Vein# 98 LG - Ag (g/t)
49.3
25
20
15
10
5
0
Frequency (Percent)
0.00
6.50
13.00
19.50
26.00
Ag (g/t)
N 339
m 1.79
σ² 6.68
σ/m 1.45
min 0.10
q0.25 0.10
q0.50 1.00
q0.75 2.20
max 18.20
Class width = 1.00
The last class contains
all values ≥ 25.00


Angostura: Vein# 98 LG - Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
Ag (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 99 LG - Ag (g/t)



N	283
m	2.30
σ^2	20.64
σ/m	1.98
min	0.05
$q_{0.25}$	0.10
$q_{0.50}$	1.00
$q_{0.75}$	2.30
max	46.70

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 99 LG - Ag (g/t)



Angostura: Vein# 103 LG - Ag (g/t)



N	1455
m	3.51
σ^2	46.16
σ/m	1.94
min	0.05
$q_{0.25}$	0.60
$q_{0.50}$	1.30
$q_{0.75}$	3.20
max	75.50

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 103 LG - Ag (g/t)



Angostura: Vein# 104 LG - Ag (g/t)



N	950
m	2.39
σ^2	17.50
σ/m	1.75
min	0.10
$q_{0.25}$	0.50
$q_{0.50}$	1.20
$q_{0.75}$	2.50
max	43.00

Class width = 1.00
The last class contains all values ≥ 25.00

Angostura: Vein# 104 LG - Ag (g/t)




Angostura: Vein# 105 LG - Ag (g/t)
64.4
25
20
15
10
5
0
Frequency (Percent)
0.00
6.50
13.00
19.50
26.00
Ag (g/t)
N 348
m 1.36
σ² 5.96
σ/m 1.80
min 0.10
q0.25 0.10
q0.50 0.70
q0.75 1.30
max 19.90
Class width = 1.00
The last class contains
all values ≥ 25.00


Angostura: Vein# 105 LG - Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
Ag (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 106 LG - Ag (g/t)



N	206
m	2.55
σ^2	30.99
σ/m	2.18
min	0.10
$q_{0.25}$	0.20
$q_{0.50}$	0.80
$q_{0.75}$	1.70
max	41.70

Class width = 1.00
The last class contains all values ≥ 25.00

Angostura: Vein# 106 LG - Ag (g/t)




Angostura: Vein# 107 LG - Ag (g/t)
61.5
25
20
15
10
5
0
Frequency (Percent)
0.00
6.50
13.00
19.50
26.00
Ag (g/t)
N 252
m 1.42
σ² 7.50
σ/m 1.93
min 0.10
q0.25 0.50
q0.50 0.80
q0.75 1.40
max 34.40
Class width = 1.00
The last class contains
all values ≥ 25.00


Angostura: Vein# 107 LG - Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
Ag (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 114 LG - Ag (g/t)



N	1794
m	2.82
σ^2	60.91
σ/m	2.77
min	0.05
$q_{0.25}$	0.40
$q_{0.50}$	0.80
$q_{0.75}$	2.10
max	134.00

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 114 LG - Ag (g/t)



Angostura: Vein# 119 LG - Ag (g/t)



N	1698
m	4.21
σ^2	2255.83
σ/m	11.27
min	0.10
$q_{0.25}$	0.20
$q_{0.50}$	0.90
$q_{0.75}$	2.20
max	1905.00

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 119 LG - Ag (g/t)



Angostura: Vein# 120 LG - Ag (g/t)



N	407
m	2.78
σ^2	46.73
σ/m	2.46
min	0.10
$q_{0.25}$	0.20
$q_{0.50}$	0.60
$q_{0.75}$	2.00
max	79.40

Class width = 1.00
The last class contains all values ≥ 25.00

Angostura: Vein# 120 LG - Ag (g/t)



Angostura: Vein# 122 LG - Ag (g/t)



N	605
m	2.99
σ^2	49.56
σ/m	2.35
min	0.10
$q_{0.25}$	0.10
$q_{0.50}$	0.80
$q_{0.75}$	2.20
max	72.60

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 122 LG - Ag (g/t)



Angostura: Vein# 123 LG - Ag (g/t)



N	977
m	2.47
σ^2	39.92
σ/m	2.56
min	0.10
$q_{0.25}$	0.10
$q_{0.50}$	0.70
$q_{0.75}$	2.00
max	108.00

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 123 LG - Ag (g/t)




Angostura: Vein# 130 LG - Ag (g/t)
34.8
25
20
15
10
5
0
Frequency (Percent)
0.00
6.50
13.00
19.50
26.00
Ag (g/t)
N 2436
m 5.66
σ² 149.02
σ/m 2.16
min 0.10
q0.25 0.60
q0.50 1.60
q0.75 4.60
max 222.00
Class width = 1.00
The last class contains
all values ≥ 25.00


Angostura: Vein# 130 LG - Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
Ag (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 132 LG - Ag (g/t)
44.5
25
20
15
10
5
0
Frequency (Percent)
0.00
6.50
13.00
19.50
26.00
Ag (g/t)
N 1913
m 4.71
σ² 158.17
σ/m 2.67
min 0.05
q0.25 0.50
q0.50 1.20
q0.75 3.00
max 215.00
Class width = 1.00
The last class contains
all values ≥ 25.00


Angostura: Vein# 132 LG - Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
Ag (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 135 LG - Ag (g/t)
39.1
25
20
15
10
5
0
Frequency (Percent)
0.00
6.50
13.00
19.50
26.00
Ag (g/t)
N 2325
m 4.93
σ² 188.77
σ/m 2.79
min 0.10
q0.25 0.60
q0.50 1.30
q0.75 3.40
max 205.80
Class width = 1.00
The last class contains
all values ≥ 25.00


Angostura: Vein# 135 LG - Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
Ag (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 143 LG - Ag (g/t)



N	1510
m	2.68
σ^2	64.77
σ/m	3.00
min	0.10
$q_{0.25}$	0.40
$q_{0.50}$	0.90
$q_{0.75}$	2.20
max	198.90

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 143 LG - Ag (g/t)




Angostura: Vein# 144 LG - Ag (g/t)
38.0
25
20
15
10
5
0
Frequency (Percent)
0.00
6.50
13.00
19.50
26.00
Ag (g/t)
N 1193
m 4.51
σ² 99.78
σ/m 2.22
min 0.10
q0.25 0.60
q0.50 1.40
q0.75 3.60
max 106.00
Class width = 1.00
The last class contains
all values ≥ 25.00


Angostura: Vein# 144 LG - Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
Ag (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 145 LG - Ag (g/t)
50.0
26.7
25
20
15
10
5
0
Frequency (Percent)
0.00
6.50
13.00
19.50
26.00
Ag (g/t)
N 60
m 1.35
σ² 1.80
σ/m 0.99
min 0.10
q0.25 0.10
q0.50 0.95
q0.75 1.80
max 6.20
Class width = 1.00
The last class contains
all values ≥ 25.00


Angostura: Vein# 145 LG - Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
Ag (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 180 LG - Ag (g/t)
31.6
25
20
15
10
5
0
Frequency (Percent)
0.00
6.50
13.00
19.50
26.00
Ag (g/t)
N 4498
m 8.03
σ² 692.85
σ/m 3.28
min 0.10
q0.25 0.69
q0.50 2.20
q0.75 6.30
max 612.00
Class width = 1.00
The last class contains
all values ≥ 25.00


Angostura: Vein# 180 LG - Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
Ag (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 181 LG - Ag (g/t)



N	1221
m	5.42
σ^2	368.10
σ/m	3.54
min	0.10
$q_{0.25}$	0.10
$q_{0.50}$	1.30
$q_{0.75}$	4.30
max	326.00

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 181 LG - Ag (g/t)



Angostura: Vein# 182 LG - Ag (g/t)



N	173
m	2.82
σ^2	21.53
σ/m	1.65
min	0.10
$q_{0.25}$	0.50
$q_{0.50}$	1.40
$q_{0.75}$	3.20
max	41.80

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 182 LG - Ag (g/t)




Angostura: Vein# 183 LG - Ag (g/t)
27.0
25
20
15
10
5
0
Frequency (Percent)
0.00
6.50
13.00
19.50
26.00
Ag (g/t)
N 89
m 10.13
σ² 2185.32
σ/m 4.61
min 0.10
q0.25 0.60
q0.50 2.40
q0.75 5.70
max 442.00
Class width = 1.00
The last class contains
all values ≥ 25.00


Angostura: Vein# 183 LG - Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
Ag (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 184 - Ag (g/t)



N	66
m	10.52
σ^2	834.10
σ/m	2.75
min	0.10
$q_{0.25}$	0.10
$q_{0.50}$	1.75
$q_{0.75}$	8.20
max	218.00

Class width = 1.00
The last class contains all values ≥ 25.00

Angostura: Vein# 184 - Ag (g/t)




Angostura: Vein# 185 LG - Ag (g/t)
29.6
25
20
15
10
5
0
Frequency (Percent)
0.00
6.50
13.00
19.50
26.00
Ag (g/t)
N 460
m 5.60
σ² 144.25
σ/m 2.14
min 0.10
q0.25 0.80
q0.50 1.90
q0.75 4.40
max 134.00
Class width = 1.00
The last class contains
all values ≥ 25.00


Angostura: Vein# 185 LG - Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
Ag (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 201 LG - Ag (g/t)
54.4
27.8
25
20
15
10
5
0
Frequency (Percent)
0.00
6.50
13.00
19.50
26.00
Ag (g/t)
N 90
m 3.01
σ² 117.12
σ/m 3.60
min 0.10
q0.25 0.10
q0.50 0.80
q0.75 1.40
max 82.90
Class width = 1.00
The last class contains
all values ≥ 25.00


Angostura: Vein# 201 LG - Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
Ag (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 202 LG - Ag (g/t)



N	798
m	3.14
σ^2	282.98
σ/m	5.36
min	0.10
$q_{0.25}$	0.20
$q_{0.50}$	0.80
$q_{0.75}$	2.00
max	368.00

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 202 LG - Ag (g/t)



Angostura: Vein# 203 LG - Ag (g/t)



N	437
m	1.67
σ^2	9.80
σ/m	1.87
min	0.10
$q_{0.25}$	0.10
$q_{0.50}$	0.70
$q_{0.75}$	1.40
max	23.90

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 203 LG - Ag (g/t)



Angostura: Vein# 204 LG - Ag (g/t)



N	555
m	3.32
σ^2	48.70
σ/m	2.10
min	0.10
$q_{0.25}$	0.50
$q_{0.50}$	1.10
$q_{0.75}$	2.60
max	71.20

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 204 LG - Ag (g/t)



Angostura: Vein# 205 LG - Ag (g/t)



N	419
m	2.87
σ^2	18.27
σ/m	1.49
min	0.10
$q_{0.25}$	0.70
$q_{0.50}$	1.50
$q_{0.75}$	3.40
max	41.40

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 205 LG - Ag (g/t)




Angostura: Vein# 206 LG - Ag (g/t)
32.0
25
20
15
10
5
0
Frequency (Percent)
0.00
6.50
13.00
19.50
26.00
Ag (g/t)
N 1414
m 3.73
σ² 75.32
σ/m 2.33
min 0.10
q0.25 0.80
q0.50 1.60
q0.75 3.60
max 168.00
Class width = 1.00
The last class contains
all values ≥ 25.00


Angostura: Vein# 206 LG - Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
Ag (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 207 LG - Ag (g/t)



N	323
m	1.74
σ^2	20.23
σ/m	2.59
min	0.10
$q_{0.25}$	0.10
$q_{0.50}$	0.70
$q_{0.75}$	1.60
max	65.30

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 207 LG - Ag (g/t)




Angostura: Vein# 208 LG - Ag (g/t)
55.1
25
20
15
10
5
0
Frequency (Percent)
0.00
6.50
13.00
19.50
26.00
Ag (g/t)
N 267
m 2.05
σ² 18.76
σ/m 2.11
min 0.10
q0.25 0.10
q0.50 0.80
q0.75 1.80
max 28.90
Class width = 1.00
The last class contains
all values ≥ 25.00


Angostura: Vein# 208 LG - Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
Ag (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 209 LG - Ag (g/t)
32.5
28.4
25
20
15
10
5
0
Frequency (Percent)
0.00
6.50
13.00
19.50
26.00
Ag (g/t)
N 268
m 2.95
σ² 20.84
σ/m 1.55
min 0.10
q0.25 0.80
q0.50 1.60
q0.75 2.80
max 29.60
Class width = 1.00
The last class contains
all values ≥ 25.00


Angostura: Vein# 209 LG - Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
Ag (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 210 LG - Ag (g/t)



N	91
m	1.88
σ^2	10.86
σ/m	1.75
min	0.10
$q_{0.25}$	0.10
$q_{0.50}$	0.80
$q_{0.75}$	1.60
max	19.00

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 210 LG - Ag (g/t)




Angostura: Vein# 211 LG - Ag (g/t)
47.2
28.3
25
20
15
10
5
0
Frequency (Percent)
0.00
6.50
13.00
19.50
26.00
Ag (g/t)
N 106
m 2.09
σ² 9.07
σ/m 1.44
min 0.10
q0.25 0.70
q0.50 1.00
q0.75 1.90
max 24.10
Class width = 1.00
The last class contains
all values ≥ 25.00


Angostura: Vein# 211 LG - Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
Ag (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 212 LG - Ag (g/t)
47.8
39.1
25
20
15
10
5
0
Frequency (Percent)
0.00
6.50
13.00
19.50
26.00
Ag (g/t)
N 69
m 1.40
σ² 2.71
σ/m 1.18
min 0.10
q0.25 0.60
q0.50 1.00
q0.75 1.40
max 11.90
Class width = 1.00
The last class contains
all values ≥ 25.00


Angostura: Vein# 212 LG - Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
Ag (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 213 LG - Ag (g/t)



N	64
m	1.51
σ^2	2.68
σ/m	1.09
min	0.10
$q_{0.25}$	0.40
$q_{0.50}$	0.60
$q_{0.75}$	2.10
max	8.20

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 213 LG - Ag (g/t)




Angostura: Vein# 214 LG - Ag (g/t)
43.3
25
20
15
10
5
0
Frequency (Percent)
0.00
6.50
13.00
19.50
26.00
Ag (g/t)
N 982
m 3.54
σ² 323.50
σ/m 5.09
min 0.10
q0.25 0.50
q0.50 1.20
q0.75 2.60
max 394.50
Class width = 1.00
The last class contains
all values ≥ 25.00


Angostura: Vein# 214 LG - Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
Ag (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 215 LG - Ag (g/t)
49.0
30.5
25
20
15
10
5
0
Frequency (Percent)
0.00
6.50
13.00
19.50
26.00
Ag (g/t)
N 210
m 1.66
σ² 10.09
σ/m 1.91
min 0.10
q0.25 0.60
q0.50 1.00
q0.75 1.70
max 39.40
Class width = 1.00
The last class contains
all values ≥ 25.00


Angostura: Vein# 215 LG - Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
Ag (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 216 LG - Ag (g/t)



N	111
m	1.66
σ^2	6.06
σ/m	1.48
min	0.10
$q_{0.25}$	0.60
$q_{0.50}$	1.00
$q_{0.75}$	1.50
max	16.90

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 216 LG - Ag (g/t)




Angostura: Vein# 217 LG - Ag (g/t)
59.0
27.5
25
20
15
10
5
0
Frequency (Percent)
0.00
6.50
13.00
19.50
26.00
Ag (g/t)
N 229
m 2.21
σ² 168.63
σ/m 5.88
min 0.10
q0.25 0.40
q0.50 0.80
q0.75 1.20
max 186.00
Class width = 1.00
The last class contains
all values ≥ 25.00


Angostura: Vein# 217 LG - Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
Ag (g/t)
0.01
0.1
1
2
5
10
20
30
40
50
60
70
80
90
95
98
99
99.9
99.99
Cumulative Probability (percent)


Angostura: Vein# 218 LG - Ag (g/t)
54.6
25
20
15
10
5
0
Frequency (Percent)
0.00
6.50
13.00
19.50
26.00
Ag (g/t)
N 174
m 3.73
σ² 309.18
σ/m 4.71
min 0.10
q0.25 0.40
q0.50 0.80
q0.75 2.10
max 224.80
Class width = 1.00
The last class contains
all values ≥ 25.00


Angostura: Vein# 218 LG - Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
Ag (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 220 LG - Ag (g/t)



N	984
m	3.41
σ^2	36.87
σ/m	1.78
min	0.10
$q_{0.25}$	0.70
$q_{0.50}$	1.60
$q_{0.75}$	3.60
max	68.60

Class width = 1.00
The last class contains all values ≥ 25.00

Angostura: Vein# 220 LG - Ag (g/t)




Angostura: Vein# 222 LG - Ag (g/t)
39.1
25
20
15
10
5
0
Frequency (Percent)
0.00
6.50
13.00
19.50
26.00
Ag (g/t)
N 478
m 4.95
σ² 121.56
σ/m 2.23
min 0.10
q0.25 0.60
q0.50 1.30
q0.75 3.40
max 100.00
Class width = 1.00
The last class contains
all values ≥ 25.00


Angostura: Vein# 222 LG - Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
Ag (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 223 LG - Ag (g/t)
30.0
25
20
15
10
5
0
Frequency (Percent)
0.00
6.50
13.00
19.50
26.00
Ag (g/t)
N 576
m 5.12
σ² 110.06
σ/m 2.05
min 0.10
q0.25 0.80
q0.50 1.75
q0.75 4.60
max 107.00
Class width = 1.00
The last class contains
all values ≥ 25.00


Angostura: Vein# 223 LG - Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
Ag (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 224 LG - Ag (g/t)
41.3
25.7
25
20
15
10
5
0
Frequency (Percent)
0.00
6.50
13.00
19.50
26.00
Ag (g/t)
N 230
m 4.58
σ² 119.56
σ/m 2.39
min 0.10
q0.25 0.60
q0.50 1.20
q0.75 2.90
max 89.60
Class width = 1.00
The last class contains
all values ≥ 25.00


Angostura: Vein# 224 LG - Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
Ag (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 230 LG - Ag (g/t)



N	1081
m	3.17
σ^2	144.01
σ/m	3.79
min	0.05
$q_{0.25}$	0.30
$q_{0.50}$	1.00
$q_{0.75}$	2.30
max	215.00

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 230 LG - Ag (g/t)




Angostura: Vein# 231 LG - Ag (g/t)
61.2
25
20
15
10
5
0
Frequency (Percent)
0.00
6.50
13.00
19.50
26.00
Ag (g/t)
N 800
m 1.55
σ² 16.91
σ/m 2.66
min 0.10
q0.25 0.10
q0.50 0.70
q0.75 1.50
max 66.30
Class width = 1.00
The last class contains
all values ≥ 25.00


Angostura: Vein# 231 LG - Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
Ag (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 232 LG - Ag (g/t)



N	679
m	2.76
σ^2	48.10
σ/m	2.52
min	0.10
$q_{0.25}$	0.50
$q_{0.50}$	1.20
$q_{0.75}$	2.60
max	138.00

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 232 LG - Ag (g/t)



Angostura: Vein# 233 LG - Ag (g/t)



N	847
m	3.00
σ^2	41.40
σ/m	2.14
min	0.10
$q_{0.25}$	0.50
$q_{0.50}$	1.20
$q_{0.75}$	2.70
max	83.20

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 233 LG - Ag (g/t)




Angostura: Vein# 234 LG - Ag (g/t)
35.8
25
20
15
10
5
0
Frequency (Percent)
0.00
6.50
13.00
19.50
26.00
Ag (g/t)
N 371
m 5.08
σ² 194.53
σ/m 2.74
min 0.10
q0.25 0.60
q0.50 1.60
q0.75 3.90
max 197.00
Class width = 1.00
The last class contains
all values ≥ 25.00


Angostura: Vein# 234 LG - Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
Ag (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 236 LG - Ag (g/t)
36.3
25
20
15
10
5
0
Frequency (Percent)
0.00
6.50
13.00
19.50
26.00
Ag (g/t)
N 262
m 5.61
σ² 143.08
σ/m 2.13
min 0.10
q0.25 0.60
q0.50 1.80
q0.75 4.90
max 117.00
Class width = 1.00
The last class contains
all values ≥ 25.00


Angostura: Vein# 236 LG - Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
Ag (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)


Angostura: Vein# 237 LG - Ag (g/t)
29.5
25
20
15
10
5
0
Frequency (Percent)
0.00
6.50
13.00
19.50
26.00
Ag (g/t)
N 603
m 6.53
σ² 205.17
σ/m 2.19
min 0.10
q0.25 0.80
q0.50 2.20
q0.75 6.90
max 219.00
Class width = 1.00
The last class contains
all values ≥ 25.00


Angostura: Vein# 237 LG - Ag (g/t)
10000
1000
100
10
1.0
0.10
0.010
Ag (g/t)
0.01 0.1 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.9 99.99
Cumulative Probability (percent)

Angostura: Vein# 240 LG - Ag (g/t)



N	153
m	3.44
σ^2	70.68
σ/m	2.44
min	0.10
$q_{0.25}$	0.40
$q_{0.50}$	1.10
$q_{0.75}$	2.80
max	82.20

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 240 LG - Ag (g/t)



Angostura: Vein# 241 LG - Ag (g/t)



N	88
m	1.43
σ^2	4.30
σ/m	1.45
min	0.10
$q_{0.25}$	0.40
$q_{0.50}$	0.70
$q_{0.75}$	1.40
max	12.60

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 241 LG - Ag (g/t)



Angostura: Vein# 243 LG - Ag (g/t)



N	66
m	1.13
σ^2	1.66
σ/m	1.14
min	0.05
$q_{0.25}$	0.10
$q_{0.50}$	0.70
$q_{0.75}$	1.60
max	6.60

Class width = 1.00
The last class contains
all values ≥ 25.00

Angostura: Vein# 243 LG - Ag (g/t)



APPENDIX 5

Summary Composite Statistics by Vein Domain

Summary Composite Statistics – Au (g/t) – High Grade Domains

Au (g/t) – High Grade Domain Composites									
VEIN	**Mean**	**Max**	**Q3**	**Median**	**Q1**	**Min**	**IQR**	**CV**	**Number**
1	**3.08**	**31.06**	3.91	1.58	0.70	0.02	3.21	**1.35**	145
2	**3.56**	**56.19**	3.69	1.90	0.97	0.0005	2.71	**1.59**	444
3	**3.31**	**30.30**	3.10	1.90	1.04	0.161	2.06	**1.45**	96
4	**2.36**	**23.03**	2.67	1.34	0.75	0.068	1.92	**1.47**	112
5	**3.35**	**29.40**	3.30	1.86	0.90	0.005	2.41	**1.50**	154
6	**3.13**	**20.00**	2.76	1.76	0.87	0.017	1.89	**1.45**	47
7	**1.87**	**10.50**	2.41	1.25	0.56	0.0116	1.85	**1.09**	60
8	**2.59**	**15.00**	2.12	1.21	0.89	0.054	1.24	**1.38**	34
9	**1.88**	**9.23**	2.11	1.39	0.66	0.235	1.44	**1.00**	39
10	**1.40**	**4.36**	1.85	1.18	0.62	0.032	1.23	**0.77**	52
11	**2.03**	**6.93**	2.50	1.67	1.16	0.016	1.34	**0.77**	37
12	**1.33**	**3.22**	1.69	1.13	0.77	0.2305	0.92	**0.69**	14
13	**1.41**	**2.51**	1.75	1.36	1.20	0.1183	0.55	**0.51**	10
14	**2.96**	**10.35**	3.84	2.30	1.33	0.0336	2.52	**0.85**	22
16	**2.20**	**4.18**	2.68	1.89	1.41	0.845	1.27	**0.65**	4
17	**2.46**	**13.41**	2.43	1.18	0.66	0.0113	1.77	**1.28**	47
18	**2.84**	**21.21**	2.23	1.25	0.82	0.05	1.41	**1.43**	41
19	**3.36**	**11.71**	3.26	1.99	1.06	0.074	2.20	**1.27**	6
20	**4.73**	**37.49**	4.92	2.02	1.02	0.017	3.90	**1.47**	90
26	**2.33**	**6.89**	2.41	1.80	1.17	0.458	1.24	**0.92**	7
33	**2.83**	**13.20**	3.36	1.89	0.64	0.078	2.73	**1.09**	60
47	**2.55**	**39.40**	2.90	1.61	1.03	0.057	1.87	**1.32**	235
50	**2.38**	**17.35**	2.34	1.20	0.51	0.036	1.83	**1.40**	42
51	**3.18**	**73.52**	3.46	1.69	0.80	0.0025	2.66	**1.66**	748
52	**3.22**	**28.02**	3.63	1.54	0.89	0.044	2.74	**1.34**	363
53	**1.53**	**9.47**	1.85	1.04	0.55	0.05	1.29	**1.11**	38
54	**2.56**	**26.53**	2.63	1.45	0.73	0.084	1.90	**1.39**	214
56	**2.40**	**32.95**	2.48	1.38	0.78	0.031	1.71	**1.42**	285
65	**1.96**	**15.34**	2.44	1.13	0.35	0.031	2.08	**1.45**	30
66	**4.55**	**46.70**	4.53	1.59	0.77	0.115	3.76	**1.69**	151
68	**2.27**	**10.15**	3.31	1.54	1.10	0.18	2.22	**0.91**	29
69	**2.37**	**23.04**	2.63	1.42	0.80	0.0502	1.83	**1.33**	222
70	**2.44**	**13.15**	3.19	1.70	0.82	0.066	2.37	**0.98**	78
71	**3.66**	**27.68**	4.55	1.76	0.81	0.005	3.75	**1.35**	105
74	**2.39**	**23.00**	2.72	1.50	0.82	0.059	1.90	**1.22**	172
77	**4.20**	**52.60**	3.71	1.73	0.83	0.006	2.89	**1.95**	200
78	**2.66**	**34.27**	2.68	1.43	0.82	0.12	1.86	**1.52**	237
80	**2.43**	**16.60**	2.58	1.36	0.93	0.036	1.65	**1.43**	26
82	**1.38**	**6.40**	1.80	1.17	0.56	0.115	1.24	**0.82**	44
84	**1.36**	**1.71**	1.64	1.41	1.08	0.9175	0.56	**0.25**	6
85	**2.29**	**20.00**	2.50	1.54	0.88	0.0752	1.61	**1.29**	66
87	**1.86**	**2.62**	2.24	1.86	1.48	1.1	0.76	**0.58**	2
88	**2.79**	**20.00**	3.37	1.41	0.66	0.147	2.71	**1.39**	33
89	**1.93**	**15.80**	2.35	1.23	0.76	0.137	1.59	**1.15**	187
91	**2.42**	**20.00**	2.55	1.36	0.74	0.111	1.81	**1.39**	116
93	**2.58**	**17.13**	2.64	1.69	0.88	0.12	1.76	**1.19**	210
94	**2.40**	**25.03**	2.77	1.38	0.67	0.039	2.10	**1.26**	300
97	**2.18**	**15.00**	2.48	1.44	0.75	0.03	1.73	**1.13**	60
98	**2.66**	**16.04**	3.15	1.58	0.90	0.07	2.25	**1.15**	47
99	**2.11**	**8.27**	2.40	1.27	0.92	0.065	1.48	**1.00**	24
103	**3.08**	**27.00**	2.71	1.47	0.93	0.087	1.78	**1.60**	153
104	**1.64**	**6.76**	1.90	1.27	0.74	0.03	1.16	**0.84**	48
105	**2.59**	**23.94**	2.40	1.08	0.51	0.1165	1.88	**1.79**	56
106	**1.07**	**1.78**	1.24	1.13	0.83	0.435	0.41	**0.42**	7

Au (g/t) – High Grade Domain Composites									
VEIN	**Mean**	**Max**	**Q3**	**Median**	**Q1**	**Min**	**IQR**	**CV**	**Number**
107	**2.63**	**16.32**	2.46	1.19	0.77	0.152	1.69	**1.52**	19
114	**3.58**	**47.10**	3.81	2.06	1.06	0.006	2.75	**1.34**	697
119	**1.73**	**10.00**	2.13	1.31	0.55	0.09	1.58	**1.00**	71
120	**2.34**	**7.42**	3.41	1.84	0.39	0.24	3.01	**0.98**	10
122	**1.88**	**7.86**	2.13	1.35	0.73	0.2	1.40	**0.89**	101
123	**1.87**	**8.01**	1.98	1.32	0.82	0.16	1.17	**0.93**	62
130	**2.47**	**32.27**	2.74	1.38	0.54	0.02	2.20	**1.52**	304
132	**2.21**	**24.40**	2.32	1.34	0.77	0.07	1.54	**1.29**	196
135	**2.30**	**44.20**	2.63	1.41	0.75	0.03	1.88	**1.51**	325
143	**1.92**	**12.01**	2.29	1.47	0.74	0.07	1.55	**1.02**	130
144	**2.89**	**30.94**	3.12	1.56	0.63	0.045	2.49	**1.44**	114
145	**1.78**	**8.85**	1.89	1.43	1.02	0.372	0.86	**0.90**	27
180	**2.85**	**41.84**	3.07	1.53	0.78	0.0025	2.29	**1.56**	783
181	**2.76**	**23.38**	3.06	1.58	0.86	0.045	2.21	**1.36**	136
182	**1.70**	**2.14**	2.12	2.06	1.36	0.768	0.76	**0.32**	7
183	**1.86**	**4.88**	2.16	1.47	1.21	0.3723	0.94	**0.58**	25
184	-	-	-	-	-	-	-	-	-
185	**4.67**	**56.54**	4.12	2.13	1.25	0.0195	2.86	**1.75**	291
201	**1.97**	**6.14**	2.47	1.51	1.04	0.19	1.43	**0.75**	20
202	**3.65**	**35.55**	4.14	1.49	0.86	0.08	3.28	**1.76**	31
203	**2.37**	**9.20**	3.21	1.55	0.83	0.264	2.38	**0.88**	39
204	**1.16**	**3.25**	1.42	1.23	0.42	0.13	1.01	**0.76**	12
205	**1.57**	**7.68**	1.67	1.19	0.94	0.295	0.72	**0.97**	22
206	**1.79**	**11.70**	2.11	1.32	0.82	0.15	1.29	**0.97**	223
207	**2.20**	**17.64**	2.58	1.63	0.90	0.06	1.67	**1.04**	111
208	**3.68**	**24.87**	4.14	1.61	0.98	0.25	3.17	**1.35**	44
209	**1.56**	**6.56**	1.80	0.88	0.22	0.024	1.58	**1.24**	16
210	**4.04**	**11.63**	8.72	1.18	0.43	0.1	8.29	**1.26**	10
211	**2.52**	**9.16**	2.64	2.33	1.26	0.09	1.39	**1.06**	9
212	**2.30**	**6.35**	3.84	1.39	0.92	0.214	2.92	**0.85**	14
213	**1.94**	**8.52**	2.37	1.16	0.30	0.072	2.07	**1.24**	20
214	**1.83**	**7.89**	2.44	1.35	0.54	0.1	1.90	**1.00**	42
215	**1.95**	**11.87**	2.29	1.30	0.99	0.193	1.30	**1.03**	100
216	**1.76**	**5.15**	1.90	1.09	0.86	0.413	1.04	**0.96**	8
217	**2.17**	**8.40**	2.34	1.31	0.81	0.37	1.53	**0.98**	16
218	**2.49**	**4.67**	3.06	1.45	1.40	1.34	1.67	**0.76**	3
220	**2.20**	**26.53**	2.65	1.63	1.00	0.08	1.65	**1.14**	179
222	**2.53**	**20.00**	2.64	1.12	0.64	0.12	2.00	**1.51**	43
223	**2.52**	**18.98**	3.18	1.51	0.72	0.056	2.47	**1.30**	60
224	**3.69**	**30.39**	4.03	2.39	0.41	0.025	3.62	**1.52**	38
230	**1.90**	**20.00**	1.92	1.33	0.62	0.05	1.30	**1.46**	60
231	**2.00**	**15.00**	2.39	1.34	0.69	0.04	1.71	**1.26**	79
232	**2.37**	**11.30**	2.93	1.35	0.76	0.01	2.17	**1.12**	66
233	**2.04**	**7.33**	2.93	1.42	0.65	0.08	2.27	**0.98**	28
234	**2.29**	**10.95**	2.07	1.23	0.83	0.45	1.24	**1.22**	17
236	**3.36**	**12.38**	5.04	1.92	0.90	0.074	4.13	**1.06**	22
237	**1.90**	**9.50**	2.30	1.61	0.59	0.073	1.71	**1.08**	42
240	**1.70**	**4.49**	2.58	1.17	0.53	0.03	2.04	**0.99**	7
241	**1.28**	**2.26**	1.77	1.28	0.80	0.308	0.98	**1.07**	2
243	**0.95**	**3.22**	1.27	0.39	0.25	0.005	1.02	**1.18**	7
TOTAL	**2.79**	**73.52**	**2.96**	**1.53**	**0.81**	**0.0005**	**2.15**	**1.54**	**10,743**

Summary Composite Statistics – Au (g/t) – Low Grade Domains

Au (g/t) – Low Grade Domain Composites									
VEIN	**Mean**	**Max**	**Q3**	**Median**	**Q1**	**Min**	**IQR**	**CV**	**Number**
1	**0.43**	**9.51**	0.49	0.23	0.06	0.0001	0.43	**1.85**	586
2	**0.37**	**7.53**	0.46	0.19	0.05	0.0012	0.41	**1.66**	1,755
3	**0.22**	**4.40**	0.26	0.10	0.03	0.0001	0.24	**1.61**	682
4	**0.47**	**8.34**	0.56	0.24	0.05	0.0015	0.52	**1.87**	356
5	**0.34**	**6.91**	0.43	0.14	0.02	0.0001	0.41	**1.88**	699
6	**0.36**	**2.88**	0.51	0.22	0.06	0.0001	0.45	**1.22**	182
7	**0.31**	**4.04**	0.41	0.15	0.03	0	0.38	**1.62**	375
8	**0.54**	**5.00**	0.67	0.44	0.22	0.004	0.44	**1.13**	149
9	**0.28**	**6.00**	0.33	0.13	0.01	0.0001	0.32	**1.92**	446
10	**0.37**	**5.91**	0.48	0.16	0.04	0.0001	0.44	**1.73**	415
11	**0.47**	**5.28**	0.63	0.32	0.07	0.0025	0.56	**1.37**	113
12	**0.44**	**7.24**	0.35	0.11	0.01	0.0001	0.34	**2.54**	117
13	**0.29**	**1.73**	0.39	0.18	0.08	0.0025	0.31	**1.08**	57
14	**0.35**	**5.94**	0.36	0.12	0.02	0.0025	0.33	**2.18**	178
16	**0.54**	**1.57**	0.68	0.47	0.18	0.029	0.51	**0.86**	17
17	**0.28**	**9.47**	0.36	0.12	0.03	0.0011	0.33	**2.10**	589
18	**0.20**	**5.44**	0.26	0.07	0.01	0.0001	0.25	**1.83**	552
19	**0.16**	**4.26**	0.12	0.04	0.01	0.0001	0.12	**2.47**	219
20	**0.22**	**6.00**	0.22	0.07	0.03	0	0.19	**2.23**	659
26	**0.30**	**1.97**	0.42	0.16	0.02	0.0025	0.40	**1.28**	134
33	**0.33**	**12.90**	0.38	0.16	0.05	0.0025	0.33	**2.21**	528
47	**0.57**	**16.65**	0.64	0.36	0.17	0.007	0.47	**1.77**	860
50	**0.39**	**9.16**	0.43	0.24	0.12	0.0024	0.31	**1.90**	186
51	**0.50**	**19.24**	0.56	0.30	0.13	0	0.43	**1.80**	2,269
52	**0.37**	**20.00**	0.42	0.20	0.10	0.0005	0.32	**2.07**	2,270
53	**0.37**	**4.55**	0.41	0.24	0.14	0.03	0.27	**1.31**	778
54	**0.48**	**9.25**	0.56	0.33	0.17	0.0025	0.38	**1.43**	761
56	**0.44**	**13.23**	0.48	0.24	0.11	0.0074	0.37	**1.92**	1,815
65	**0.31**	**4.20**	0.41	0.19	0.09	0.0025	0.33	**1.28**	658
66	**0.45**	**7.98**	0.53	0.27	0.10	0.001	0.43	**1.54**	870
68	**0.27**	**11.15**	0.29	0.10	0.03	0.0005	0.26	**2.37**	730
69	**0.46**	**25.50**	0.52	0.29	0.16	0.0025	0.36	**2.01**	1,250
70	**0.43**	**5.42**	0.46	0.29	0.17	0.021	0.29	**1.23**	294
71	**0.39**	**7.96**	0.49	0.27	0.11	0.0025	0.38	**1.48**	624
74	**0.48**	**12.10**	0.52	0.30	0.15	0	0.37	**1.71**	936
77	**0.47**	**15.00**	0.57	0.30	0.11	0.0025	0.45	**1.93**	1,025
78	**0.41**	**8.87**	0.50	0.27	0.11	0	0.39	**1.57**	1,463
80	**0.36**	**5.78**	0.45	0.23	0.13	0.006	0.32	**1.20**	592
82	**0.38**	**6.97**	0.46	0.26	0.11	0.0025	0.34	**1.36**	488
84	**0.23**	**2.07**	0.26	0.12	0.05	0	0.22	**1.34**	193
85	**0.49**	**12.37**	0.53	0.27	0.15	0.00311	0.38	**1.91**	619
87	**0.36**	**3.58**	0.37	0.20	0.09	0.03	0.28	**1.58**	46
88	**0.32**	**9.01**	0.44	0.17	0.06	0.0025	0.38	**1.90**	381
89	**0.50**	**8.82**	0.58	0.34	0.19	0.0027	0.39	**1.47**	1,082
91	**0.48**	**10.98**	0.59	0.35	0.18	0.0015	0.41	**1.34**	829
93	**0.51**	**15.47**	0.59	0.34	0.18	0.0006	0.41	**1.69**	1,256
94	**0.43**	**8.80**	0.51	0.28	0.14	0.00705	0.37	**1.36**	1,612
97	**0.33**	**5.50**	0.46	0.19	0.06	0	0.41	**1.41**	297
98	**0.36**	**3.58**	0.52	0.26	0.08	0.0025	0.44	**1.14**	292
99	**0.46**	**9.76**	0.50	0.21	0.06	0.0025	0.44	**1.94**	247
103	**0.45**	**8.77**	0.52	0.30	0.17	0.0001	0.35	**1.44**	1,085
104	**0.44**	**8.86**	0.47	0.25	0.13	0.0025	0.34	**1.57**	707
105	**0.47**	**4.42**	0.58	0.35	0.20	0.048	0.38	**0.95**	318
106	**0.41**	**1.71**	0.50	0.32	0.21	0.04	0.30	**0.75**	141

Au (g/t) – Low Grade Domain Composites									
VEIN	**Mean**	**Max**	**Q3**	**Median**	**Q1**	**Min**	**IQR**	**CV**	**Number**
107	**0.44**	**2.67**	0.55	0.34	0.18	0.03	0.37	**0.89**	193
114	**0.45**	**11.00**	0.54	0.29	0.15	0.0011	0.40	**1.50**	1,368
119	**0.36**	**9.80**	0.40	0.20	0.10	0	0.30	**1.67**	1,359
120	**0.38**	**3.75**	0.43	0.24	0.14	0.02	0.29	**1.24**	281
122	**0.46**	**5.51**	0.56	0.31	0.19	0	0.38	**1.10**	500
123	**0.47**	**6.43**	0.57	0.30	0.15	0.025	0.42	**1.35**	734
130	**0.41**	**14.80**	0.46	0.23	0.11	0.0025	0.34	**1.87**	1,966
132	**0.39**	**16.45**	0.49	0.24	0.11	0.0001	0.38	**1.69**	1,577
135	**0.49**	**20.00**	0.54	0.25	0.12	0	0.42	**1.89**	1,922
143	**0.39**	**8.70**	0.44	0.23	0.12	0.015	0.32	**1.57**	1,223
144	**0.40**	**9.38**	0.40	0.19	0.09	0.01	0.31	**1.89**	983
145	**0.65**	**3.05**	0.83	0.57	0.36	0.076	0.47	**0.70**	58
180	**0.35**	**20.00**	0.37	0.13	0.03	0	0.34	**2.55**	3,863
181	**0.24**	**5.59**	0.24	0.09	0.01	0.0025	0.22	**2.06**	1,160
182	**0.24**	**1.18**	0.45	0.10	0.01	0.0025	0.44	**1.18**	170
183	**0.38**	**4.64**	0.50	0.14	0.02	0.0025	0.49	**1.73**	80
184	**0.18**	**1.35**	0.27	0.05	0.01	0.0025	0.26	**1.52**	58
185	**0.42**	**7.71**	0.49	0.21	0.04	0.0025	0.45	**1.76**	434
201	**0.57**	**5.34**	0.58	0.41	0.24	0.098	0.34	**1.35**	79
202	**0.35**	**7.58**	0.36	0.17	0.09	0.0025	0.27	**1.90**	637
203	**0.40**	**5.70**	0.53	0.22	0.10	0.0025	0.43	**1.35**	361
204	**0.31**	**7.50**	0.33	0.17	0.08	0.0084	0.24	**1.79**	446
205	**0.34**	**2.61**	0.47	0.23	0.11	0.01	0.35	**1.01**	328
206	**0.54**	**12.50**	0.61	0.31	0.14	0.005	0.47	**1.63**	1,051
207	**0.48**	**4.40**	0.57	0.33	0.16	0.019	0.41	**1.19**	258
208	**0.44**	**5.73**	0.58	0.26	0.10	0.0123	0.48	**1.50**	228
209	**0.34**	**3.86**	0.35	0.15	0.07	0.0025	0.27	**1.56**	221
210	**0.47**	**5.10**	0.46	0.16	0.07	0.017	0.39	**1.79**	81
211	**0.54**	**4.08**	0.58	0.31	0.15	0.054	0.43	**1.36**	88
212	**0.41**	**5.25**	0.49	0.23	0.13	0.0475	0.37	**1.63**	66
213	**0.32**	**1.19**	0.47	0.26	0.12	0.014	0.36	**0.79**	47
214	**0.32**	**8.00**	0.30	0.13	0.06	0.0025	0.24	**2.12**	828
215	**0.68**	**4.42**	0.77	0.54	0.31	0.0938	0.46	**0.96**	160
216	**0.50**	**2.53**	0.67	0.40	0.22	0.051	0.46	**0.84**	83
217	**0.52**	**7.31**	0.65	0.32	0.14	0.04	0.51	**1.54**	169
218	**0.41**	**4.60**	0.44	0.15	0.09	0.0173	0.35	**1.60**	132
220	**0.31**	**4.15**	0.38	0.16	0.07	0.0025	0.31	**1.45**	752
222	**0.51**	**15.07**	0.48	0.22	0.11	0.013	0.37	**2.24**	350
223	**0.34**	**8.00**	0.38	0.19	0.11	0.0025	0.27	**1.70**	480
224	**0.42**	**5.63**	0.43	0.20	0.10	0.012	0.33	**1.69**	188
230	**0.29**	**6.52**	0.29	0.14	0.06	0.0021	0.23	**1.96**	867
231	**0.23**	**3.13**	0.27	0.11	0.05	0.005	0.22	**1.47**	637
232	**0.31**	**6.65**	0.40	0.16	0.05	0	0.34	**1.61**	569
233	**0.23**	**3.89**	0.24	0.10	0.05	0.0039	0.20	**1.72**	615
234	**0.28**	**6.00**	0.33	0.13	0.05	0.0042	0.28	**1.83**	269
236	**0.40**	**7.50**	0.40	0.16	0.05	0.005	0.35	**2.03**	198
237	**0.29**	**2.74**	0.37	0.15	0.06	0.0025	0.31	**1.28**	480
240	**0.27**	**2.87**	0.41	0.15	0.05	0.005	0.36	**1.32**	117
241	**0.26**	**2.50**	0.28	0.11	0.06	0.01	0.22	**1.48**	70
243	**0.22**	**2.74**	0.21	0.07	0.02	0.0001	0.19	**2.08**	61
TOTAL	**0.40**	**25.5**	**0.47**	**0.22**	**0.09**	**0**	**0.38**	**1.79**	**64,627**

Summary Composite Statistics – Ag (g/t) – High Grade Domains

Ag (g/t) - High Grade Domain Composites									
VEIN	**Mean**	**Max**	**Q3**	**Median**	**Q1**	**Min**	**IQR**	**CV**	**Number**
1	**15.17**	**168.0**	16.60	6.43	3.40	0.1	13.20	**1.51**	145
2	**13.56**	**100.0**	15.04	6.23	2.59	0.05	12.45	**1.37**	444
3	**9.19**	**50.0**	12.96	4.20	1.81	0.1	11.15	**1.20**	96
4	**11.91**	**107.4**	12.92	6.28	2.82	0.38	10.10	**1.48**	112
5	**7.11**	**69.0**	7.71	4.27	2.21	0.1	5.50	**1.41**	154
6	**3.83**	**15.0**	5.69	3.02	1.05	0.1	4.64	**0.88**	47
7	**5.12**	**20.0**	6.81	3.63	1.49	0.258	5.32	**0.94**	60
8	**5.07**	**18.6**	6.04	3.63	2.05	0.265	4.00	**0.85**	34
9	**4.59**	**24.2**	5.58	2.55	1.68	0.5	3.91	**1.09**	39
10	**7.16**	**46.9**	8.01	2.83	1.29	0.1	6.72	**1.41**	52
11	**11.35**	**42.2**	17.26	7.40	3.20	0.1	14.06	**0.94**	37
12	**7.77**	**17.9**	12.18	5.33	3.38	1	8.80	**0.74**	14
13	**3.18**	**4.4**	4.23	3.70	2.25	0.965	1.98	**0.40**	10
14	**26.24**	**144.0**	21.98	6.41	2.16	0.18	19.82	**1.60**	22
16	**3.06**	**3.7**	3.40	3.00	2.66	2.5343	0.74	**0.18**	4
17	**7.13**	**33.7**	8.87	5.60	1.74	0.1	7.13	**1.06**	47
18	**6.30**	**30.0**	8.40	2.70	1.50	0.1	6.91	**1.28**	41
19	**36.31**	**162.9**	31.06	7.00	3.10	0.1	27.96	**1.75**	6
20	**18.10**	**230.4**	16.59	7.00	3.36	0.1	13.23	**1.80**	90
26	**11.53**	**37.8**	9.80	7.50	6.23	3.42	3.58	**1.03**	7
33	**5.89**	**30.3**	7.46	3.30	1.49	0.24	5.98	**1.21**	60
47	**7.65**	**85.8**	8.85	3.55	1.70	0	7.15	**1.39**	235
50	**6.18**	**30.0**	10.62	3.33	1.65	0.1	8.97	**1.00**	42
51	**15.93**	**319.0**	16.84	7.25	2.75	0	14.09	**1.79**	748
52	**4.97**	**96.2**	4.73	1.95	1.00	0.1	3.73	**1.74**	363
53	**5.65**	**33.6**	8.51	3.30	1.19	0.1	7.32	**1.24**	38
54	**8.20**	**91.4**	10.18	5.16	2.24	0.1	7.94	**1.30**	214
56	**8.59**	**113.7**	9.80	5.00	2.30	0.1	7.50	**1.51**	285
65	**14.05**	**110.0**	15.00	3.45	1.02	0.1	13.98	**1.89**	30
66	**12.61**	**106.4**	11.76	4.70	1.37	0.1	10.39	**1.66**	151
68	**6.59**	**25.5**	10.30	2.80	1.61	0.1	8.69	**1.03**	29
69	**10.54**	**110.2**	12.43	5.03	1.90	0.1	10.53	**1.44**	222
70	**10.69**	**44.1**	14.36	7.01	2.81	0.5	11.54	**1.02**	78
71	**9.89**	**62.5**	12.43	4.50	1.20	0.1	11.23	**1.32**	105
74	**8.58**	**61.6**	10.49	4.98	2.60	0.1	7.89	**1.19**	172
77	**9.90**	**200.7**	9.55	4.33	1.59	0.1	7.96	**1.99**	200
78	**7.59**	**61.7**	8.33	4.43	2.10	0.1	6.23	**1.23**	237
80	**8.06**	**52.7**	7.82	3.92	2.44	0.5	5.39	**1.34**	26
82	**4.25**	**31.8**	5.24	3.31	0.90	0.1	4.34	**1.25**	44
84	**6.56**	**13.2**	8.26	5.00	4.21	2.91	4.05	**0.59**	6
85	**7.45**	**61.7**	7.93	4.03	1.60	0.17	6.33	**1.47**	66
87	**20.65**	**21.0**	20.83	20.65	20.48	20.3	0.35	**0.02**	2
88	**5.66**	**34.5**	6.05	2.84	1.60	0.5	4.45	**1.29**	33
89	**7.82**	**66.3**	9.62	4.10	2.40	0.1	7.22	**1.23**	187
91	**7.77**	**71.3**	9.03	4.00	2.11	0.1	6.92	**1.41**	116
93	**9.01**	**80.4**	11.59	5.31	1.80	0.1	9.79	**1.27**	210
94	**11.44**	**95.6**	13.90	5.67	2.22	0.1	11.68	**1.35**	300
97	**3.86**	**30.0**	4.86	1.97	0.96	0	3.90	**1.40**	60
98	**4.23**	**31.2**	4.29	2.10	1.02	0.1	3.27	**1.38**	47
99	**5.37**	**45.1**	5.22	2.92	2.35	0.1	2.87	**1.67**	24
103	**9.72**	**59.9**	12.12	5.05	2.20	0.1	9.92	**1.23**	153
104	**6.86**	**25.4**	8.21	4.63	2.49	0.1	5.72	**0.98**	48
105	**5.84**	**69.1**	2.90	1.40	0.68	0.1	2.22	**2.19**	56
106	**3.76**	**11.8**	4.00	2.20	1.53	1.3	2.48	**1.00**	7

Ag (g/t) - High Grade Domain Composites									
VEIN	**Mean**	**Max**	**Q3**	**Median**	**Q1**	**Min**	**IQR**	**CV**	**Number**
107	**3.09**	**9.0**	3.76	2.30	1.70	0.1	2.06	**0.77**	19
114	**2.77**	**45.7**	2.80	1.30	0.70	0.1	2.10	**1.60**	697
119	**5.38**	**69.8**	5.52	2.25	0.95	0.1	4.57	**1.80**	71
120	**2.67**	**5.0**	4.38	1.68	1.25	1.15	3.13	**0.63**	10
122	**7.95**	**72.2**	8.00	3.90	1.77	0.1	6.23	**1.39**	101
123	**3.61**	**35.2**	3.54	1.88	0.83	0.1	2.71	**1.58**	62
130	**14.65**	**203.0**	15.36	5.59	1.93	0.1	13.43	**1.66**	304
132	**20.09**	**315.0**	20.46	4.35	1.80	0.1	18.66	**1.82**	196
135	**10.04**	**100.0**	10.73	4.62	2.00	0.1	8.73	**1.49**	325
143	**5.67**	**44.6**	6.70	3.10	1.56	0.1	5.14	**1.30**	130
144	**24.70**	**198.5**	32.55	12.48	4.24	0.1	28.31	**1.32**	114
145	**3.95**	**42.4**	2.85	2.10	1.47	0.6	1.38	**2.02**	27
180	**40.93**	**563.7**	41.56	16.95	6.30	0.1	35.27	**1.73**	783
181	**39.30**	**400.0**	43.90	19.18	6.84	0.7	37.06	**1.56**	136
182	**4.30**	**6.3**	5.33	4.33	3.37	2.1	1.96	**0.36**	7
183	**11.61**	**57.7**	13.72	4.60	2.55	1.8	11.17	**1.22**	25
184	-	-	-	-	-	-	-	-	-
185	**16.50**	**150.0**	14.02	6.80	3.94	0.292	10.08	**1.71**	291
201	**2.09**	**12.9**	1.80	1.40	1.08	0.1	0.72	**1.31**	20
202	**7.28**	**42.0**	10.48	3.26	1.40	0.1	9.08	**1.24**	31
203	**3.75**	**24.1**	6.30	1.86	0.95	0.1	5.35	**1.20**	39
204	**8.77**	**23.6**	9.48	7.20	4.02	1.48	5.46	**0.80**	12
205	**4.46**	**22.3**	5.66	2.88	1.63	0.8	4.04	**1.07**	22
206	**6.95**	**117.0**	6.34	3.10	1.89	0.45	4.45	**1.87**	223
207	**7.83**	**87.1**	8.45	4.05	1.50	0.1	6.95	**1.54**	111
208	**8.36**	**38.9**	12.60	3.93	1.64	0.545	10.96	**1.16**	44
209	**5.51**	**19.4**	8.20	2.43	1.09	0.1	7.12	**1.12**	16
210	**2.42**	**4.4**	3.75	2.15	1.39	0.55	2.36	**0.57**	10
211	**1.90**	**4.0**	2.52	1.50	1.30	0.4	1.22	**0.59**	9
212	**3.90**	**15.9**	4.15	1.22	0.93	0.1	3.23	**1.32**	14
213	**4.89**	**28.1**	4.91	2.85	0.58	0.1	4.34	**1.41**	20
214	**12.05**	**61.4**	15.13	6.39	3.23	0.1	11.90	**1.15**	42
215	**4.19**	**23.6**	5.61	2.82	1.72	0.1	3.88	**0.95**	100
216	**3.87**	**8.4**	4.33	3.85	2.60	1.3	1.73	**0.58**	8
217	**4.61**	**17.6**	5.90	2.97	1.81	0.6	4.09	**0.97**	16
218	**15.73**	**30.4**	20.72	11.04	8.40	5.764	12.32	**0.82**	3
220	**8.19**	**65.3**	9.31	4.60	2.43	0.6	6.88	**1.25**	179
222	**15.14**	**192.5**	11.30	5.40	1.68	0.35	9.62	**2.16**	43
223	**19.03**	**145.0**	23.01	6.15	3.75	0.5	19.26	**1.45**	60
224	**9.13**	**30.0**	13.39	6.31	2.06	0.7	11.33	**0.98**	38
230	**3.91**	**35.1**	3.82	2.35	1.28	0.1	2.55	**1.43**	60
231	**5.45**	**38.5**	6.98	2.90	1.65	0.1	5.33	**1.21**	79
232	**14.38**	**121.0**	13.36	4.92	2.66	0.1	10.71	**1.68**	66
233	**12.04**	**63.3**	11.34	5.47	3.06	0.6	8.28	**1.26**	28
234	**18.64**	**66.4**	22.80	8.90	3.90	0.8	18.90	**1.12**	17
236	**23.44**	**176.6**	25.38	10.00	2.91	0.1	22.46	**1.65**	22
237	**22.07**	**274.3**	18.35	9.01	3.64	0.1	14.71	**2.07**	42
240	**16.51**	**47.7**	27.15	12.90	0.30	0.1	26.85	**1.16**	7
241	**18.50**	**28.9**	23.70	18.50	13.30	8.1	10.40	**0.80**	2
243	**4.93**	**11.3**	7.16	4.40	2.18	0.1	4.97	**0.84**	7
TOTAL	**12.48**	**563.7**	**11.70**	**4.60**	**1.80**	**0**	**9.90**	**2.24**	**10,743**

Summary Composite Statistics – Ag (g/t) – Low Grade Domains

Ag (g/t) - Low Grade Domain Composites									
VEIN	**Mean**	**Max**	**Q3**	**Median**	**Q1**	**Min**	**IQR**	**CV**	**Number**
1	**2.34**	**29.7**	2.67	1.15	0.24	0.05	2.43	**1.54**	586
2	**2.37**	**43.9**	2.73	1.15	0.43	0.05	2.30	**1.64**	1,755
3	**1.35**	**106.4**	1.44	0.60	0.10	0.05	1.34	**3.31**	682
4	**2.94**	**29.1**	3.42	1.37	0.45	0.05	2.97	**1.50**	356
5	**1.85**	**36.4**	2.11	0.85	0.10	0.05	2.01	**1.79**	699
6	**1.65**	**20.4**	2.10	0.76	0.13	0.05	1.97	**1.44**	182
7	**1.46**	**35.1**	1.65	0.70	0.10	0	1.55	**1.83**	375
8	**2.97**	**30.6**	3.50	1.52	0.90	0.12	2.60	**1.41**	149
9	**2.05**	**24.3**	2.39	0.95	0.10	0.05	2.29	**1.56**	446
10	**1.89**	**20.0**	2.32	0.80	0.10	0.05	2.22	**1.50**	415
11	**2.87**	**14.1**	4.50	1.70	0.58	0.1	3.92	**1.05**	113
12	**2.60**	**21.3**	3.49	1.00	0.10	0.05	3.39	**1.56**	117
13	**1.22**	**4.3**	1.50	0.90	0.50	0.1	1.00	**0.92**	57
14	**2.96**	**49.5**	2.34	0.86	0.10	0.1	2.24	**2.27**	178
16	**1.41**	**5.0**	1.90	1.50	0.10	0.1	1.80	**0.89**	17
17	**1.52**	**23.4**	1.88	0.56	0.10	0.05	1.78	**1.67**	589
18	**1.08**	**25.4**	1.10	0.40	0.10	0.05	1.00	**2.08**	552
19	**1.44**	**21.8**	1.27	0.60	0.10	0.05	1.17	**2.12**	219
20	**1.30**	**28.2**	1.00	0.35	0.10	0	0.90	**2.34**	659
26	**1.42**	**10.5**	1.59	0.50	0.10	0.1	1.49	**1.54**	134
33	**1.70**	**20.0**	2.10	0.90	0.10	0.05	2.00	**1.50**	528
47	**2.63**	**49.5**	3.12	1.40	0.67	0	2.46	**1.58**	860
50	**1.59**	**15.0**	1.89	1.10	0.40	0.05	1.49	**1.22**	186
51	**3.10**	**100.0**	3.07	1.40	0.60	0	2.47	**2.23**	2,269
52	**1.88**	**52.2**	1.65	0.70	0.25	0.05	1.40	**2.24**	2,270
53	**2.76**	**26.0**	3.45	1.20	0.48	0.1	2.97	**1.42**	778
54	**2.60**	**69.5**	3.14	1.60	0.65	0.1	2.49	**1.59**	761
56	**2.57**	**261.0**	2.70	1.20	0.54	0	2.16	**2.88**	1,815
65	**1.82**	**54.0**	1.78	0.75	0.20	0.1	1.58	**2.19**	658
66	**1.86**	**50.0**	1.99	0.99	0.33	0	1.66	**1.85**	870
68	**1.03**	**20.0**	1.07	0.40	0.10	0	0.97	**1.82**	730
69	**2.73**	**77.3**	2.90	1.40	0.70	0	2.20	**1.61**	1,250
70	**2.41**	**26.9**	3.03	1.50	0.90	0.1	2.13	**1.19**	294
71	**1.58**	**23.3**	1.70	0.80	0.35	0.05	1.35	**1.62**	624
74	**2.18**	**76.8**	2.40	1.20	0.60	0	1.80	**1.75**	936
77	**2.51**	**61.3**	2.89	1.30	0.60	0.05	2.29	**1.70**	1,025
78	**2.26**	**66.0**	2.46	1.20	0.50	0	1.96	**1.81**	1,463
80	**2.65**	**29.6**	2.76	1.20	0.62	0.1	2.14	**1.43**	592
82	**1.43**	**23.3**	1.59	0.70	0.13	0.05	1.45	**1.69**	488
84	**1.85**	**15.9**	2.55	1.00	0.28	0	2.27	**1.32**	193
85	**2.60**	**55.0**	2.74	1.30	0.70	0.1	2.04	**1.83**	619
87	**2.16**	**18.1**	1.71	0.53	0.10	0.1	1.61	**1.85**	46
88	**1.06**	**13.3**	1.34	0.60	0.15	0.1	1.19	**1.45**	381
89	**3.44**	**54.6**	3.70	2.05	1.00	0	2.70	**1.52**	1,082
91	**3.67**	**66.6**	3.90	1.85	0.90	0	3.00	**1.64**	829
93	**3.46**	**131.0**	3.00	1.40	0.62	0	2.38	**2.43**	1,256
94	**3.29**	**73.9**	3.41	1.40	0.70	0.1	2.71	**1.78**	1,612
97	**1.26**	**11.2**	1.57	0.60	0.10	0	1.47	**1.45**	297
98	**1.56**	**11.4**	2.00	0.91	0.10	0	1.90	**1.25**	292
99	**2.08**	**44.4**	2.45	1.00	0.22	0.05	2.23	**1.82**	247
103	**3.16**	**50.2**	3.20	1.40	0.70	0.05	2.50	**1.60**	1,085
104	**2.09**	**39.0**	2.40	1.15	0.50	0.1	1.90	**1.54**	707
105	**1.33**	**19.9**	1.27	0.78	0.31	0.1	0.96	**1.69**	318
106	**2.28**	**31.5**	1.55	0.80	0.30	0.1	1.25	**2.12**	141

Ag (g/t) - Low Grade Domain Composites									
VEIN	**Mean**	**Max**	**Q3**	**Median**	**Q1**	**Min**	**IQR**	**CV**	**Number**
107	**1.27**	**15.0**	1.30	0.80	0.50	0.1	0.80	**1.43**	193
114	**2.64**	**76.4**	2.11	0.80	0.35	0.1	1.76	**2.28**	1,368
119	**2.44**	**100.0**	2.09	0.85	0.30	0	1.79	**2.36**	1,359
120	**2.56**	**27.0**	2.60	0.70	0.20	0.1	2.40	**1.79**	281
122	**2.46**	**37.0**	1.91	0.71	0.10	0	1.81	**2.10**	500
123	**2.10**	**49.9**	1.89	0.70	0.20	0.1	1.69	**2.20**	734
130	**5.31**	**115.5**	5.00	1.70	0.70	0.1	4.30	**1.81**	1,966
132	**3.91**	**84.5**	2.90	1.15	0.50	0.05	2.40	**2.21**	1,577
135	**4.14**	**100.0**	3.48	1.40	0.63	0	2.85	**2.12**	1,922
143	**2.28**	**50.0**	2.20	0.90	0.40	0.1	1.80	**2.00**	1,223
144	**4.30**	**80.0**	3.71	1.44	0.70	0.1	3.01	**1.90**	983
145	**1.28**	**5.0**	1.78	1.01	0.47	0.1	1.31	**0.88**	58
180	**6.72**	**270.0**	6.10	2.13	0.62	0	5.48	**2.43**	3,863
181	**4.36**	**100.0**	4.20	1.30	0.37	0.1	3.83	**2.19**	1,160
182	**2.44**	**29.3**	3.30	1.25	0.37	0.1	2.93	**1.48**	170
183	**5.57**	**80.0**	5.73	1.99	0.54	0.1	5.19	**1.92**	80
184	**8.49**	**74.3**	8.89	1.83	0.52	0.1	8.37	**1.89**	58
185	**4.82**	**60.0**	3.96	1.92	0.83	0.1	3.13	**1.80**	434
201	**1.58**	**10.0**	1.80	0.90	0.50	0.1	1.30	**1.27**	79
202	**1.88**	**23.6**	1.98	0.80	0.30	0.1	1.68	**1.75**	637
203	**1.55**	**16.1**	1.40	0.70	0.22	0.1	1.18	**1.66**	361
204	**2.89**	**44.2**	2.50	1.10	0.60	0.1	1.90	**1.85**	446
205	**2.52**	**28.7**	3.14	1.58	0.70	0.1	2.44	**1.23**	328
206	**3.57**	**126.7**	3.55	1.80	0.90	0.1	2.65	**2.02**	1,051
207	**1.40**	**13.4**	1.58	0.70	0.30	0.1	1.28	**1.48**	258
208	**1.83**	**20.0**	1.83	0.89	0.12	0.1	1.71	**1.67**	228
209	**2.87**	**26.8**	2.96	1.80	0.90	0.1	2.06	**1.33**	221
210	**1.76**	**10.9**	1.60	0.70	0.10	0.1	1.50	**1.54**	81
211	**1.80**	**8.4**	1.93	1.19	0.75	0.1	1.18	**1.01**	88
212	**1.25**	**4.1**	1.53	1.03	0.75	0.1	0.78	**0.72**	66
213	**1.60**	**8.2**	2.10	1.10	0.50	0.1	1.60	**1.06**	47
214	**2.38**	**39.6**	2.59	1.30	0.50	0.1	2.09	**1.67**	828
215	**1.63**	**39.4**	1.76	1.00	0.62	0.1	1.14	**2.00**	160
216	**1.58**	**10.6**	1.60	1.10	0.54	0.1	1.07	**1.10**	83
217	**1.27**	**19.5**	1.40	0.80	0.40	0.1	1.00	**1.60**	169
218	**1.86**	**15.0**	2.01	0.86	0.35	0.1	1.67	**1.47**	132
220	**3.27**	**54.1**	3.60	1.60	0.78	0.1	2.83	**1.70**	752
222	**4.71**	**100.0**	3.49	1.55	0.73	0.1	2.76	**2.08**	350
223	**4.57**	**107.0**	4.57	1.86	0.90	0.1	3.67	**1.87**	480
224	**3.89**	**47.8**	3.16	1.16	0.60	0.1	2.56	**1.95**	188
230	**2.20**	**45.0**	2.25	1.00	0.36	0.05	1.90	**2.09**	867
231	**1.29**	**14.4**	1.64	0.70	0.19	0.1	1.45	**1.33**	637
232	**2.38**	**34.0**	2.90	1.20	0.53	0	2.38	**1.45**	569
233	**2.62**	**43.2**	2.75	1.20	0.50	0.1	2.25	**1.65**	615
234	**4.79**	**66.4**	3.94	1.80	0.80	0.1	3.14	**1.98**	269
236	**4.73**	**73.1**	5.15	2.09	0.60	0.1	4.55	**1.77**	198
237	**5.43**	**86.7**	6.50	2.19	0.80	0.1	5.70	**1.64**	480
240	**3.09**	**32.6**	3.20	1.30	0.50	0.1	2.70	**1.69**	117
241	**1.38**	**12.6**	1.67	0.67	0.40	0.1	1.27	**1.42**	70
243	**1.10**	**5.0**	1.70	0.79	0.10	0.05	1.60	**1.05**	61
TOTAL	**2.96**	**270.0**	**2.76**	**1.15**	**0.49**	**0**	**2.27**	**2.34**	**64,627**

APPENDIX 6

Au Semi-Variogram Plots

Veta 1 HG Au Vario

Type	Variance	107/0	17/70	197/20
Nugget	0.3	-	-	-
Spherical	0.217	5	5	5
Spherical	0.304	33	59	33



Au_Cap GCLAS 1 WAZI 107 WDIP 0

Au_Cap GCLAS 1 WAZI 17 WDIP 70

Au_Cap GCLAS 1 WAZI 197 WDIP 20

Veta 1 HG - DH Vario



Au_Cap BHID AZI - DIP 90

Veta 1 LG Au Vario

Type	Variance	107/0	17/70	197/20
Nugget	0.429	-	-	-
Spherical	0.190	6	5	6
Spherical	0.070	25	31	20
Spherical	0.209	65	55	100



Au_Cap GCLAS 0 WAZI 107 WDIP 0

Au_Cap GCLAS 0 WAZI 17 WDIP 70

Au_Cap GCLAS 0 WAZI 197 WDIP 20

Veta 1 LG - DH Vario

Type	Variance	Range
Nugget	0.298	-
Spherical	0.222	5
Spherical	0.254	10



Au_Cap BHID AZI - DIP 90

Veta 2 HG Au Vario

Type	Variance	102/0	12/78	192/12
Nugget	0.314	-	-	-
Spherical	0.259	11	19	6
Spherical	0.143	30	51	71



Au_Cap GCLAS 1 WAZI 102 WDIP 0

Au_Cap GCLAS 1 WAZI 12 WDIP 78

Au_Cap GCLAS 1 WAZI 192 WDIP 12

Az 2 HG - Au DH Vario

Type	Variance	Range
Nugget	0.3	-
Spherical	0.330	5



Au_Cap BHID AZI - DIP 90

Veta 2 LG Au Vario

Type	Variance	102/0	12/78	192/12
Nugget	0.29	-	-	-
Spherical	0.305	6	8	8
Spherical	0.183	11	24	25
Spherical	0.115	50	89	92



Au_Cap GCLAS 0 WAZI 102 WDIP 0

Au_Cap GCLAS 0 WAZI 12 WDIP 78

Au_Cap GCLAS 0 WAZI 192 WDIP 12

Veta 2 LG - DH Vario

Type	Variance	Range
Nugget	0.285	-
Spherical	0.327	5.8
Spherical	0.226	23.0



Au_Cap BHID AZI - DIP 90

Veta 5 HG Au Vario

Type	Variance	102/0	12/79	192/11
Nugget	0.256	-	-	-
Spherical	0.205	89	10	19
Spherical	0.166	119	52	42



Au_Cap GCLAS 1 WAZI 102 WDIP 0

Au_Cap GCLAS 1 WAZI 12 WDIP 79

Au_Cap GCLAS 1 WAZI 192 WDIP 11

Veta 5 HG - DH Vario

Type	Variance	Range
Nugget	0.216	-
Spherical	0.021	2.0
Spherical	0.181	4.5



Au_Cap BHID AZI - DIP 90

Veta 5 LG Au Vario

Type	Variance	102/0	12/79
Nugget	0.246	-	-
Spherical	0.405	21	51
Spherical	0.587	49	104



Au_Cap GCLAS 0 WAZI 102 WDIP 0

Au_Cap GCLAS 0 WAZI 12 WDIP 79

Au_Cap GCLAS 0 WAZI 192 WDIP 11

Veta 5 LG - DH Vario

Type	Variance	Range
Nugget	0.324	-
Spherical	0.206	5.2
Spherical	0.381	12.0



Au_Cap BHID AZI - DIP 90

Veta 51 - HG Variogram

Type	Variance	65/0	335/80	155/10
Nugget	0.4	-	-	-
Spherical	0.110	6	6	5
Spherical	0.187	39	22	36



Au_Cap GCLAS 1 WAZI 65 WDIP 0

Au_Cap GCLAS 1 WAZI 335 WDIP 80

Au_Cap GCLAS 1 WAZI 155 WDIP 10

Veta 51 HG - DH Vario

Type	Variance	Range
Nugget	0.169	-
Spherical	0.317	4
Spherical	0.319	16



Au_Cap BHID AZI - DIP 90

Veta 51 - LG Variogram

Type	Variance	65/0	335/80	155/10
Nugget	0.4	-	-	-
Spherical	0.144	7	15	20
Spherical	0.199	43	149	35



Au_Cap GCLAS 0 WAZI 65 WDIP 0

Au_Cap GCLAS 0 WAZI 335 WDIP 80

Au_Cap GCLAS 0 WAZI 155 WDIP 10

Veta 51-LG - DH Variogram



Au_Cap BHID AZI - DIP 90

Veta 52 HG Au Vario

Type	Variance	81/0	351/79	171/11
Nugget	0.254	-	-	-
Spherical	0.194	5	7	17
Spherical	0.140	14	19	26
Spherical	0.095	32	121	42



Au_Cap GCLAS 1 WAZI 81 WDIP 0

Au_Cap GCLAS 1 WAZI 351 WDIP 79

Au_Cap GCLAS 1 WAZI 171 WDIP 11

Veta 52 HG - DH Vario

Type	Variance	Range
Nugget	0.282	-
Spherical	0.146	5.1



Au_Cap BHID AZI - DIP 90

Veta 52 LG Au Vario

Type	Variance	81/0	351/79	171/11
Nugget	0.296	-	-	-
Spherical	0.133	6	7	9
Spherical	0.245	18	30	31
Spherical	0.092	85	185	85



Au_Cap GCLAS 0 WAZI 81 WDIP 0

Au_Cap GCLAS 0 WAZI 351 WDIP 79

Au_Cap GCLAS 0 WAZI 171 WDIP 11

Veta 52 LG - DH Vario

Type	Variance	Range
Nugget	0.154	-
Spherical	0.255	4.6
Spherical	0.116	10.2



Au_Cap BHID AZI - DIP 90

Veta 54 HG Au Vario

Type	Variance	68/0	338/78	158/12
Nugget	0.399	-	-	-
Spherical	0.154	6	3	5
Spherical	0.139	48	6	19



Au_Cap GCLAS 1 WAZI 68 WDIP 0

Au_Cap GCLAS 1 WAZI 338 WDIP 78

Au_Cap GCLAS 1 WAZI 158 WDIP 12

Veta 54 HG - DH Vario

Type	Variance	Range
Nugget	0.399	-
Spherical	0.014	2.2
Spherical	0.304	4.6



Au_Cap BHID AZI - DIP 90

Veta 54 LG Au Vario

Type	Variance	68/0	338/78	158/12
Nugget	0.122	-	-	-
Spherical	0.209	31	6	6
Spherical	0.111	33	50	82
Spherical	0.118	62	161	112



Au_Cap GCLAS 0 WAZI 68 WDIP 0

Au_Cap GCLAS 0 WAZI 338 WDIP 78

Au_Cap GCLAS 0 WAZI 158 WDIP 12

Veta 54 LG - DH Vario

Type	Variance	Range
Nugget	0.12	-
Spherical	0.151	4.2
Spherical	0.132	6.7



Au_Cap BHID AZI - DIP 90

Veta 66 HG Au Vario

Type	Variance	68/0	338/82	158/8
Nugget	0.398	-	-	-
Spherical	0.193	7	7	4
Spherical	0.302	31	31	24



Au_Cap GCLAS 1 WAZI 68 WDIP 0

Au_Cap GCLAS 1 WAZI 338 WDIP 82

Au_Cap GCLAS 1 WAZI 158 WDIP 8

Veta 66 HG - DH Vario

Type	Variance	Range
Nugget	0.386	-
Spherical	0.354	5.2



Au_Cap BHID AZI - DIP 90

Veta 66 LG Au Vario

Type	Variance	68/0	338/82	158/8
Nugget	0.15	-	-	-
Spherical	0.295	32	7	8
Spherical	0.287	50	56	42



Au_Cap GCLAS 0 WAZI 68 WDIP 0

Au_Cap GCLAS 0 WAZI 338 WDIP 82

Au_Cap GCLAS 0 WAZI 158 WDIP 8

Veta 66 LG - DH Vario

Type	Variance	Range
Nugget	0.143	-
Spherical	0.344	4.7
Spherical	0.063	8.6



Au_Cap BHID AZI - DIP 90

Veta 77 HG Au Vario

Type	Variance	74/0	344/83	164/7
Nugget	0.372	-	-	-
Spherical	0.249	26	18	20
Spherical	0.178	72	71	42



Au_Cap GCLAS 1 WAZI 74 WDIP 0

Au_Cap GCLAS 1 WAZI 344 WDIP 83

Au_Cap GCLAS 1 WAZI 164 WDIP 7

Veta 77 HG - DH Vario

Type	Variance	Range
Nugget	0.223	-
Spherical	0.377	4.6



Au_Cap BHID AZI - DIP 90

Veta 77 LG Au Vario

Type	Variance	74/0	344/83	164/7
Nugget	0.1	-	-	-
Spherical	0.236	4	6	5
Spherical	0.250	10	20	25
Spherical	0.081	59	55	46



Au_Cap GCLAS 0 WAZI 74 WDIP 0

Au_Cap GCLAS 0 WAZI 344 WDIP 83

Au_Cap GCLAS 0 WAZI 164 WDIP 7

Veta 77 LG - DH Vario

Type	Variance	Range
Nugget	0.104	-
Spherical	0.243	4.3
Spherical	0.167	11.8



Au_Cap BHID AZI - DIP 90

Veta 114 - HG Variogram

Type	Variance	89/0	359/79	179/11
Nugget	0.406	-	-	-
Spherical	0.061	5	6	8
Spherical	0.200	26	31	28



Au_Cap GCLAS 1 WAZI 89 WDIP 0

Au_Cap GCLAS 1 WAZI 359 WDIP 79

Au_Cap GCLAS 1 WAZI 179 WDIP 11

Veta 114 HG - DH Vario

Type	Variance	Range
Nugget	0.2	-
Spherical	0.243	5.1
Spherical	0.078	17.5



Au_Cap AZI - DIP 90

Veta 114 - LG Variogram

Type	Variance	89/0	359/79	179/11
Nugget	0.139	-	-	-
Spherical	0.394	8	18	20
Spherical	0.165	98	148	27



Au_Cap GCLAS 0 WAZI 89 WDIP 0

Au_Cap GCLAS 0 WAZI 359 WDIP 79

Au_Cap GCLAS 0 WAZI 179 WDIP 11

Veta 114 LG - DH Vario

Type	Variance	Range
Nugget	0.142	-
Spherical	0.196	6
Spherical	0.124	16



Au_Cap BHID AZI - DIP 90

Veta 180 HG Au Vario

Type	Variance	47/0	317/70	137/20
Nugget	0.32	-	-	-
Spherical	0.056	19	18	18
Spherical	0.289	42	43	32
Spherical	0.096	100	150	142



Au_Cap GCLAS 1 WAZI 47 WDIP 0

Au_Cap GCLAS 1 WAZI 317 WDIP 70

Au_Cap GCLAS 1 WAZI 137 WDIP 20

Veta 180 HG - DH Vario

Type	Variance	Range
Nugget	0.317	-
Spherical	0.233	4.5
Spherical	0.139	7.4



Au_Cap BHID AZI - DIP 90

Veta 180 LG Au Vario

Type	Variance	47/0	317/70	137/20
Nugget	0.294	-	-	-
Spherical	0.403	18	21	20
Spherical	0.196	57	54	54
Spherical	0.107	134	156	151



Au_Cap GCLAS 0 WAZI 47 WDIP 0

Au_Cap GCLAS 0 WAZI 317 WDIP 70

Au_Cap GCLAS 0 WAZI 137 WDIP 20

Veta 180 LG - DH Vario

Type	Variance	Range
Nugget	0.2	-
Spherical	0.278	5.3
Spherical	0.099	16.3
Spherical	0.223	37.8



Au_Cap BHID AZI - DIP 90

Veta 185 HG Au Vario

Type	Variance	86/0	356/87	176/3
Nugget	0.25	-	-	-
Spherical	0.079	11	6	8
Spherical	0.214	28	21	17
Spherical	0.094	60	145	135



Au_Cap GCLAS 1 WAZI 86 WDIP 0

Au_Cap GCLAS 1 WAZI 356 WDIP 87

Au_Cap GCLAS 1 WAZI 176 WDIP 3

Veta 185 HG - DH Vario

Type	Variance	Range
Nugget	0.249	-
Spherical	0.202	4.8
Spherical	0.120	23.1



Au_Cap BHID AZI - DIP 90

Veta 185 LG Au Vario

Type	Variance	86/0	356/87	176/3
Nugget	0.202	-	-	-
Spherical	0.264	6	7	6
Spherical	0.186	11	20	11
Spherical	0.332	25	54	25



Au_Cap GCLAS 0 WAZI 86 WDIP 0

Au_Cap GCLAS 0 WAZI 356 WDIP 87

Au_Cap GCLAS 0 WAZI 176 WDIP 3

Veta 185 LG - DH Vario

Type	Variance	Range
Nugget	0.2	-
Spherical	0.351	5.2
Spherical	0.187	17.0
Spherical	0.226	48.3



Au_Cap BHID AZI - DIP 90

Az 1-HG - Au Vario

Type	Variance	62/0	332/80	152/10
Nugget	0.26	-	-	-
Spherical	0.111	32	7	8
Spherical	0.215	48	42	30



Au_Cap GCLAS 1 WAZI 62 WDIP 0

Au_Cap GCLAS 1 WAZI 332 WDIP 80

Au_Cap GCLAS 1 WAZI 152 WDIP 10

Az 1-HG Au DH Vario

Type	Variance	Range
Nugget	0.263	-
Spherical	0.282	5



Au_Cap BHID AZI - DIP 90

Az 1-LG - Au Vario

Type	Variance	62/0	332/80	152/10
Nugget	0.202	-	-	-
Spherical	0.257	10	19	12
Spherical	0.140	37	36	26
Spherical	0.097	351	229	575



Au_Cap GCLAS 0 WAZI 62 WDIP 0

Au_Cap GCLAS 0 WAZI 332 WDIP 80

Au_Cap GCLAS 0 WAZI 152 WDIP 10

Az 1-LG Au DH Vario

Type	Variance	Range
Nugget	0.164	-
Spherical	0.287	6
Spherical	0.107	34



Au_Cap BHID AZI - DIP 90

Az 2-HG - Au Vario

Type	Variance	46.5/0	316.5/76	136.5/14
Nugget	0.24	-	-	-
Spherical	0.429	34	42	27
Spherical	0.057	99	147	54



Au_Cap GCLAS 1 WAZI 46.5
WDIP 0

Au_Cap GCLAS 1 WAZI 316.5
WDIP 76

Au_Cap GCLAS 1 WAZI 136.5
WDIP 14

Az 2-HG Au DH Vario

Type	Variance	Range
Nugget	0.3	-
Spherical	0.330	5



Au_Cap BHID AZI - DIP 90

Az 2-LG - Au Vario

Type	Variance	46.5/0	316.5/76	136.5/14
Nugget	0.202	-	-	-
Spherical	0.331	9	9	10
Spherical	0.365	19	22	49
Spherical	0.120	200	349	73



Au_Cap GCLAS 0 WAZI 46.5
WDIP 0

Au_Cap GCLAS 0 WAZI 316.5
WDIP 76

Au_Cap GCLAS 0 WAZI 136.5
WDIP 14

Az 2-LG Au DH Vario

Type	Variance	Range
Nugget	0.161	-
Spherical	0.280	5
Spherical	0.098	12
Spherical	0.246	38



Au_Cap BHID AZI - DIP 90

Az 3-HG - Au Vario

Type	Variance	81.5/0	351.5/80	171.5/10
Nugget	0.303	-	-	-
Spherical	0.130	10	8	10
Spherical	0.176	25	85	25



Au_Cap GCLAS 1 WAZI 81.5
WDIP 0

Au_Cap GCLAS 1 WAZI 351.5
WDIP 80

Au_Cap GCLAS 1 WAZI 171.5
WDIP 10

Az 3-HG Au DH Vario

Type	Variance	Range
Nugget	0.3	-
Spherical	0.162	4
Spherical	0.100	31



Au_Cap BHID AZI - DIP 90

Az 3-LG - Au Vario

Type	Variance	81.5/0	351.5/80
Nugget	0.2	-	-
Spherical	0.274	26	17
Spherical	0.133	50	43
Spherical	0.101	449	390



Au_Cap GCLAS 0 WAZI 81.5
WDIP 0

Au_Cap GCLAS 0 WAZI 351.5
WDIP 80

Au_Cap GCLAS 0 WAZI 171.5
WDIP 10

Az 3-LG Au DH Vario

Type	Variance	Range
Nugget	0.2	-
Spherical	0.236	6
Spherical	0.076	19
Spherical	0.062	43



Au_Cap BHID AZI - DIP 90

Az 4-HG - Au Vario

Type	Variance	112/0	22/71	202/19
Nugget	0.403	-	-	-
Spherical	0.055	8	4	31
Spherical	0.201	39	37	145



Au_Cap GCLAS 1 WAZI 112 WDIP 0

Au_Cap GCLAS 1 WAZI 22 WDIP 71

Au_Cap GCLAS 1 WAZI 202 WDIP 19

Az 4-HG Au DH Vario

Type	Variance	Range
Nugget	0.4	-
Spherical	0.212	6



Au_Cap BHID AZI - DIP 90

Az 4-LG - Au Vario

Type	Variance	112/0	22/71	202/19
Nugget	0.27	-	-	-
Spherical	0.237	7	7	7
Spherical	0.250	19	42	40
Spherical	0.142	41	201	163



Au_Cap GCLAS 0 WAZI 112 WDIP 0

Au_Cap GCLAS 0 WAZI 22 WDIP 71

Au_Cap GCLAS 0 WAZI 202 WDIP 19

Az 4-LG Au DH Vario

Type	Variance	Range
Nugget	0.267	-
Spherical	0.302	6
Spherical	0.192	40



Au_Cap BHID AZI - DIP 90

micon INTERNATIONAL LIMITED | mineral industry consultants

APPENDIX 7

Angostura Mineral Resource Summary by Vein

at a Cut-off Grade of 2.5 g/t Au

Measured and Indicated Mineral Resource Estimate at a Cut-off Grade of 2.5 g/t Au

Vein #	Tonnes (kt)	Au (g/t)	Ag (g/t)	Cu (%)	Contained Metal Au (koz)	Ag (koz)	Cu (t)
1	353.0	4.25	19.7	0.033	48.2	224	115
2	747.9	5.72	16.2	0.054	137.4	389	404
3	220.5	5.32	11.3	0.052	37.7	80	116
4	196.0	3.93	23.2	0.033	24.8	146	65
5	241.6	4.78	8.8	0.013	37.1	69	31
6	30.4	4.75	4.5	0.007	4.6	4	2
7	71.4	3.09	4.8	0.009	7.1	11	7
8	30.2	4.01	6.5	0.030	3.9	6	9
9	6.2	2.67	3.0	0.007	0.5	1	0
10	7.1	2.73	22.9	0.111	0.6	5	8
11	3.1	2.60	17.1	0.031	0.3	2	1
12	0.9	2.67	6.6	0.006	0.1	0	0
14	38.9	3.52	27.3	0.137	4.4	34	53
16	-	-	-	-	-	-	-
17	2.5	3.39	11.7	0.016	0.3	1	0
18	30.1	5.16	11.5	0.029	5.0	11	9
20	247.9	6.27	22.8	0.032	50.0	182	80
26	11.5	2.74	14.5	0.018	1.0	5	2
33	62.5	3.89	4.2	0.009	7.8	8	6
47	460.7	3.47	11.2	0.132	51.4	166	607
50	38.0	3.42	9.4	0.126	4.2	12	48
51	1,948.0	4.58	25.3	0.153	287.1	1,583	2,983
52	450.9	4.37	5.0	0.048	63.4	72	216
53	-	-	-	-	-	-	-
54	493.5	4.16	10.3	0.026	65.9	164	127
56	401.5	3.73	14.0	0.073	48.1	181	292
65	3.3	5.61	48.4	0.023	0.6	5	1
66	339.8	6.30	21.4	0.054	68.9	234	183
68	2.7	2.88	7.9	0.010	0.2	1	0
69	364.8	3.76	14.3	0.205	44.1	168	749
70	98.4	3.08	12.7	0.078	9.7	40	77
71	128.3	6.68	17.0	0.040	27.6	70	51
74	219.5	3.66	11.4	0.051	25.8	81	113
77	376.0	6.97	18.3	0.040	84.3	222	149
78	220.5	4.11	10.7	0.035	29.2	76	77
80	0.3	5.28	4.5	0.004	0.0	0	0
82	-	-	-	-	-	-	-
85	71.6	3.33	10.4	0.044	7.7	24	31
88	9.0	5.44	4.0	0.035	1.6	1	3
89	42.6	3.23	12.0	0.078	4.4	16	33
91	56.5	3.52	7.3	0.051	6.4	13	29
93	338.4	4.14	13.6	0.055	45.1	148	185
94	323.5	3.83	14.5	0.084	39.9	151	270
97	64.3	3.75	5.8	0.019	7.8	12	12
98	47.7	3.83	8.0	0.018	5.9	12	8
99	6.8	3.01	4.6	0.006	0.7	1	0
103	122.7	5.83	9.9	0.063	23.0	39	77
104	5.7	2.87	5.8	0.010	0.5	1	1
105	40.7	5.69	13.8	0.609	7.4	18	247
107	5.8	5.32	3.0	0.040	1.0	1	2
114	1,146.4	4.80	2.2	0.023	177.0	81	263

Measured and Indicated Mineral Resource Estimate at a Cut-off Grade of 2.5 g/t Au

Vein #	Tonnes (kt)	Au (g/t)	Ag (g/t)	Cu (%)	Contained Metal Au (koz)	Ag (koz)	Cu (t)
119	36.5	3.29	10.0	0.084	3.9	12	31
120	-	-	-	-	-	-	-
122	173.9	3.02	6.5	0.123	16.9	36	215
123	25.8	3.41	6.9	0.087	2.8	6	22
130	235.7	4.27	24.4	0.090	32.4	185	212
132	198.9	3.97	32.2	0.392	25.4	206	780
135	330.3	4.07	12.3	0.179	43.2	131	591
143	42.0	3.14	8.9	0.035	4.2	12	15
144	121.6	4.29	33.7	0.431	16.8	132	525
145	19.3	2.97	1.6	0.117	1.8	1	23
180	1,470.6	4.41	53.9	0.030	208.4	2,548	440
181	194.0	5.07	53.0	0.069	31.6	330	134
185	617.1	6.51	21.0	0.045	129.2	417	275
201	4.2	2.79	5.1	0.041	0.4	1	2
202	12.3	2.91	8.4	0.155	1.2	3	19
203	41.7	2.79	3.1	0.013	3.7	4	5
204	1.0	2.61	2.5	0.065	0.1	0	1
205	-	-	-	-	-	-	-
206	148.4	3.37	20.2	0.153	16.1	96	227
207	182.5	3.62	11.6	0.082	21.3	68	149
208	73.3	5.35	10.9	0.035	12.6	26	26
210	10.7	7.19	3.0	0.015	2.5	1	2
211	19.7	3.17	1.6	0.005	2.0	1	1
212	-	-	-	-	-	-	-
213	21.8	3.53	3.4	0.013	2.5	2	3
214	6.6	3.77	8.6	0.049	0.8	2	3
215	248.1	3.79	5.1	0.058	30.2	41	145
216	-	-	-	-	-	-	-
217	7.3	3.10	7.7	0.022	0.7	2	2
220	237.1	3.90	13.4	0.164	29.7	102	388
222	66.6	4.36	9.8	0.028	9.3	21	19
223	44.5	3.59	31.0	0.246	5.1	44	110
224	93.3	6.07	9.1	0.189	18.2	27	176
230	28.8	3.25	4.4	0.015	3.0	4	4
231	74.2	3.52	7.7	0.067	8.4	18	50
232	90.2	3.39	16.0	0.027	9.8	46	24
233	-	-	-	-	-	-	-
234	0.1	5.85	32.6	0.177	0.0	0	0
236	41.6	4.70	35.7	0.130	6.3	48	54
237	8.7	2.82	60.7	0.026	0.8	17	2
240	-	-	-	-	-	-	-
Total	**15,057.8**	**4.57**	**19.3**	**0.082**	**2,210.7**	**9,362**	**12,419**

Inferred Mineral Resource Estimate at a Cut-off Grade of 2.5 g/t Au

Vein #	Tonnes (kt)	Au (g/t)	Ag (g/t)	Cu (%)	Contained Metal Au (koz)	Ag (koz)	Cu (t)
1	106.6	4.58	20.8	0.076	15.7	71.1	81.1
2	708.4	5.02	18.2	0.080	114.3	415.6	565.2
3	20.8	3.78	8.9	0.046	2.5	6.0	9.5
4	38.2	3.68	15.6	0.024	4.5	19.2	9.0
5	50.1	4.01	8.5	0.012	6.5	13.6	6.0
6	17.7	3.86	4.8	0.009	2.2	2.7	1.6
7	1.8	2.91	5.4	0.010	0.2	0.3	0.2
8	4.7	3.76	3.4	0.016	0.6	0.5	0.8
9	1.5	2.85	3.0	0.007	0.1	0.1	0.1
10	-	-	-	-	-	-	-
11	3.2	2.65	11.6	0.009	0.3	1.2	0.3
12	-	-	-	-	-	-	-
14	48.9	3.49	28.8	0.164	5.5	45.3	80.4
16	8.9	2.58	2.8	0.003	0.7	0.8	0.2
17	16.2	5.62	10.1	0.014	2.9	5.3	2.2
18	2.1	2.87	4.7	0.011	0.2	0.3	0.2
20	69.9	4.73	24.2	0.046	10.6	54.4	32.2
26	3.3	2.68	12.9	0.020	0.3	1.4	0.7
33	49.5	3.11	4.7	0.017	4.9	7.5	8.3
47	159.7	4.11	11.1	0.094	21.1	56.9	149.7
50	82.4	3.57	6.8	0.040	9.5	18.1	33.1
51	538.9	4.29	24.2	0.140	74.2	419.3	753.0
52	153.2	3.87	7.1	0.079	19.0	34.9	121.3
53	0.3	2.50	7.5	0.005	0.0	0.1	0.0
54	39.0	3.31	6.8	0.018	4.2	8.5	7.0
56	142.6	3.30	6.1	0.027	15.1	27.8	38.1
65	4.3	5.59	37.6	0.018	0.8	5.2	0.8
66	116.6	4.85	18.0	0.037	18.2	67.3	43.2
68	5.6	3.33	6.9	0.029	0.6	1.2	1.6
69	75.8	3.90	11.2	0.136	9.5	27.4	103.1
70	0.3	2.63	15.2	0.066	0.0	0.2	0.2
71	73.3	6.07	17.1	0.039	14.3	40.3	28.5
74	52.5	4.77	14.1	0.069	8.0	23.8	36.0
77	90.8	4.44	13.6	0.037	13.0	39.6	33.3
78	61.0	4.12	10.7	0.038	8.1	21.1	22.9
80	0.3	6.10	4.3	0.003	0.1	0.0	0.0
82	5.8	2.98	14.3	0.087	0.6	2.7	5.1
85	9.2	2.92	4.9	0.018	0.9	1.5	1.6
88	15.8	4.96	10.6	0.028	2.5	5.4	4.4
89	8.2	3.09	9.8	0.084	0.8	2.6	6.9
91	11.3	3.78	12.1	0.122	1.4	4.4	13.8
93	94.0	3.59	10.7	0.062	10.8	32.5	58.4
94	113.6	3.63	12.3	0.088	13.2	44.7	100.0
97	8.5	3.22	5.5	0.013	0.9	1.5	1.1
98	3.5	3.14	4.6	0.014	0.4	0.5	0.5
99	15.2	2.88	5.0	0.009	1.4	2.5	1.4
103	15.1	8.55	17.9	0.056	4.1	8.7	8.4
104	2.4	2.91	10.3	0.013	0.2	0.8	0.3
105	37.1	4.79	10.1	0.167	5.7	12.0	62.1
107	-	-	-	-	-	-	-
114	714.5	5.07	7.5	0.024	116.5	173.3	170.6

Inferred Mineral Resource Estimate at a Cut-off Grade of 2.5 g/t Au

Vein #	Tonnes (kt)	Au (g/t)	Ag (g/t)	Cu (%)	Contained Metal Au (koz)	Ag (koz)	Cu (t)
119	6.8	3.28	6.2	0.027	0.7	1.4	1.9
120	13.4	3.94	4.4	0.100	1.7	1.9	13.5
122	52.6	2.77	7.0	0.087	4.7	11.9	45.5
123	19.1	3.99	6.6	0.057	2.5	4.1	10.9
130	113.4	5.58	19.5	0.135	20.3	71.1	152.8
132	112.3	5.12	31.5	0.380	18.5	113.6	426.6
135	78.3	3.59	14.4	0.213	9.0	36.2	166.6
143	27.9	4.21	8.6	0.030	3.8	7.7	8.3
144	44.1	3.41	19.6	0.143	4.8	27.8	62.9
145	12.3	2.74	1.6	0.169	1.1	0.6	20.8
180	453.6	3.80	19.1	0.019	55.5	278.4	85.0
181	125.7	3.67	70.0	0.117	14.8	282.9	146.6
185	762.3	8.11	37.0	0.063	198.7	905.8	476.9
201	0.0	2.82	4.9	0.045	0.0	0.0	0.0
202	48.0	4.41	9.8	0.059	6.8	15.0	28.4
203	42.2	3.40	6.1	0.047	4.6	8.3	20.0
204	-	-	-	-	-	-	-
205	3.4	4.02	5.8	0.023	0.4	0.6	0.8
206	187.2	4.24	37.8	0.309	25.5	227.3	578.0
207	70.9	2.98	10.5	0.077	6.8	23.9	54.8
208	24.3	5.37	11.5	0.034	4.2	9.0	8.2
210	11.5	5.03	2.2	0.028	1.9	0.8	3.2
211	1.6	3.36	1.5	0.005	0.2	0.1	0.1
212	23.8	4.04	6.7	0.031	3.1	5.1	7.3
213	54.3	2.89	11.5	0.012	5.1	20.0	6.4
214	14.0	3.63	7.2	0.011	1.6	3.2	1.5
215	180.6	3.23	4.2	0.050	18.8	24.6	89.6
216	31.6	2.53	3.5	0.019	2.6	3.6	6.2
217	6.5	3.34	6.3	0.034	0.7	1.3	2.2
220	71.5	5.83	20.6	0.246	13.4	47.3	175.7
222	110.8	4.71	11.1	0.045	16.8	39.6	49.9
223	19.6	4.03	51.3	0.665	2.5	32.3	130.1
224	12.1	3.79	10.0	0.086	1.5	3.9	10.4
230	13.2	4.17	10.0	0.312	1.8	4.2	41.0
231	47.1	3.55	7.9	0.069	5.4	12.0	32.7
232	28.2	3.95	17.9	0.065	3.6	16.3	18.2
233	15.4	2.86	17.2	0.199	1.4	8.5	30.6
234	7.1	3.86	25.4	0.128	0.9	5.8	9.0
236	176.6	3.38	27.7	0.204	19.2	157.6	360.0
237	18.1	3.10	76.3	0.017	1.8	44.3	3.0
240	3.8	2.61	29.1	0.337	0.3	3.5	12.7
Total	**6,847.5**	**4.70**	**19.0**	**0.086**	**1,034.0**	**4,192**	**5,903**

micon INTERNATIONAL LIMITED | mineral industry consultants

APPENDIX 8

Angostura Mineral Resource Summary by Vein

at a Cut-off Grade of 3.0 g/t Au

Measured and Indicated Mineral Resource Estimate at a Cut-off Grade of 3.0 g/t Au

Veta #	Tonnes (kt)	Au (g/t)	Ag (g/t)	Cu (%)	Contained Metal Au (koz)	Ag (koz)	Cu (t)
1	272.5	4.70	22.0	0.030	41.1	193	83
2	618.0	6.34	16.9	0.058	126.1	337	357
3	186.4	5.79	11.2	0.054	34.7	67	101
4	136.4	4.45	24.7	0.022	19.5	108	30
5	203.3	5.16	9.2	0.013	33.7	60	27
6	27.6	4.96	4.6	0.007	4.4	4	2
7	39.5	3.36	5.4	0.010	4.3	7	4
8	24.3	4.34	7.2	0.033	3.4	6	8
11	0.0	3.55	12.8	0.007	0.0	0	0
14	25.6	3.94	37.6	0.182	3.2	31	47
17	1.9	3.67	8.5	0.010	0.2	1	0
18	21.6	6.16	13.3	0.033	4.3	9	7
20	232.7	6.50	23.6	0.031	48.7	177	71
26	1.4	3.27	20.6	0.012	0.1	1	0
33	55.3	4.04	4.3	0.010	7.2	8	5
47	261.8	4.06	13.4	0.148	34.1	113	388
50	23.7	3.81	11.1	0.148	2.9	8	35
51	1,540.1	5.07	27.5	0.161	251.1	1,362	2,482
52	358.6	4.79	5.2	0.052	55.2	59	186
54	369.8	4.63	10.8	0.026	55.1	129	94
56	260.4	4.27	15.7	0.077	35.7	132	200
65	3.3	5.61	48.4	0.023	0.6	5	1
66	291.8	6.89	23.0	0.056	64.6	216	162
68	0.7	3.23	10.4	0.010	0.1	0	0
69	261.9	4.15	14.5	0.205	34.9	122	537
70	30.1	3.93	17.2	0.038	3.8	17	12
71	117.8	7.03	17.9	0.040	26.6	68	47
74	142.1	4.15	12.6	0.068	19.0	58	97
77	308.0	7.91	20.7	0.044	78.4	205	136
78	161.0	4.62	11.8	0.040	23.9	61	64
80	0.3	5.28	4.5	0.004	0.0	0	0
82	-	-	-	-	-	-	-
85	32.0	4.09	13.3	0.048	4.2	14	15
88	8.6	5.56	4.1	0.036	1.5	1	3
89	22.4	3.68	14.7	0.111	2.7	11	25
91	37.2	3.94	7.1	0.052	4.7	8	19
93	243.5	4.69	14.6	0.041	36.7	114	99
94	221.3	4.32	15.3	0.089	30.8	109	197
97	46.1	4.15	6.2	0.020	6.2	9	9
98	41.7	4.00	8.7	0.019	5.4	12	8
99	3.0	3.35	4.3	0.007	0.3	0	0
103	102.3	6.44	8.7	0.048	21.2	29	49
104	2.1	3.19	6.3	0.010	0.2	0	0
105	40.7	5.69	13.8	0.609	7.4	18	247
107	5.8	5.32	3.0	0.040	1.0	1	2
114	956.4	5.21	2.2	0.022	160.2	67	207
119	20.6	3.73	11.6	0.102	2.5	8	21
120	-	-	-	-	-	-	-

Measured and Indicated Mineral Resource Estimate at a Cut-off Grade of 3.0 g/t Au

Veta #	Tonnes (kt)	Au (g/t)	Ag (g/t)	Cu (%)	Contained Metal Au (koz)	Ag (koz)	Cu (t)
122	78.8	3.38	6.4	0.125	8.6	16	99
123	17.2	3.76	6.8	0.078	2.1	4	13
130	138.4	5.34	28.9	0.097	23.8	129	134
132	118.7	4.79	35.2	0.367	18.3	134	436
135	227.9	4.67	13.0	0.202	34.2	95	460
143	20.0	3.58	8.0	0.028	2.3	5	6
144	97.5	4.68	36.0	0.491	14.7	113	478
145	9.1	3.22	1.6	0.096	0.9	0	9
180	1,101.6	4.97	60.5	0.032	175.9	2,142	356
181	146.7	5.83	60.9	0.084	27.5	287	123
185	532.8	7.10	22.8	0.049	121.7	390	260
201	0.6	3.09	5.3	0.047	0.1	0	0
202	2.3	4.29	13.8	0.061	0.3	1	1
203	2.7	3.22	5.9	0.042	0.3	1	1
205	-	-	-	-	-	-	-
206	94.1	3.73	24.2	0.169	11.3	73	159
207	118.9	4.10	13.3	0.072	15.7	51	86
208	66.9	5.59	11.2	0.036	12.0	24	24
210	8.2	8.53	3.1	0.005	2.3	1	0
211	10.8	3.56	1.6	0.005	1.2	1	1
212	-	-	-	-	-	-	-
213	17.9	3.70	3.0	0.011	2.1	2	2
214	5.0	4.13	5.8	0.007	0.7	1	0
215	186.3	4.13	5.2	0.058	24.8	31	108
217	4.0	3.46	8.1	0.018	0.4	1	1
220	130.1	4.86	16.4	0.190	20.3	69	247
222	60.5	4.53	10.2	0.030	8.8	20	18
223	32.5	3.89	33.2	0.278	4.1	35	90
224	78.4	6.70	9.9	0.222	16.9	25	174
230	12.6	3.86	5.1	0.020	1.6	2	3
231	45.6	4.03	9.7	0.087	5.9	14	40
232	45.4	4.08	19.2	0.035	6.0	28	16
233	-	-	-	-	-	-	-
234	0.1	5.85	32.6	0.177	0.0	0	0
236	38.7	4.85	37.6	0.134	6.0	47	52
237	2.5	3.32	115.4	0.018	0.3	9	0
Total	**11,214.3**	**5.19**	**21.4**	**0.085**	**1,872.9**	**7,714**	**9,485**

Inferred Mineral Resource Estimate at a Cut-off Grade of 3.0 g/t Au

Veta #	Tonnes (kt)	Au (g/t)	Ag (g/t)	Cu (%)	Contained Metal Au (koz)	Ag (koz)	Cu (t)
1	76.9	5.27	22.8	0.065	13.0	56	50
2	612.8	5.37	19.7	0.087	105.8	388	534
3	13.8	4.26	10.5	0.062	1.9	5	8
4	23.6	4.21	17.1	0.022	3.2	13	5
5	44.9	4.16	8.9	0.012	6.0	13	6
6	17.0	3.90	4.9	0.009	2.1	3	2
7	0.3	3.49	7.0	0.008	0.0	0	0
8	2.4	4.85	3.6	0.017	0.4	0	0
11	-	-	-	-	-	-	-
14	35.8	3.74	31.8	0.180	4.3	37	64
17	13.4	6.22	10.8	0.012	2.7	5	2
18	-	-	-	-	-	-	-
20	59.0	5.09	25.4	0.029	9.6	48	17
26	0.3	3.01	21.4	0.007	0.0	0	0
33	21.3	3.58	5.3	0.027	2.5	4	6
47	123.0	4.51	11.7	0.088	17.8	46	109
50	50.7	4.05	7.6	0.044	6.6	12	23
51	428.9	4.68	26.6	0.153	64.6	367	655
52	93.5	4.61	7.2	0.072	13.8	22	67
54	20.9	3.79	8.3	0.015	2.6	6	3
56	67.6	3.95	6.3	0.031	8.6	14	21
65	4.0	5.84	40.6	0.019	0.8	5	1
66	107.9	5.03	18.7	0.038	17.4	65	41
68	2.1	4.31	5.8	0.029	0.3	0	1
69	46.8	4.59	11.1	0.116	6.9	17	54
70	-	-	-	-	-	-	-
71	69.4	6.26	17.4	0.040	14.0	39	27
74	34.1	5.83	17.4	0.095	6.4	19	32
77	68.0	5.01	15.0	0.045	10.9	33	30
78	34.3	5.22	12.4	0.042	5.8	14	14
80	0.3	6.10	4.3	0.003	0.1	0	0
82	3.2	3.23	14.2	0.085	0.3	1	3
85	4.3	3.29	4.2	0.022	0.5	1	1
88	15.5	5.01	10.8	0.028	2.5	5	4
89	3.8	3.57	9.7	0.094	0.4	1	4
91	4.6	5.25	18.2	0.234	0.8	3	11
93	54.6	4.16	14.5	0.086	7.3	25	47
94	77.5	4.03	12.2	0.077	10.0	30	60
97	2.4	4.37	9.8	0.015	0.3	1	0
98	1.8	3.48	6.0	0.012	0.2	0	0
99	3.5	3.24	5.4	0.008	0.4	1	0
103	12.5	9.76	19.9	0.052	3.9	8	7
104	0.7	3.60	13.3	0.015	0.1	0	0
105	34.3	4.95	10.3	0.166	5.5	11	57
107	-	-	-	-	-	-	-
114	624.0	5.41	7.4	0.021	108.5	149	129
119	3.7	3.74	4.8	0.013	0.4	1	0
120	12.9	3.99	4.5	0.104	1.7	2	13

Inferred Mineral Resource Estimate at a Cut-off Grade of 3.0 g/t Au

Veta #	Tonnes (kt)	Au (g/t)	Ag (g/t)	Cu (%)	Contained Metal		
					Au (koz)	Ag (koz)	Cu (t)
122	7.4	3.26	6.8	0.137	0.8	2	10
123	13.2	4.56	7.9	0.067	1.9	3	9
130	84.7	6.53	22.6	0.161	17.8	61	136
132	88.2	5.76	38.4	0.453	16.3	109	400
135	41.9	4.30	13.9	0.194	5.8	19	81
143	19.0	4.91	7.9	0.032	3.0	5	6
144	19.8	4.29	19.4	0.161	2.7	12	32
145	-	-	-	-	-	-	-
180	346.5	4.13	20.6	0.018	46.0	229	63
181	94.2	3.97	67.7	0.145	12.0	205	137
185	705.8	8.53	38.5	0.066	193.7	874	462
201	-	-	-	-	-	-	-
202	28.4	5.59	9.7	0.048	5.1	9	14
203	32.9	3.57	6.9	0.055	3.8	7	18
205	3.4	4.02	5.8	0.023	0.4	1	1
206	154.8	4.56	41.3	0.337	22.7	206	522
207	30.9	3.32	13.1	0.080	3.3	13	25
208	22.9	5.54	11.9	0.035	4.1	9	8
210	11.5	5.03	2.2	0.028	1.9	1	3
211	1.6	3.36	1.5	0.005	0.2	0	0
212	23.8	4.04	6.7	0.031	3.1	5	7
213	19.3	3.46	5.3	0.010	2.1	3	2
214	10.4	3.94	7.3	0.009	1.3	2	1
215	90.8	3.66	4.4	0.047	10.7	13	43
217	4.2	3.65	6.9	0.035	0.5	1	1
220	54.6	6.80	24.0	0.283	11.9	42	155
222	103.6	4.85	11.5	0.048	16.2	38	49
223	12.9	4.70	62.7	0.962	1.9	26	124
224	7.1	4.67	13.7	0.139	1.1	3	10
230	9.1	4.87	13.4	0.444	1.4	4	40
231	34.8	3.85	8.8	0.077	4.3	10	27
232	22.5	4.26	18.5	0.065	3.1	13	15
233	4.8	3.20	28.0	0.327	0.5	4	16
234	5.2	4.24	28.4	0.155	0.7	5	8
236	117.2	3.65	28.8	0.140	13.8	109	164
237	4.1	4.42	129.5	0.019	0.6	17	1
Total	**5,163.6**	**5.33**	**21.3**	**0.091**	**885.5**	**3,530**	**4,700**

APPENDIX 9

Angostura Mineral Resource Summary by Vein

at a Cut-off Grade of 3.5 g/t Au

Measured and Indicated Mineral Resource Estimate at a Cut-off Grade of 3.5 g/t Au

Veta #	Tonnes (kt)	Au (g/t)	Ag (g/t)	Cu (%)	Contained Metal Au (koz)	Ag (koz)	Cu (t)
1	218.7	5.05	24.2	0.028	35.5	170	60
2	544.0	6.77	17.6	0.060	118.3	308	329
3	149.1	6.43	11.7	0.060	30.8	56	89
4	103.8	4.84	26.8	0.019	16.1	90	20
5	176.9	5.45	9.3	0.013	31.0	53	24
6	25.6	5.09	4.7	0.007	4.2	4	2
7	9.2	3.72	6.3	0.009	1.1	2	1
8	16.2	4.89	7.1	0.029	2.5	4	5
11	0.01	3.55	12.8	0.007	0.002	0.006	0.001
14	19.1	4.21	44.5	0.218	2.6	27	42
17	0.4	5.39	10.7	0.010	0.1	0.14	0.04
18	19.7	6.44	14.0	0.035	4.1	9	7
20	190.0	7.23	25.5	0.032	44.1	156	60
26	0.3	3.70	13.9	0.026	0.04	0.15	0.09
33	43.2	4.25	4.2	0.010	5.9	6	4
47	147.2	4.69	14.7	0.151	22.2	70	222
50	13.3	4.26	11.4	0.138	1.8	5	18
51	1,203.7	5.58	30.0	0.172	216.0	1,162	2,065
52	279.2	5.23	5.1	0.049	46.9	46	136
54	281.6	5.07	11.3	0.025	45.9	103	72
56	162.5	4.88	17.3	0.087	25.5	91	141
65	3.3	5.61	48.4	0.023	0.6	5	1
66	257.7	7.38	24.2	0.056	61.1	200	144
68	0.1	4.00	12.0	0.010	0.01	0.04	0.01
69	171.1	4.63	14.9	0.223	25.4	82	381
70	20.1	4.29	19.2	0.036	2.8	12	7
71	112.5	7.21	18.3	0.040	26.1	66	45
74	77.6	4.96	15.8	0.108	12.4	39	84
77	272.3	8.52	22.4	0.048	74.6	196	130
78	117.3	5.13	12.8	0.041	19.3	48	48
80	0.3	5.28	4.5	0.004	0.04	0.04	0.01
82	-	-	-	-	-	-	-
85	16.0	4.95	17.7	0.049	2.5	9	8
88	7.7	5.83	4.1	0.038	1.5	1	3
89	10.2	4.14	18.9	0.169	1.4	6	17
91	18.3	4.67	5.8	0.050	2.8	3	9
93	193.2	5.07	15.1	0.035	31.5	94	69
94	166.5	4.69	15.7	0.096	25.1	84	160
97	31.4	4.58	6.3	0.021	4.6	6	7
98	29.8	4.31	9.9	0.022	4.1	10	7
99	0.8	3.86	5.5	0.007	0.10	0.14	0.05
103	94.1	6.72	8.5	0.043	20.3	26	41
104	0.2	3.63	6.6	0.024	0.03	0.05	0.06
105	40.5	5.70	13.8	0.611	7.4	18	247
107	5.4	5.44	3.1	0.042	1.0	1	2
114	777.4	5.67	2.2	0.023	141.6	56	177
119	12.7	4.03	13.6	0.121	1.6	6	15
120	-	-	-	-	-	-	-

Measured and Indicated Mineral Resource Estimate at a Cut-off Grade of 3.5 g/t Au

Veta #	Tonnes (kt)	Au (g/t)	Ag (g/t)	Cu (%)	Contained Metal Au (koz)	Ag (koz)	Cu (t)
122	21.8	3.79	7.1	0.153	2.7	5	33
123	11.2	4.04	5.4	0.052	1.5	2	6
130	100.7	6.16	31.5	0.107	19.9	102	107
132	87.7	5.34	35.3	0.307	15.1	99	269
135	156.7	5.32	13.6	0.225	26.8	68	353
143	10.1	3.95	7.0	0.031	1.3	2	3
144	75.6	5.08	38.2	0.560	12.4	93	423
145	0.5	3.85	1.5	0.070	0.07	0.03	0.38
180	848.9	5.48	65.9	0.035	149.6	1,799	293
181	119.7	6.40	68.4	0.097	24.6	263	116
185	463.3	7.69	24.1	0.053	114.5	359	245
202	2.0	4.44	14.9	0.069	0.3	1	1
203	0.9	3.58	8.8	0.070	0.1	0	1
205	-	-	-	-	-	-	-
206	49.3	4.14	28.9	0.159	6.6	46	78
207	78.8	4.54	15.5	0.067	11.5	39	53
208	57.5	5.97	11.2	0.038	11.0	21	22
210	8.2	8.57	3.1	0.004	2.2	1	0
211	6.0	3.80	1.5	0.005	0.7	0	0
212	-	-	-	-	-	-	-
213	12.1	3.92	2.7	0.011	1.5	1	1
214	3.3	4.59	6.5	0.008	0.5	1	0
215	126.7	4.55	4.8	0.055	18.6	20	70
217	1.3	3.82	8.9	0.017	0.2	0	0
220	75.1	6.07	20.4	0.233	14.6	49	175
222	48.9	4.83	11.2	0.035	7.6	18	17
223	20.0	4.31	39.1	0.333	2.8	25	67
224	67.4	7.25	9.7	0.253	15.7	21	170
230	4.8	4.93	7.2	0.026	0.8	1	1
231	21.1	5.00	12.3	0.058	3.4	8	12
232	33.7	4.36	16.8	0.033	4.7	18	11
233	-	-	-	-	-	-	-
234	0.1	5.85	32.6	0.177	0.0	0	0
236	28.5	5.44	39.1	0.122	5.0	36	35
237	0.5	3.71	123.4	0.018	0.1	2	0
Total	**8,582.8**	**5.79**	**23.3**	**0.087**	**1,598.9**	**6,431**	**7,461**

Inferred Mineral Resource Estimate at a Cut-off Grade of 3.5 g/t Au

Veta #	Tonnes (kt)	Au (g/t)	Ag (g/t)	Cu (%)	Contained Metal Au (koz)	Ag (koz)	Cu (t)
1	63.3	5.71	24.7	0.058	11.6	50	37
2	512.1	5.79	21.5	0.097	95.3	354	496
3	10.0	4.67	10.6	0.067	1.5	3	7
4	17.4	4.55	19.4	0.023	2.5	11	4
5	29.4	4.60	10.6	0.013	4.3	10	4
6	13.0	4.08	4.9	0.009	1.7	2	1
7	-	-	-	-	-	-	-
8	2.4	4.85	3.6	0.017	0.4	0	0
11	-	-	-	-	-	-	-
14	26.0	3.93	25.9	0.150	3.3	22	39
17	12.0	6.57	11.5	0.013	2.5	4	2
18	-	-	-	-	-	-	-
20	50.5	5.38	25.4	0.032	8.7	41	16
26	-	-	-	-	-	-	-
33	7.8	4.30	6.9	0.056	1.1	2	4
47	94.2	4.91	11.5	0.073	14.9	35	69
50	31.1	4.59	7.7	0.030	4.6	8	9
51	313.7	5.21	30.0	0.169	52.5	303	530
52	67.1	5.14	7.6	0.070	11.1	16	47
54	13.0	4.19	9.2	0.016	1.7	4	2
56	41.2	4.42	5.6	0.027	5.9	7	11
65	3.9	5.89	41.2	0.019	0.7	5	1
66	97.7	5.21	18.8	0.040	16.4	59	39
68	0.7	6.55	0.7	0.013	0.1	0	0
69	19.4	6.61	11.7	0.075	4.1	7	15
70	-	-	-	-	-	-	-
71	62.8	6.58	17.5	0.041	13.3	35	26
74	18.7	8.05	24.3	0.158	4.8	15	30
77	54.6	5.45	16.3	0.052	9.6	29	28
78	23.1	6.17	12.9	0.048	4.6	10	11
80	0.3	6.10	4.3	0.003	0.1	0	0
82	0.6	3.55	18.4	0.106	0.1	0	1
85	0.7	4.13	2.7	0.003	0.1	0	0
88	11.9	5.54	12.8	0.034	2.1	5	4
89	0.7	4.44	7.7	0.079	0.1	0	1
91	2.1	7.72	32.0	0.480	0.5	2	10
93	39.5	4.51	16.2	0.087	5.7	21	34
94	41.9	4.70	12.5	0.065	6.3	17	27
97	1.3	5.33	16.0	0.023	0.2	1	0
98	0.5	4.11	8.1	0.014	0.1	0	0
99	0.3	3.67	1.1	0.002	0.0	0	0
103	12.4	9.79	19.9	0.052	3.9	8	6
104	0.3	3.97	13.5	0.015	0.0	0	0
105	31.4	5.10	10.4	0.165	5.1	10	52
107	-	-	-	-	-	-	-
114	516.6	5.87	7.1	0.018	97.4	117	91
119	2.3	4.06	5.0	0.015	0.3	0	0
120	11.5	4.07	4.5	0.105	1.5	2	12

Inferred Mineral Resource Estimate at a Cut-off Grade of 3.5 g/t Au

Veta #	Tonnes (kt)	Au (g/t)	Ag (g/t)	Cu (%)	Contained Metal Au (koz)	Ag (koz)	Cu (t)
122	1.0	3.69	10.1	0.189	0.1	0	2
123	8.6	5.23	9.8	0.091	1.5	3	8
130	70.9	7.17	23.2	0.146	16.3	53	104
132	76.7	6.13	42.8	0.500	15.1	106	384
135	24.6	5.08	11.6	0.107	4.0	9	26
143	10.6	6.29	4.7	0.047	2.1	2	5
144	15.0	4.64	18.5	0.171	2.2	9	26
145	-	-	-	-	-	-	-
180	190.2	4.97	29.4	0.019	30.4	180	36
181	32.8	5.57	100.9	0.176	5.9	106	58
185	649.4	9.00	39.4	0.066	187.8	823	432
202	21.1	6.40	9.7	0.050	4.3	7	11
203	17.7	3.90	6.3	0.049	2.2	4	9
205	3.4	4.02	5.8	0.023	0.4	1	1
206	124.9	4.88	45.2	0.377	19.6	182	470
207	7.7	3.65	18.2	0.050	0.9	5	4
208	21.5	5.68	11.9	0.035	3.9	8	8
210	11.5	5.03	2.2	0.028	1.9	1	3
211	0.3	3.52	1.5	0.005	0.0	0	0
212	12.5	4.76	7.4	0.034	1.9	3	4
213	7.8	3.82	2.7	0.011	1.0	1	1
214	8.1	4.14	7.0	0.008	1.1	2	1
215	51.5	4.01	4.0	0.041	6.6	7	21
217	2.0	4.12	7.9	0.038	0.3	1	1
220	46.9	7.39	26.1	0.295	11.1	39	139
222	81.3	5.28	13.0	0.059	13.8	34	48
223	9.0	5.31	62.5	1.325	1.5	18	120
224	7.0	4.68	13.7	0.140	1.1	3	10
230	7.7	5.16	14.7	0.511	1.3	4	39
231	17.7	4.40	9.4	0.043	2.5	5	8
232	18.6	4.47	18.0	0.062	2.7	11	11
233	0.9	3.65	34.7	0.332	0.1	1	3
234	3.3	4.79	32.6	0.194	0.5	3	6
236	43.0	4.41	34.9	0.099	6.1	48	43
237	3.8	4.51	131.6	0.019	0.5	16	1
Total	**3,868.2**	**6.05**	**23.4**	**0.096**	**751.9**	**2,908**	**3,705**