



P&E MINING CONSULTANTS INC.
Geologists and Mining Engineers

201 County Court Blvd., Suite 304
Brampton, Ontario, L6W 4L2
Ph: 905-595-0575 Fax: 905-595-0578
www.peconsulting.ca

To:

British Columbia Securities Commission
Alberta Securities Commission
Financial and Consumer Affairs Authority of Saskatchewan
The Manitoba Securities Commission
Ontario Securities Commission
Autorité des Marchés Financiers
Canadian Securities Exchange

Dear Sirs / Mesdames:

Re: Filing of a Technical Report supporting the press release titled “Nuinsco Announces Initial Mineral Resource Estimate on the Prairie Lake Critical Minerals & Phosphate Project”, dated May 31, 2022.

I hereby consent to the public filing by Nuinsco Resources Limited (CSE: NWI) (“Nuinsco” or the “Company”) of a Technical Report dated July 15, 2022 titled “Technical Report and Initial Mineral Resource Estimate of the Prairie Lake Rare Earth Element, Niobium and Phosphate Property, Thunder Bay Mining Division, Ontario, Canada”, co-authored by William Stone, Ph.D., P.Geo., Yungang Wu, P.Geo., Jarita Barry, P.Geo., Antoine Yassa, P.Geo., D. Grant Feasby, P.Eng., and Eugene Puritch, P.Eng., FEC, CET of P&E Mining Consultants Inc. (“Technical Report”) with all of the Canadian Securities regulatory authorities having jurisdiction and publicly with the System for Electronic Document Analysis and Retrieval (SEDAR); and to the written disclosure of the Technical Report and extracts from or a summary of the Technical Report in written disclosure filed or being filed by Nuinsco.

I, Jarita Barry, have read the written disclosure filed by Nuinsco in its news release dated July 15, 2022 titled “**Nuinsco Announces Initial Mineral Resource Estimate on the Prairie Lake Critical Minerals & Phosphate Project**” and it fairly and accurately represents the information in the Technical Report that supports the disclosure insofar as my contribution is concerned.

DATED this 15th Day of July, 2022

{SIGNED AND SEALED}

[Jarita Barry]

Jarita Barry, P.Geo.
Associate Geologist