



TECHNICAL REPORT

ON THE

CHAMPION ELECTRIC LITHIUM PROJECT

**LA GRANDE SUBPROVINCE,
EEYOU ISTCHEE JAMES BAY, QUÉBEC**

NTS 33G09, 33G10, 33H12 and 33H13

UTM NAD83, Zone 18N, 550000E and 5940000N

Longitude 74°14' 39" W

Latitude 53°36' 23" N

Prepared for:

Champion Electric Metals Inc.
401 Bay Street, Suite 2704
Toronto, Ontario
M5H 2Y4

Report Date: July 5, 2023
Effective Date: June 30, 2023

Qualified Persons

Adam Findley, M.Sc., P.Geo.
Eric Hebert, Ph.D., P. Geo.

Company

GeoVector Management Inc.
GeoVector Management Inc.

| TABLE OF CONTENTS | | PAGE |
|--------------------------|--|-------------|
| TABLE OF CONTENTS..... | | i |
| LIST OF FIGURES..... | | iii |
| LIST OF TABLES..... | | iii |
| 1 | SUMMARY..... | 1 |
| 1.1 | Property Description, Location, Access, and Physiography..... | 1 |
| 1.2 | Underlying Agreement..... | 1 |
| 1.3 | History..... | 1 |
| 1.4 | Geology and Mineralization..... | 3 |
| 1.4.1 | Regional Geology..... | 3 |
| 1.4.2 | Property Geology..... | 4 |
| 1.4.3 | Mineralization..... | 5 |
| | Lac Nochet Iron Showing..... | 5 |
| | Phénix Copper Showing..... | 5 |
| 1.5 | Exploration (2022-2023)..... | 6 |
| 1.5.1 | Mapping and Surface Sampling (2022)..... | 6 |
| 1.5.2 | Airborne Geophysical Surveys (2022)..... | 6 |
| 1.5.3 | LiDAR Survey (2022)..... | 7 |
| 1.5.4 | Historical Data Compilation and Geophysical Interpretation (2023)..... | 7 |
| 1.5.5 | Airborne Geophysical Survey by Prospectair Geosurveys (2023)..... | 7 |
| 1.6 | Adjacent Properties..... | 8 |
| 1.7 | Interpretation and Conclusions..... | 9 |
| 1.8 | Recommendations..... | 10 |
| 1.9 | Proposed 2023 Work Programs and Budgets..... | 10 |
| 2 | INTRODUCTION..... | 13 |
| 2.1 | Sources of Information..... | 13 |
| 2.2 | Site Visit..... | 13 |
| 2.3 | Effective Date..... | 13 |
| 2.4 | Units and Abbreviations..... | 13 |
| 3 | RELIANCE ON OTHER EXPERTS..... | 15 |
| 4 | PROPERTY DESCRIPTION AND LOCATION..... | 15 |
| 4.1 | Property Location..... | 15 |
| 4.2 | Mineral Tenure..... | 15 |
| 4.3 | Property Description, Ownership and Royalty..... | 15 |
| 4.4 | Property Claim Status..... | 15 |
| 4.5 | Current Property Status..... | 16 |
| 4.6 | Underlying Agreements..... | 21 |
| 4.7 | Permits and Authorization..... | 23 |
| 4.8 | Environmental Consideration..... | 23 |
| 5 | ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE, AND PHYSIOGRAPHY .. | 24 |
| 5.1 | Accessibility..... | 24 |
| 5.2 | Local Resources and Infrastructure..... | 24 |
| 5.3 | Climate..... | 25 |
| 5.4 | Physiography..... | 25 |
| 6 | HISTORY..... | 27 |
| 6.1 | Introduction..... | 27 |
| 6.2 | Exploration History..... | 27 |
| 6.3 | Historical Mineral Resources..... | 29 |
| 6.4 | Production..... | 29 |
| 7 | GEOLOGICAL SETTING AND MINERALIZATION..... | 29 |
| 7.1 | Regional Geology..... | 29 |
| 7.2 | Local and Property Geology..... | 30 |
| 7.3 | Mineralization..... | 31 |
| 7.3.1 | Lac Nochet Iron Showing..... | 31 |
| 7.3.2 | Phénix Copper Showing..... | 31 |
| 8 | DEPOSIT TYPES..... | 35 |

| | | |
|-------|--|-----|
| 9 | EXPLORATION (2022-2023)..... | 38 |
| 9.1 | Introduction | 38 |
| 9.1.1 | Mapping and Surface Sampling (2022) | 38 |
| 9.1.2 | Airborne Geophysical Surveys (2022)..... | 39 |
| 9.1.3 | LiDAR Survey (2022)..... | 41 |
| 9.2 | Data Compilation (2023)..... | 45 |
| 9.2.1 | Historical Data Compilation and Geophysical Interpretation..... | 45 |
| 9.2.2 | Airborne Geophysical Survey by Prospectair Geosurveys (2023)..... | 46 |
| 10 | DRILLING | 52 |
| 11 | SAMPLE PREPARATION, ANALYSES, AND SECURITY | 52 |
| 11.1 | Rock Samples | 52 |
| 11.2 | Discussion..... | 52 |
| 12 | DATA COMPILATION, VERIFICATION AND SITE VISIT | 53 |
| 12.1 | Rock Samples QA/QC..... | 53 |
| 12.2 | Site Visit..... | 53 |
| 13 | MINERAL PROCESSING AND METALLURGICAL TESTING..... | 54 |
| 14 | MINERAL RESOURCE ESTIMATE | 55 |
| 15 | MINERAL RESERVE ESTIMATE | 56 |
| 16 | MINING METHODS | 57 |
| 17 | RECOVERY METHODS | 58 |
| 18 | PROJECT INFRASTRUCTURE | 59 |
| 19 | MARKET STUDIES AND CONTRACTS..... | 60 |
| 20 | ENVIRONMENTAL STUDIES, PERMITTING AND SOCIAL OR COMMUNITY IMPACT | 61 |
| 21 | CAPITAL AND OPERATING COSTS | 62 |
| 22 | ECONOMIC ANALYSIS | 63 |
| 23 | ADJACENT PROPERTIES..... | 64 |
| 24 | OTHER RELEVANT DATA AND INFORMATION | 68 |
| 25 | INTERPRETATION and CONCLUSIONS..... | 69 |
| 26 | RECOMMENDATIONS | 71 |
| 26.1 | Proposed 2023 Work Programs and Budgets | 71 |
| 27 | REFERENCES | 74 |
| 28 | DATE AND SIGNATURE PAGE..... | 78 |
| 29 | CERTIFICATES OF QUALIFIED PERSONS | 79 |
| 30 | APPENDIX 1: MINERAL CLAIMS OF THE PROPERTY | 83 |
| 31 | APPENDIX 2: 2022 ROCK SAMPLE DESCRIPTIONS | 113 |
| 32 | APPENDIX 3: 2022 GEOCHEMICAL RESULTS..... | 115 |
| 33 | APPENDIX 4: 2022 GEOCHEMICAL QA/QC | 122 |

LIST OF FIGURES

| | | |
|-------------|--|----|
| Figure 4-1 | General location map of the Property | 17 |
| Figure 4-2 | Claim map of the Champion Electric (CE) Lithium property | 18 |
| Figure 4-3 | CE Lithium Property highlighting the original Blanche and Charles properties (as acquired) . | 19 |
| Figure 4-4 | Location of underlying claim interests..... | 20 |
| Figure 5-1 | Access roads to the Champion Electric Lithium Property (CE Lithium Property)..... | 26 |
| Figure 7-1 | Regional geology map of the Property..... | 32 |
| Figure 7-2 | Local geology map of the Property..... | 33 |
| Figure 7-3 | Mineralized showings on the Property..... | 34 |
| Figure 8-1 | Zonation of Pegmatite Mineralization (modified from Cerny,1991) | 37 |
| Figure 8-2 | Zonation of Pegmatite Mineralization (modified from Cerny,1991) | 37 |
| Figure 9-1 | 2022 Surface Sampling Locations - Samples 01 to 07 (prefixed by G2964) | 40 |
| Figure 9-2 | 2022 Surface Sampling Locations - Samples 08 to 23 (prefixed by G2964) | 41 |
| Figure 9-3 | 2022 Lidar Survey Area on the Champion Electric Lithium Property | 42 |
| Figure 9-4 | Airborne Geophysical Survey – Total Magnetic Field..... | 43 |
| Figure 9-5 | Airborne Radiometric Survey – Total Counts | 44 |
| Figure 9-6 | Airborne EM-VLF Out-of-Phase Line Response | 45 |
| Figure 9-7 | Areas of outcrops interpreted on high-resolution ortho-photos | 47 |
| Figure 9-8 | Location of the Prospectair AMAG - TDEM surveyed areas..... | 48 |
| Figure 9-9 | Geological interpretation for the west block | 49 |
| Figure 9-10 | Tilt Angle Derivative with TDEM anomalies for the east block..... | 50 |
| Figure 9-11 | Geological interpretation for the magnetic breaks in the east block..... | 51 |
| Figure 23-1 | Location of adjacent properties | 65 |
| Figure 23-2 | Location of Winsome Resources and their recent discovery | 66 |
| Figure 23-3 | Location of Patriot Battery Metals and their recent discovery | 67 |

LIST OF TABLES

| | | |
|------------|---|----|
| Table 1-1 | CE Lithium Property 2023 Phase 1 Exploration Program Budget | 11 |
| Table 1-2 | CE Lithium Property 2023 Phase 2 Exploration Program Budget..... | 12 |
| Table 2-1 | List of Abbreviations..... | 14 |
| Table 9-1 | 2022 Rock Sample Geochemistry Results | 39 |
| Table 26-1 | CE Lithium Property 2023 Phase 1 Exploration Program Budget..... | 72 |
| Table 26-2 | CE Lithium Property 2023 Phase 2 Exploration Program Budget..... | 73 |

1 SUMMARY

In February 2023, Champion Electric Metals Inc. formerly Idaho Champion Gold Mines Canada Inc. (“Champion” or the “Issuer”) mandated GeoVector Management Inc. (“GeoVector”) to write a 43-101 Technical Report on the Champion Electric Lithium (CE Lithium) Project (the “Property”) located in Eeyou Istchee James Bay (Québec, Canada). This Property is a combination of seven (7) properties consisting of groups of claims that have been purchased by Champion and held by its subsidiary Energy IQ Quebec Ltd. (“Energy IQ”). This report is undertaken in connection with a proposed listing on the TSX Venture Exchange (TSX-V) under the corporate name change from Idaho Champion Gold Mines Canada Inc. to Champion Electric Metals Inc.

1.1 Property Description, Location, Access, and Physiography

The Property (CE Lithium) is located in the Eeyou Istchee James Bay Territory of the Province of Québec. The Property is centered at approximately UTM Zone 18N, NAD83 Coordinates 552780 E and 5942640 N; or 74°14' 39" W Longitude, 53°36' 23" N Latitude within NTS sheets 33G09, 33G10, 33H12 and 33H13. The Property is located approximately 250 kilometers east from the town of Radisson and 300 kilometers north-northeast of the town of Nemaska. The east-west trending Property is centered on the Transtaïga Road, a 666-kilometer gravel road linking the Billy-Diamond Road to the Caniapiscau Reservoir at the eastern extremity of Eeyou Istchee James Bay.

The Property consists of 981 contiguous claims (cells) covering an area of 50,110 hectares or 501.10 square kilometers. The 981 claims are, as of the effective date of this report, either 100% indirectly owned by Champion and registered in the name of its subsidiary Energy IQ, or subject to contractual obligations to obtain 100% ownership. These claims are listed in Appendix I and illustrated in Figures 4-2 and 4-3.

The Property is situated on Category III Land within the Eeyou Istchee Cree Territory (Cree Nation of Chisasibi, and Cree Nation of Mistissini), as defined under the James Bay and Northern Quebec Agreement (JBNQA). The Eeyou Istchee James Bay Regional Government (EIJBRG) is the designated municipality for the region including the Property.

1.2 Underlying Agreement

As of June 30, 2023, the Issuer, through Energy IQ, either directly owns or indirectly owns or has a contractual right to acquire 100% of 981 mining claims covering 50,110 hectares and is referred to as the CE Lithium property. Of the 981 claims that comprise the Property, 943 were acquired between September 2022 and June 30th, 2023, through a series of purchase agreements and 38 were staked on open ground by Champion in February 2023. The initial property consisted of three (3) non-contiguous claim blocks, referred to as the Blanche West, Blanche East and Charles claims, that were purchased from Quebec Precious Metals Corp. An additional six (6) properties were purchased from individuals and groups of individuals. All purchase agreements for the Property are fully vested with Champion now holding 100% interest, subject to underlying royalties as described in the following.

1.3 History

Regional exploration during the 1940-1979 period consisted of regional scale mapping, geochemical and geophysical surveys undertaken by the Quebec and Canadian governments, which included portions of and/or the entire Property.

The first systematic geological work in Eeyou Istchee James Bay was led by the Geological Survey of Canada (GSC) in the 1940s to 1960s and generated a 1:506,880 scale geological map (Shaw, 1942; Eade et al., 1957; Eade, 1966). Ongoing work by the GSC consisted of a published geological map at 1:1,000,000 scale which described several types of orthogneiss in the Bienville subprovince adjacent to a band of metavolcanic and metasediments exposed along the La Grande River. The GSC also published an overburden map at a 1:500,000 scale.



In the 1960s and 1970s, the *Ministère des Richesses Naturelles du Québec* completed a systematic mapping campaign covering the regions of the La Grande River hydrographic system before the LG-1 to LG-4 reservoirs were progressively filled in the 1970's. This resulted in several reports and maps at 1:63,350 scale (Mills, 1965, 1967, 1973, 1974; Sharma, 1974; 1975; 1977). Mining companies, notably the *Groupe Minier SES* (with the *Société de Développement de la Baie James*) conducted several uranium exploration campaigns in the La Grande River basin during which various geophysical surveys, geochemical sampling, prospection, mapping, and drilling programs were completed.

Regional geochemical sampling surveys were completed over the broad area of the La Grande hydrographic basin. The following was the most extensive of these regional surveys and included portions of the CE Lithium Project on NTS sheets 33G09, 33G10, 33H12 and 33H13. These geochemical surveys were completed during the 1973-1974 period by:

- 1) The *Société de Développement de la Baie James* collected 1100 lake sediment samples that were spaced at 5 km² intervals over an area of approximately 5850 km², which were analyzed for U, Cu, Pb, Zn, Ag, Co, Ni, Mo, As, Fe and Mn.
- 2) The *Ministère des Richesses Naturelles du Québec* collected 10,000 stream and river sediment samples that were spaced every 0.5 km² over an area of 5850 km², which were analyzed for U, Cu, Pb, Zn, Ag, Ni, Co, Cr, Mo, Sn, Mn, V, Ba, Li, and Cs.

The latest regional survey was completed in 2009 by the *Ministère des Ressources et de la Faune du Québec* and consisted of a regional airborne magnetic and radiometric survey in the LG4 area.

1.3.1 Property Scale Exploration during the 1996-2023 Period

Historical work listed below refers to the exploration activities and surveys undertaken by numerous companies and individuals on and in the area immediately adjacent to the Property.

1996. Explorateurs-Innovateurs de Québec Inc. conducted a program of prospecting that utilized a Beep-Mat over an area immediately south of the western portion of the CE Lithium Property. A total of 45 conductive anomalies were discovered and sampled. Three separate samples returned anomalous values, the maximum of which were 309 ppb Au, 1867 ppm Cu and 3066 ppm Zn. This work was following up on geological reconnaissance work by Tyrone Mines in 1959 that had discovered two mineralized boulders near Lac Trente, which returned assays of 1.0 g/t Au and 0.69 g/t Au and became known as the Lac Trente gold showing and two boulders at what became known as the Damn Lake copper showing, which returned 0.19% Cu and 1.35% Cu.

1997. Exploration Boréale Inc. completed an airborne magnetic and electromagnetic survey over 420 line-km at a 150m spacing over an area immediately south of the western portion of the CE Lithium Property. Ground geophysical surveys were completed on a cut-grid with 54 line-km of magnetic and 45 line-km of electromagnetic surveys completed. Five (5) mechanical trenches were completed late in the year to follow-up several airborne electromagnetic conductors over a one (1) kilometer east-west trend. A total of ninety-five (95) samples consisting of eighty-nine (89) grab samples and six (6) channel samples were taken. The best results returned were 1.34 g/t Au over 5 m on TR-97-01, including a sample of 6.99 g/t Au; 10.08 g/t Au in TR-97-02; and 2.14% Cu and 2.73% Zn in TR-97-04.

1998. Exploration Boréales Inc. completed a drilling program to follow-up on the results from the trenches and airborne EM conductors. Nine (9) DDH were completed totaling 1096.3 m. Hole RP-98-03 intersected the best results with 3.03 g/t Au over 1.30 m and 0.88 g/t Au over 1.00 m.

2000. Ressources Sirios inc. completed a diamond exploration program using a team from IOS Services Géoscientifiques Inc. A total of one-hundred-and-twenty-six (126) till and eighty (80) glaciofluvial samples were



collected along the Transtaïga road. Thirty-one (31) of these samples were collected within the current CE Lithium Property. Results were not significant with only three (3) garnite grains identified in two of (2) the thirty-one (31) samples.

2001-2003. INCO defined eighty-nine (89) geophysical targets from a MaxMin and magnetic ground survey conducted over 100 m spaced cut grid lines. One electromagnetic target (target # 275) was on the eastern portion of the current CE Lithium Property. SOQUEM joined Inco on a joint venture to follow-up these targets with soil sampling and prospecting. In 2003, a total of 753 m of drilling was completed on three specific targets that explained five (5) conductors. One (1) diamond drill hole was completed to test target #275 and intersected a 3 m-thick pegmatite dyke with muscovite from 19.00 m to 22.00 m. A total of one-hundred-and-twenty-nine (129) core samples were taken with no significant results for base metals or gold.

2005-2006. Follow-up work was done on trenches and other targets mentioned in historical reports of Exploration Boréale and of Virginia over an area immediately west of the CE Lithium Property. A total of fifty-six (56) samples were collected on the different trenches, followed by another summer of prospecting in 2006 where seventy-four (74) samples were collected.

2009-2010. A 43-101 report was completed on the LG4 Diamond CONSOREM project in 2010 by Virginia Mines Inc. over the western boundary and the area further west of the CE Lithium Property. Targets with kimberlitic potential were identified from a regional aeromagnetic survey that was flown by the Ministère des Ressources Naturelles et de la Faune in 2008 and 2009. Aurizon Mines, Stornoway Resources, SOQUEM and Virginia Mines partnered to explore the area for diamonds. In 2010 exploration work consisting of ground magnetic surveys, prospecting and till sampling was completed to evaluate the potential for diamonds in the LG4 area. Till samples were analyzed for kimberlitic indicator minerals with one (1) sample returning a single (1) grain of pyrope garnet with a few other samples containing grains of forsterite. None of these grains occurred in samples on the current CE Lithium Property.

2011. The Ministère des Ressources Naturelles et de la Faune du Québec published a 1:250,000 scale geological map of the Lac Nochet and Lc De La Fregate areas, which covered most of the CE Lithium Property.

2017. Métaux Stratégiques du Canada completed prospecting on the original Blanche portion of the Property. A total of 221 rock samples were collected and analyzed for gold and other elements. No results were significant.

2019. Corporation Métaux Précieux du Québec completed mapping and prospecting for gold on a portion of the original Charles block on the Property. The objective was to follow-up the Phénix (0.8% Cu in a grab sample) and Lac Nochet (37.2% Fe in a grab sample) showings. Two (2) samples returned anomalous gold values (0.962 g/t and 0.619 g/t) on the property, within a pyritic basalt and at the contact between an iron formation and an ultramafic sill, respectively.

2021. Corporation Métaux Précieux used the services of GoldSpot Discoveries to generate a prospectivity map showing the location of outcrops present on the property.

1.4 Geology and Mineralization

1.4.1 Regional Geology

The CE Lithium Property (Property) is situated within the Archean Superior Province of the Canadian Shield, which extends from Manitoba to Quebec and covers approximately 750,000 km² of Quebec. Within the Property region, the Superior Province is divided into three distinct subprovinces, the Minto, La Grande and Opinaca. This subdivision is based on the distinct differences in lithological, metamorphic, geophysical, and structural characteristics between the subprovinces. The Property is situated within the central portion of the volcano-plutonic La Grande subprovince. Rocks of this subprovince share several similarities with the Sachigo-Uchi-Wabigoon domains of



northwestern Ontario that also rest on Archean basement with an arenitic sequence and narrow greenstone belts. The Bienville Domain of the Minto subprovince, which is composed of voluminous granite-granodiorite plutonic suites (ca. 2.74-2.69 Ga) (Ciesielski, 1999; Simard et al., 2004; Gosselin et al., 2004) borders the La Grande subprovince to the north. The Opinaca subprovince, formed by metasedimentary and plutonic rocks comparable to that exposed in the English River and Quetico subprovinces of Ontario borders the La Grande subprovince to the south. The La Grande and Opinaca subprovinces are considered to have strong exploration potential for a variety of commodities including base and precious metals, and lithium.

The La Grande subprovince is a Meso to Neoproterozoic assemblage of volcano-plutonic rocks composed of an ancient tonalitic basement (>2.76 Ga), several westward-younging volcano-sedimentary greenstone belts and multiple ultramafic to felsic intrusions. It is oriented parallel to the east-northeast trending Wemindji- Caniapiscau structural corridor (Moorehead, et.al., 2014; Houle, 2004). It consists of two main domains: the Eastmain River Greenstone Belt (ERGB) and the La Grande River Greenstone Belt (LGRGB). The Property is situated within the LGRGB that is characterized by a volcano-sedimentary sequence. This belt occupies the older, more evolved, northern domain and is comprised of:

- 1) A Mesoproterozoic (3360-2790 Ma) tonalitic basement called the Langelier Complex.
- 2) The Guyer Group supracrustal volcanic sequences (2750-2730 Ma) and interstratified metasediments.

The lower basalt sequence sits unconformably atop the Mesoproterozoic basement and locally overlies U-bearing pebble conglomerate, quartz arenite and minor carbonate of the Apple Formation. The upper sequence is a result of crustal assimilation by komatiitic liquids. It is made up of felsic to intermediate volcanics, komatiite, volcanoclastic rocks and iron formation capped by basalt and high-Mg andesite. This is a typical assemblage for the Property area.

Regional metamorphism increases from greenschist facies in the centre of La Grande outwards to amphibolite facies in the north and southeast. Steeply dipping structural trends transition from E-W in the southwest to NE-SW within northern La Grande, most of which developed between 2700 and 2680 Ma. A series of Proterozoic dykes, 2740-2680 Ma plutonic rocks and the Paleoproterozoic Sakami Formation as siliciclastic infilled grabens occur throughout the area.

1.4.2 Property Geology

The Property is situated within the Lac Guyer Greenstone Belt, considered part of the larger La Grande River Greenstone Belt. The western and central portions of the Property are underlain by the ENE-WSW trending Guyer Group and granitoid intrusive rocks of the Coates, Bezier, and Vieux Comptoir Suites. The eastern portion of the property is underlain and bordered to the southeast by the NNE-SSW trending Guyer Group, granitoid intrusives of the Coates and Bezier Suites, the Nochet Pluton and paragneiss of the Keyano Formation. It is bordered to the northwest by the Langelier Complex, Fontay Pluton and Coates Suite intrusive rocks. Several regional-scale Proterozoic diabase dykes cut through portions of the Property.

The following is a brief description of the Property stratigraphy from the Archean basement Langelier Complex to the Proterozoic diabase dykes.

Langelier Complex

This complex forms the basement of the stratigraphic sequence and has been dated between 3360 to 2788 Ma (Parent, 2011). It consists of granitic, tonalitic and dioritic gneiss, migmatites, diorite and tonalite, with rare granodiorite.

Poste de Lemoyne Pluton

This Pluton overlays the Langelier Complex and consists of tonalite and quartz diorite. It is dated at 2881 +/- 2 Ma.



Guyer Group

This Group consists dominantly of mafic volcanics, a major iron formation unit, with minor felsic volcanics, intermediate tuffs, Mg-rich basalts and komatiites and local wacke. Locally, 100 to 500m-wide and 500m to 3km-long syn-volcanic sills of peridotite, pyroxenite and gabbro occur adjacent or in contact with the iron formation. On the eastern portion of the Property, the mafic volcanics are metamorphosed to amphibolite facies. The felsic tuff was dated at 2820 +/- 0.8 Ma and 2806 +/- 2.3 Ma.

Coates Suite

This suite consists of a leucocratic tonalite with biotite and minor hornblende (Simard and Lafrance, 2011). Two different ages were found for this unit: 2742.9 +/- 5.6/-3.8 Ma and 2716 +/- 2.8/-1.9 Ma.

Keyano Formation

This formation overlies the Guyer Group and consists of mainly paragneiss but is locally characterized by a heterolithic conglomerate composed mainly of rounded quartz clasts with minor lithic clasts.

Magin Formation

This formation consists of a clast-supported, heterolithic conglomerate. The clasts are poorly sorted, and their composition consists of granitoid, gabbro, ultramafic, paragneiss and iron formation (Bandyayera et al. 2013). The unit has a high magnetic signature on regional magnetic maps. One detrital zircon was dated at 2720.5 +/- 2.7 Ma.

Bezier Suite

This suite consists of granodiorite and quartz monzodiorite intrusives (Goutier et. al. 2001) and is dated at 2674 +/- 12 Ma.

Fontay Pluton

This pluton consists of granodiorite, biotite granite and biotite-hornblende tonalite.

Vieux Comptoir Suite

This suite consists of a series of small granite bodies that range from coarse-grained to pegmatitic. They are composed of dominant K-feldspar, plagioclase, quartz, and micas (biotite and muscovite). Accessory minerals consist of garnet, tourmaline, and beryl. These bodies are scattered across the belt and have been dated at 2618 +/- 2 Ma.

Diabase dykes

Diabase dykes of Proterozoic age, 2515 +/- 3 Ma (Hamilton, 2009) crosscut all Archean lithologies on the Property. These dykes are mainly oriented into a NNW direction and are up to fifteen (15) metres wide. They tend to be strongly magnetic and are easily visible on magnetic maps.

1.4.3 Mineralization

The two (2) historic showings on the Property (Nieminen, 2022) are the Lac Nochet and Phénix. Quartz-feldspar pegmatites have been observed on the Property, but limited work has been completed to date.

Lac Nochet Iron Showing

The Lac Nochet iron showing occurs at the contact between iron formation and an ultramafic sill. The showing has assayed up to 37.2% Fe in grab samples.

Phénix Copper Showing

The Phénix Copper showing occurs in a pyritic mafic volcanic and has assayed up to 0.8% copper in grab samples.



1.5 Exploration (2022-2023)

1.5.1 Mapping and Surface Sampling (2022)

A total of twenty-one (21) representative grab samples of outcrop were collected for geochemical analyses during the October field visit. Twenty (20) of the samples collected were from pegmatite dikes and one (1) sample from a peridotite intrusive body. The samples were collected over a spacing of 25 to 250 metres in clusters that are 2 to 12 kilometers apart (Figures 9-1 and 9-2). The distance between sample clusters was a function of safe landing areas near outcrop areas identified as potential pegmatite dikes during the helicopter flights. Rock sample descriptions and complete geochemical results for the 2022 field visit are in Appendices 2 and 3, respectively.

The Charles claims are located on the eastern portion of the Property. South of the Transtaïga road there is good outcrop exposure, while north of the road there is dominantly glacial cover. The rock units encountered included amphibolite, metasediment (biotite-rich meta-wacke), banded iron formation (oxide facies with magnetite and chert), ultramafic intrusive bodies and pegmatite dikes. The metamorphic grade ranges from greenschist to amphibolite facies. The pegmatite dikes observed crosscut the metasediments and amphibolites and consisted mainly of K-feldspar and quartz with minor muscovite, garnet and locally a blueish-green feldspar. Six (6) samples of pegmatite dikes (G296401 and G296403 to G496407) and one (1) sample (G496402) of a peridotite intrusive were collected and sent for geochemical analyses. The pegmatite dike samples were not anomalous in lithium (Li), returning values less than the average crustal abundance with a maximum value of 25.40 ppm. The geochemical results for beryllium (Be) and strontium (Sr) were also less than the average crustal abundance. The geochemical results for cesium (Cs), manganese (Mn), niobium (Nb), rubidium (Rb) and tantalum (Ta) are all above the average crustal abundance. However, none of these values are considered significantly anomalous. Results for the single sample (G296402) collected for Au, Pt and Pd were all at or below detection limits.

The Blanche claims are in the central and western portion of the Property. There is less outcrop exposure and more glacial till and glaciofluvial cover. Several pegmatite outcrops were identified and sampled. The dominant rock types encountered were orthogneiss, metasediment and pegmatite, with minor amphibolite. The pegmatite dikes occurred mainly near or within orthogneiss. Fourteen (14) samples of pegmatite dikes were collected and sent for multi-element geochemical analysis. The pegmatite dike samples were not anomalous in lithium (Li), returning values less than the average crustal abundance with a maximum value of 19.90 ppm. The geochemical results for manganese (Mn) and niobium (Nb) were also less than the average crustal abundance. The geochemical results for beryllium (Be), cesium (Cs), rubidium (Rb), strontium (Sr) and tantalum (Ta) range from less than to greater than the average crustal abundance (Table 9-1). However, none of these values are considered significantly anomalous.

Overall, the results from the pegmatite dike samples collected on the Charles claims indicate a better potential than the pegmatite dike sample results from the Blanche claims. The fact that numerous pegmatite dikes were observed over 50 kilometers during the two-day site visit is sufficient evidence to continue exploration on the Property, in particular, on the eastern portion of the Property.

1.5.2 Airborne Geophysical Surveys (2022)

During the period of October 2nd to 17th, 2022 ALS GoldSpot Discoveries Ltd. completed an airborne magnetic, radiometric, and EM-VLF survey on the Blanche and Charles claims. A total of 2,188-line kilometers were flown at a 50-metre nominal elevation and at 100-metre spacing on north-south (180°) oriented lines.

A B2 A-Star helicopter was used to complete these surveys. It was equipped with ALS GoldSpot's M-PASS platform, which consists of a triaxial gradient magnetic/VLF platform and a 2048 channel radiometric sensor.



1.5.3 LiDAR Survey (2022)

During the period of October 2nd to 17th, 2022 ALS GoldSpot Discoveries Ltd. completed a high-resolution LiDAR and Ortho-imagery survey in tandem with the airborne magnetic, radiometric, and EM-VLF survey. A total of 338 km² was covered by the LiDAR survey.

A B2 A-Star helicopter was used to complete these surveys. It was equipped with the ALS GoldSpot's M-PASS platform which consists of a high-precision LiDAR sensor and high-resolution camera capable of producing four band imagery.

1.5.4 Historical Data Compilation and Geophysical Interpretation (2023)

A compilation of all historical exploration data available on the Quebec government database (SIGEOM) was completed. A total of 274 bedrock and boulder assays, of which 53 included lithium (Li), showed no significant anomalous values for lithium or any lithium-cesium-tantalum (LCT) pegmatite associated elements. Until very recently, LCT pegmatites were not the focus of the exploration programs conducted in this area, which date from the 1940s. Given the size of the current property (~500 km²), this is a very limited rock sample database.

1.5.5 Airborne Geophysical Survey by Prospectair Geosurveys (2023)

Prospectair Geosurveys completed a high-resolution airborne magnetic (MAG) and time-domain electromagnetic (TDEM) survey flown by an Airbus H125 on two blocks during the period of April 1st to 3rd, 2023. Targets for potential deep conductors (50 to 150 meters) were identified using the 2022 GoldSpot VLF survey. The first block, located in the west portion of the property, consists of 159 line-km. The second block is in the east portion of the property and consists of 192 line-km. Both blocks were surveyed at 100m spacing with control lines oriented perpendicular to the survey lines at 1000m spacing. The survey lines were oriented at azimuth 164° on the west block and azimuth 129° on the east block. The survey instruments used were:

- 1) A Geometrics G-822A Airborne Magnetometer having a 0.005 nT sensitivity and a range of 15,000 to 100,000 nT,
- 2) A GEM GSM-19 Overhauser magnetometer, and
- 3) A time-domain electromagnetic ProspecTEM system.

1.5.6 LiDAR Data Interpretation (2023)

Using the high-resolution air photos, more than 1000 outcrops have been identified to be field checked during 2023. These identified outcrop areas will be combined with the areas of disruption in the magnetic signature in order to target priority areas for early field checking.

1.5.7 Airborne Geophysical Data Interpretation (2023)

The combination of the GoldSpot (2022) and the Prospectair (2023) airborne magnetic surveys shows a wide variation in Total Magnetic Intensity (TMI) with variations over a range of 26,587 to 42,889 nT with standard variations of 2,941 to 4,327 nT and average values of 831 to 1064 nT.

The magnetic surveys define the change in orientation of the Guyer Group from ENE-WSW in the western portion of the Property to NNE-SSW in the eastern portion of the Property. The strongest TMI anomaly is linear and follows the property wide iron formation. The magnetic tilt angle derivative shows a weaker magnetic trend locally on the south side of the iron formation that based on the known geology could be caused by ultramafic bodies.

Based on the calculated time constant (TAU), which measures the speed of decay of the electromagnetic response reflecting the quality of the source conductor, there are 38 EM anomalies on the west block and 116 EM anomalies on the east block. A weak conductor has a rapid decay response (i.e., a small value of the time constant) and might



be interpreted as shallow conductive overburden. A good conductor has a slow decay response, generating a high TAU value. Good conductors are usually caused by the presence of graphite or sulphide, most likely pyrrhotite, in the bedrock.

The two linear trends of conductors strongly suggest that they correspond to the known iron formation and ultramafic units mapped in the area. There are local weaker EM anomalies associated with the mapped ultramafic which could be related to less conductive sulphides, such as chalcopyrite or nickel sulphide minerals.

1.6 Adjacent Properties

There are several contiguous mineral properties to the CE Lithium Property that contain significant lithium mineralization hosted within the volcano-sedimentary sequence of the Guyer Group. The owners of the largest contiguous properties are:

- 1) Patriot Battery Metals Inc. contiguous to the south.
- 2) Winsome Resources Ltd. contiguous to the west.
- 3) Azimut Exploration Inc. contiguous to the south.
- 4) SOQUEM Inc. contiguous to the south.
- 5) Midland Exploration Inc. contiguous to the south.

The properties related to these five (5) companies are described briefly below. The Authors have been unable to verify the information or statements with respect to adjacent or similar mineral properties in which the Issuer has no interest or right to explore. The information and statements regarding these properties is not necessarily representative of mineralization that may be found on the Property that is the subject of this report.

Patriot Battery Metals is exploring the CV Lithium Pegmatite Trend. Discovered by the company in 2017, this easterly trend extends for more than 25 km across the Corvette Property, which is host to numerous distinct lithium pegmatite occurrences. The core area of the trend is the CV5 pegmatite which has been defined to date over 3.15 km. Within the CV5 pegmatite the high-grade “Nova Zone” has been defined over 750 meters of strike length. This zone has returned drill intercepts of:

- 1) 83.7m at 3.13% Li₂O, including 19.8m at 5.27% Li₂O (CV23-105).
- 2) 132.2m at 1.22% Li₂O, including 11.2m at 2.99% Li₂O (CV23-106).
- 3) 65.4m at 1.30% Li₂O, including 37.1m at 2.09% Li₂O (CV23-107).
- 4) 54.0m at 1.55% Li₂O, including 26.6m at 2.44% Li₂O (CV23-108).

The Patriot Battery Metals Q1 2023 newsletter issued on May 7th, 2023, discusses the general outline of the remainder of the 2023 work programs which include:

- 1) A maiden mineral resource estimate for the CV5 Pegmatite,
- 2) Moving the CV5 Pegmatite zone towards a Pre-Feasibility Study,
- 3) Environmental baseline work,
- 4) Starting the permitting process with submission of a Project Description, and
- 5) Building an 80-person camp near the Transtaïga road and completing an all-weather road into CV5.

The Winsome Resources property is contiguous to the west of the CE Lithium Property and hosts the Cancet Pegmatite, which has drill intersections up to 3.14% Li₂O over 18.0 metres.



Midland Exploration Inc. has been actively exploring the Mythril Property since the discovery of a Cu-Au-Mo-Ag mineralized boulder field in 2018. Numerous additional showings and boulder fields have been discovered since the initial discovery. Several geophysical surveys and diamond drill programs have been completed. The deposit type is a “porphyry-style” with a polymetallic magmatic-hydrothermal system postulated as the mineralizing source. Drill results to date include:

- 1) 1.07% Cu, 0.37 g/t Au, 0.007% Mo, and 8.9 g/t Ag over 12.6 m (drill hole MTY-19-06), and
- 2) 1.34% Cu, 0.69 g/t Au, 0.041% Mo, and 9.5 g/t Ag over 9.0 m (MTY-19-11).

SOQUEM and Azimut Exploration are in partnership on the Pikwa Property. The exploration target is a polymetallic (Au-Cu-Co-Mo) intrusion related (Archean porphyry) and shear-zone hosted system. The project is coincident with a regional As-Bi-Cu anomaly and regional magnetic-high trend. The focus is the 20 km long Copperfield Trend where high-grade chalcopyrite (Cu) has been found to be hosted in biotite-rich gneiss and associated quartz veining. Mineralization has been found in boulder fields and outcrops with the highest result in outcrop of 9.81% Cu, 13.45 g/t Au and 37.6 g/t Ag (outcrop).

1.7 Interpretation and Conclusions

The Property is an early-stage exploration property located within the Lac Guyer Greenstone Belt (LGGB) in the James Bay region. The geologic setting is prospective for gold, silver, base metals, platinum group elements and lithium over several different deposit styles including orogenic gold (Au), komatiite-ultramafic intrusions (Au, Ag, PGE, Ni, Cu, Co) and LCT pegmatite (Li, Cs, Ta).

The historical assessment reports and available government geoscience data in the vicinity of the Property was compiled and merged with the 2022-2023 airborne geophysical surveys (magnetics, radiometrics, TDEM) and LiDAR survey into the Company’s GIS database. The interpretive layers generated outlined potential pegmatite targets based on the following criteria:

- 1) The known lithium-bearing pegmatites all occur within the local LGGB, which is considered part of the larger Grand River Greenstone Belt. The LGGB consists of two distinct branches, the southern branch which hosts very significant lithium pegmatite mineralization within the Corvette (CV) Pegmatite trend and the less explored northern branch which hosts lithium pegmatite mineralization within the Cancet Pegmatite trend and the presence of pegmatites on the CE Lithium project.
- 2) The LGGB consists of amphibolite with local iron formations and ultramafic rocks. The competency contrast between the more competent amphibolite and iron formation and less competent ultramafic rocks creates dilational zones, breaks and flexures in the trends of these rock types that allow the potential for pegmatites to intrude. The dimensions and shapes of pegmatite deposits are dependent upon this competency contrast based on the current understanding known economic lithium pegmatite deposits (Cerny, 1991; London, 2018). Pegmatite dikes emplaced in competent rocks such as gneiss, amphibolite and igneous intrusions form planar and extensive bodies. Whereas more ductile host rocks such as schists commonly form isolated, ellipsoidal bodies.
- 3) The airborne magnetic and TDEM data can be used to identify targets based on changes in direction and breaks in geologic units of contrasting competency / rheology. On the CE Lithium Property this has identified several potential targets in the vicinity of the currently mapped iron formation and ultramafic units for field checking.
- 4) The high-resolution air photos created from the LiDAR data allow areas of outcrop and boulders to be identified in the vicinity of these identified targets.
- 5) The historical data has been used to further identify and support the selected targets based on the identification of fifty-three (53) outcrop and boulder samples of felsic intrusive rocks.
- 6) A historic diamond drill hole (INCO, 2003) occurs on the property. This drilling was following up an airborne EM target and intersected a 3-metre-thick pegmatite dyke with muscovite at 19.00 to 22.00 metres depth in the drill hole.



In conclusion there is good potential for LCT pegmatite hosted lithium mineral deposits on the Property. The data compilation from the publicly available Quebec government geoscience database and the limited field work to date have verified the presence of pegmatite dykes. Historically, the focus over the CE Lithium Property was gold and base metal exploration, and therefore, occurrences of lithium pegmatite were neither evaluated nor sampled. Therefore, the CE Lithium Property has been underexplored for lithium pegmatites and remains to be assessed for this deposit type. This potential is further supported by the presence of significant lithium-bearing pegmatites hosted with the Guyer Greenstone Belt on contiguous properties.

There are no significant risks and uncertainties identified by the Authors that could reasonably be expected to affect the reliability or confidence in the exploration information presented herein this report. The Champion Electric Lithium Property is an early-stage exploration project.

As with all early-stage mineral exploration there are risks and opportunities associated with future exploration. This exploration risk does not include the additional external risks that apply to all exploration and development projects, such as changes in metal prices, exchange rates, availability of investment capital, and change in government regulations, to name a few. There is no guarantee that future work will lead to economically viable resources of any metal. However, the recent exploration work provides sufficient evidence to support additional exploration with a reasonable opportunity to discover lithium within LCT pegmatite dykes.

1.8 Recommendations

Based on the favourable geologic setting for LCT pegmatite and base and precious metal occurrences on the Property, it is considered of sufficient geological merit to warrant further exploration. The pegmatite targets generated during the data compilation and interpretation will form the basis for the initial exploration on the Property.

The recommended mineral exploration programs include both surface and airborne survey components during Phase 1, which would be conducted during the June-July 2023 period. A Phase 2 program, designed to follow-up on any success during Phase 1, would be conducted during the August-September 2023 period.

1.9 Proposed 2023 Work Programs and Budgets

Phase 1

The recommended Phase 1 program would consist of the following and cost \$2,189,000 (Table 1-1):

- 1) Property wide LiDAR survey,
- 2) Mapping and Prospecting,
- 3) Collection of HMC till samples (10 kg weight)
- 4) Collection of Kraft till samples (1 kg weight)
- 5) Channel sampling of all lithium bearing pegmatite dykes/bodies discovered.

Phase 2

The recommended Phase 2 program would consist of the following and cost \$1,848,000 (Table 1-2):

- 1) Defining of additional targets based on new LiDAR survey,
- 2) Micro-Gravity surveys over Priority targets defined by Phase 1,
- 3) Mapping and Prospecting,
- 4) Collection of HMC till samples (10 kg weight)
- 5) Collection of Kraft till samples (1 kg weight)

Channel sampling of all lithium bearing pegmatite dykes/bodies discovered.



Table 1-1 CE Lithium Property 2023 Phase 1 Exploration Program Budget

| Cost Centre | Units | Unit Cost | Total |
|--|--------------|--------------------------|--------------------|
| Logistics and Planning | 1 | \$20,000 | \$20,000 |
| Target Definition for Field Follow-Up | 1 | \$20,000 | \$20,000 |
| LiDAR Survey | 1 | \$125,000 | \$125,000 |
| Helicopter Hours (includes mob/demob and fuel) | 200 | \$2,200 | \$440,000 |
| Assaying (rocks) | 2000 | \$80 | \$160,000 |
| Geochemistry - Till samples (HMC) | 250 | \$500 | \$125,000 |
| Geochemistry - Kraft Till samples (geochemistry) | 1000 | \$500 | \$500,000 |
| Travel Costs for field crews | 1 | \$25,000 | \$25,000 |
| Field crew salary | 1 | \$200,000 | \$200,000 |
| Consumables | 1 | \$10,000 | \$10,000 |
| Vehicle Rental | 1 | \$50,000 | \$50,000 |
| Equipment Rental | 1 | \$15,000 | \$15,000 |
| Accommodation (room and board) | 1 | \$300,000 | \$300,000 |
| | | Sub-Total | \$1,990,000 |
| | | Contingency (10%) | \$199,000 |
| | | Total | \$2,189,000 |



Table 1-2 CE Lithium Property 2023 Phase 2 Exploration Program Budget

| Cost Centre | Units | Unit Cost | Total |
|--|--------------|--------------------------|--------------------|
| Logistics and Planning | 1 | \$10,000 | \$10,000 |
| Target Definition for Ongoing Field Follow-Up | 1 | \$20,000 | \$20,000 |
| Helicopter Hours (includes mob/demob and fuel) | 100 | \$2,200 | \$220,000 |
| Micro-Gravity Surveys | 2 | \$100,000 | \$200,000 |
| Assaying (rocks) | 1000 | \$80 | \$80,000 |
| Geochemistry - Till samples (HMC) | 100 | \$500 | \$50,000 |
| Geochemistry - Kraft Till samples (geochemistry) | 1000 | \$500 | \$500,000 |
| Travel Costs for field crews | 1 | \$25,000 | \$25,000 |
| Field crew salary | 1 | \$200,000 | \$200,000 |
| Consumables | 1 | \$10,000 | \$10,000 |
| Vehicle Rental | 1 | \$50,000 | \$50,000 |
| Equipment Rental | 1 | \$15,000 | \$15,000 |
| Accommodation (room and board) | 1 | \$300,000 | \$300,000 |
| | | Sub-Total | \$1,680,000 |
| | | Contingency (10%) | \$168,000 |
| | | Total | \$1,848,000 |



2 INTRODUCTION

In February 2023, Champion Electric Metals Inc. formerly Idaho Champion Gold Mines Canada Inc. (“Champion” or the “Issuer”) mandated GeoVector Management Inc. (“GeoVector”) to write a 43-101 Technical Report on the Champion Electric Lithium (CE Lithium) Project (the “Property”) located in Eeyou Istchee James Bay (Québec, Canada). This Property is a combination of seven (7) properties consisting of groups of claims that have been purchased by Champion and held by its subsidiary Energy IQ Quebec Ltd. (“Energy IQ”). This report is undertaken in connection with a proposed listing on the TSX Venture Exchange (TSX-V) under the corporate name change from Idaho Champion Gold Mines Canada Inc. to Champion Electric Metals Inc.

2.1 Sources of Information

Much of the information for this report (Sections 4 to 12) has been obtained from public, internal, or in-house reports, documents obtained from the Issuer, other documents (assessment reports, geoscience reports and geoscience data) and, maps extracted from the Systeme d’information geominiere (SIGEOM) website managed by the *Ministère de l’Énergie et des Ressources naturelles du Québec* (“MERN”).

In addition, the Authors have reviewed Idaho Champion news releases and Management’s Discussions and Analysis (“MD&A”) which are posted on SEDAR (www.sedar.com). SEDAR, “The System for Electronic Document Analysis and Retrieval”, is a filing system for the Canadian Securities Administrators to:

- Facilitate the electronic filing of securities information as required by the Canadian Securities Administrator;
- Allow for the public dissemination of Canadian securities information collected in the securities filing process; and
- Provide electronic communication between electronic filers, agents, and the Canadian Securities Administrator.

The Authors believe the information provided in the reports listed in Section 27 (“References”) is valid and appropriate for the purpose of the Technical Report. The Authors do not accept any responsibility for errors pertaining to this information.

2.2 Site Visit

One of the Authors, Eric Hebert, visited the property on October 18th and 19th, 2022.

2.3 Effective Date

The Effective Date of the report is June 30th, 2023.

2.4 Units and Abbreviations

Units adopted in this report confer to the metric system. Precious metal concentrations are given in grams of metal per metric ton (g/t), in parts per million metal (ppm) or in weight percent (%). Tonnage figures are in dry metric tons unless otherwise stated. Currency units used are the Canadian Dollar (\$CAD). The weight and the measurement which are implemented during this study are in conformity with the nomenclature of the System International (SI).



Table 2-1 List of Abbreviations

| | | | |
|-----------------|--|--------|---------------------------------------|
| \$ | Dollar Sign | kV | Kilovolt |
| \$CAD | Canadian Dollar | kW | Kilowatt |
| % | Percent Sign | m | Metre |
| ° | Degree | Ma | Million years or mega annum |
| °C | Degree Celcius | mm | Milimetre |
| µm | Micron | MMI | Mobile Metal Ions |
| µg | Microgram | MAG | Magnetic |
| AA | Atomic Absorption | Mo | Molybdenum |
| Ag | Silver | Mt | Million Tonnes or mega tonnes |
| As | Arsenic | mV/V | mili volts over volts |
| ASL | Above Sea Level | NAD 83 | North American Datum of 1983 |
| ATV | All-Terrain Vehicle | Ni | Nickel |
| Au | Gold | nT | nanotesla |
| cm | Centimetre | NTS | National Topographic System |
| Cr | Chromium | NQ | Drill core size (4.76 cm in diameter) |
| Cu | Copper | g/t | Grams per Tonne |
| DDH | Diamond drill hole | Pb | Lead |
| EM | Electromagnetic | PGE | Platinum group elements |
| g | Gram | ppb | Parts per billion |
| Ga | Billion years or giga annum | ppm | Parts per million |
| GPS | Global Positioning System | Pd | Palladium |
| ha | Hectare | Pt | Platinum |
| HMC | Heavy Mineral Concentrates | QA | Quality Assurance |
| ICP | Inductively Coupled Plasma | QC | Quality Control |
| ICP-AES | Inductively coupled plasma atomic emission spectroscopy | QP | Qualified Person |
| ICP-MS | Inductively coupled plasma mass spectrometry | RQD | Rock quality designation |
| ICP-OES | Inductively coupled plasma optical emission spectrometry | TCR | Total core recovered |
| INAA | Instrumental Neutron Activation Analysis | UTM | Universal Transverse Mercator |
| kb | Kilobars | UV | Ultraviolet |
| kg | Kilograms | VTEM | Versitile Time Domain Electromagnetic |
| km | Kilometre | W | Watt |
| km ² | Square Kilometre | Zn | Zinc |



3 RELIANCE ON OTHER EXPERTS

Information concerning claim status and ownership of the Property, which is presented in Section 4, has been provided to the Authors by Champion. The Authors have reviewed the land tenure in a cursory fashion and have not independently verified the legal status or ownership of the Property or any underlying agreements. However, the Authors have no reason to doubt that the title status is other than what is presented in this technical report. The Authors are not qualified to express any legal opinion with respect to Property titles or current ownership.

4 PROPERTY DESCRIPTION AND LOCATION

4.1 Property Location

The Property (CE Lithium) is located in the Eeyou Istchee James Bay Territory of the Province of Québec. The Property is centered at approximately UTM Zone 18N, NAD83 Coordinates 552780 E and 5942640 N; or 74° 14' 39" W Longitude, 53° 36' 23" N Latitude within NTS sheets 33G09, 33G10, 33H12 and 33H13 (Figure 4-1). The Property is located approximately 250 kilometers east from the town of Radisson and 300 kilometers north-northeast of the town of Nemaska. The east-west trending Property is centered on the Transtaïga Road, a 666-kilometer gravel road linking the Billy-Diamond Road to the Caniapiscau Reservoir at the eastern extremity of Eeyou Istchee James Bay.

The Property is situated on Category III Land within the Eeyou Istchee Cree Territory (Cree Nation of Chisasibi, and Cree Nation of Mistissini), as defined under the James Bay and Northern Quebec Agreement (JBNQA). The Eeyou Istchee James Bay Regional Government (EIJBRG) is the designated municipality for the region including the Property.

4.2 Mineral Tenure

The Property consists of 981 contiguous claims (cells) covering an area of 50,110 hectares or 501.10 square kilometers. The 981 claims are, as of the effective date of this report, either 100% indirectly owned by Champion and registered in the name of its subsidiary Energy IQ, or subject to contractual obligations to obtain 100% ownership. These claims are listed in Appendix I and illustrated in Figures 4-2 and 4-3.

4.3 Property Description, Ownership and Royalty

As of June 30, 2023, Champion either owns 100% or has a contractual right to acquire 100% of 981 mining claims covering 50,110 hectares referred to as the Champion Electric Lithium property (CE Lithium). Of the 981 claims that comprise the Property, 943 were acquired between September 2022 and June 30, 2023, through a series of purchase agreements and 38 were staked on open ground by Champion in February 2023 (Figure 4-2). The initial property consisted of 3 non-contiguous claim blocks, referred to as the Blanche and Charles claims, that were purchased from Quebec Precious Metals Corp. An additional six (6) properties that were purchased are subject to contracts with individuals and groups of individuals. The Property is subject to underlying royalties as described in Section 4.6.

4.4 Property Claim Status

The Issuer currently holds all the claim titles of the Property, either registered in the name of Energy IQ or pursuant to a contractual right.

The Mining Act of Québec requires a claim holder to notify the local municipality, the landowner, the State lessee, and the holder of an exclusive lease to mine surface mineral substances of the claim obtained, within 60 days after registering the claim in the register of real and immovable mining rights, and in the manner determined by regulation.



The Mining Act of Québec allows a company or an individual to hold a claim up to a period of two years before renewal. The claim renewal fee is \$156 per claim located north of 52° Latitude and having an area >50 hectares. The owner also must spend a minimum of \$135 to \$2,500 depending on the number of validity periods (1 to 7 years) of each claim having an area >45 hectares. The amount needs to be spent on exploration work (i.e., geological mapping, prospecting, trenching, geochemical surveys, geophysical surveys, and drilling) for the claim to remain in good standing. The renewal must be forwarded to the *Gouvernement du Québec* 60 days before the claim expiration date. It is only accepted when the exploration expenses satisfy all the requirements of the MERN. Since the Property is located on Crown Land, the Issuer is allowed legal access to all parts of the land staked and is provided surface rights to conduct exploration work year-round.

4.5 Current Property Status

The claims owned by or subject to contract with Champion are valid and in good standing. The anniversary dates of claims that will require submission of assessment work to keep the claims in good standing range from July 10, 2024, to March 14, 2026 (Appendix 1).



Figure 4-1 General location map of the Property




Figure 4-2 Claim map of the Champion Electric (CE) Lithium property




Figure 4-3 CE Lithium Property highlighting the original Blanche and Charles properties (as acquired)





Figure 4-4 Location of underlying claim interests



4.6 Underlying Agreements

As of June 30, 2023, the Issuer, through Energy IQ, either directly owns or indirectly owns or has a contractual right to acquire 100% of 981 mining claims covering 50,110 hectares and is referred to as the CE Lithium property. Of the 981 claims that comprise the Property, 943 were acquired between September 2022 and June 30, 2023, through a series of purchase agreements and 38 were staked on open ground by Champion in February 2023. The initial property consisted of three (3) non-contiguous claim blocks, referred to as the Blanche West, Blanche East, and Charles claims, that were purchased from Quebec Precious Metals Inc. (Figure 4-3). An additional six (6) properties (Figure 4-4) were purchased from individuals and groups of individuals. All purchase agreements for the Property are fully vested with Champion now holding 100% interest, subject to underlying royalties as described in the following.

A purchase and sale agreement between Champion and Quebec Precious Metals for purchasing 317 claims which comprised the Blanche and Charles Project was signed November 1, 2022. Champion acquired 100% ownership by meeting the following conditions:

- 1) **Cash Payment:** \$100,000 (CAD), upon signing
- 2) **Share Issuance:** 12,000,000 common shares, 6,000,000 of which will be held in escrow for 18 months following the closing date.
- 3) **Royalty:** 2% Net Smelter Return royalty (NSR), with a 1% buy-back option for \$1,000,000 (CAD). The buy-back option can be exercised with a one-time payment of \$1,000,000 (CAD), or in lieu of cash, a combination of cash and common shares that are equivalent to \$1,000,000 (CAD).

A purchase and sale agreement between Champion and Canadian Mining House Group for purchasing 149 claims, comprising the Transtaïga claims, was signed on February 27, 2023. Champion has a contractual right to acquire 100% ownership of these claims by meeting the conditions:

- 1) **Cash Payment:** \$25,000 (CAD), upon closing.
- 2) **Share Issuance:** 3,000,000 common shares which are subject to a 4 month plus 1 day hold after the Closing Date.
- 3) **Royalty:** 2% NSR, with a 1% buy-back option for \$1,000,000 (CAD). The buy-back option can be exercised with a one-time cash payment of \$1,000,000 (CAD).

A purchase and sale agreement between Champion and Explorations Carat Inc. Group for purchasing 50 claims, which comprised the Carat claims, was signed December 23, 2022. Champion acquired 100% ownership by meeting the following conditions:

- 1) **Cash Payment:** \$25,000 (CAD), upon receipt of the Deed of Sale.
- 2) **Share Issuance:** 2,000,000 common shares on February 23, 2023, 1,000,000 of which will be held in escrow for 18 months following the Closing date.
- 3) **Bonus Shares:** A bonus of 500,000 shares of Champion will be issued if lithium (spodumene) is discovered anywhere inside the 50-claim boundary defined by the agreement.
- 4) **Royalty:** 2% NSR, with a 1% buy-back option for \$1,000,000 (CAD). The buy-back option can be exercised with a one-time payment of \$1,000,000 (CAD), or in lieu of cash, a combination of cash and common shares that are equivalent to \$1,000,000 (CAD).

A purchase and sale agreement between Champion and a private individual and a private company incorporated in British Columbia for purchasing 29 claims, which comprised the Reservoir Lithium Project, was signed February 10, 2023. Champion acquired 100% ownership by meeting the following conditions:

- 1) **Share Issuance:** 2,000,000 common shares which are subject to a 4 month plus 1 day hold after the Closing Date of March 9, 2023, 1,000,000 of which will be held in escrow for 18 months following the Closing date.
- 2) **Bonus Shares:** A bonus of 500,000 shares will be paid to the vendors if lithium (spodumene) is discovered anywhere inside the 29-claim boundary defined by the agreement.



- 3) **Royalty:** 2% NSR, with a 1% buy-back option for \$1,000,000 (CAD). The buy-back option can be exercised with a one-time payment of \$1,000,000 (CAD), or in lieu of cash, a combination of cash and common shares that are equivalent to \$1,000,000 (CAD).

A purchase and sale agreement between Champion and a private individual for purchasing 256 claims, which comprised the JDM Property, was signed March 20, 2023. Champion will acquire 100% ownership by meeting the following conditions, which other than conditions constituting deferred considerations, are expected to be met in early July 2023:

- 1) **Cash Payment:** \$45,000 (CAD) paid on March 20, 2023.
- 2) **Cash Payment:** \$25,000 (CAD) upon the receipt of Deed of Sale.
- 3) **Share Issuance:** 3,500,000 common shares which are subject to a 4 month plus 1 day hold after the receipt of the Deed of Sale, all of which will be held in escrow for 12 months following the receipt of the Deed of Sale.
- 4) **Warrant Issuance:** 1,500,000 warrants to purchase common shares, with an exercise price of \$0.15 (CAD) per warrant for a term of two years after the agreement date of March 20, 2023.
- 5) **Bonus Shares:** A bonus of 500,000 shares if, following the Closing date, lithium (spodumene) is discovered in any rock sample or drill hole with a minimum grade of 1% lithium oxide (Li₂O) anywhere within five (5) kilometers from the exterior boundary of the 256 claims which comprise the JDM Property.
- 6) **Royalty:** 2% NSR with a 1% buy-back option for \$1,000,000 (CAD). The buy-back option can be exercised with a one-time payment of \$1,000,000 (CAD), or in lieu of cash, a combination of cash and common shares that are equivalent to \$1,000,000 (CAD).

A purchase and sale agreement between Champion and a private individual for purchasing 8 claims, which comprised the GG Property, was signed April 7, 2023. Champion will acquire 100% ownership by meeting the following conditions:

- 1) **Share Issuance:** 700,000 common shares which are subject to a 4 month plus 1 day hold after the receipt of the Deed of Sale. 350,000 shares will be held in escrow for 18 months following the receipt of the Deed of Sale.
- 2) **Warrant Issuance:** 250,000 warrants to purchase common shares, with an exercise price of \$0.15 (CAD) per warrant for a term of two years after the agreement date of April 7, 2023.
- 3) **Bonus Shares:** A bonus of 500,000 shares if, following the closing date, lithium spodumene is discovered in any rock sample or drill hole with a minimum grade of 1% lithium oxide (Li₂O) anywhere within five (5) kilometers from the exterior boundary of the 8 claims which comprise the GG Property.
- 4) **Royalty:** 2% NSR with a 1% buy-back option for \$1,000,000 (CAD). The buy-back option can be exercised with a one-time payment of \$1,000,000 (CAD), or in lieu of cash, a combination of cash and common shares that are equivalent to \$1,000,000 (CAD).

A letter of intent between Champion and a private corporation for purchasing 134 claims, which comprised the Des Bois Lithium Project, was signed April 14, 2023. Champion acquired a contractual right to acquire 100% ownership interest in the claims by meeting the following conditions:

- 1) **Cash Payment:** \$100,000 (CAD).
- 2) **Share Issuance:** 6,000,000 common shares which are subject to a 4 month plus 1 day hold after the receipt of the Deed of Sale. 3,000,000 of the shares will be held in escrow for 18 months following the Closing date.
- 3) **Warrant Issuance:** 3,000,000 warrants to purchase common shares, with an exercise price of \$0.20 (CAD) per warrant for a term of two years from the signing date.
- 4) **Royalty:** 2% NSR with a 1% buy-back option for \$1,000,000 (CAD). The buy-back option can be exercised with a one-time payment of \$1,000,000 (CAD), or in lieu of cash, a combination of cash and common shares that are equivalent to \$1,000,000 (CAD).



4.7 Permits and Authorization

Normal exploration activities such as airborne geophysical surveys, bedrock mapping, prospecting, rock sampling, grid line cutting (<1.5 meters wide), channel sampling, and surface geochemical sampling do not require specific authorizations from the Quebec provincial ministries, as they are effectively granted when the claim is acquired. Advanced exploration activities such as drilling, trenching and access roads do require permits, as follows:

- 1) the Permis d'intervention d'activités minières (Forest management permit for advanced exploration activities), which is issued by the Ministère des Forêts, de la Faune et des Parcs (“MFFP”) to support exploration drilling and are applied for and renewed annually. These permits are required for exploration drilling sites, trenching and access roads.
- 2) A déclaration de conformité is made to the Ministère de l'Environnement et de la Lutte contre les changements climatiques (“MELCC”) for work that is near or on wetland designated areas.

In addition to the provincial ministries, a formal notification is required to be submitted to the local municipality and landowner(s) at least 30 days prior to the commencement of exploration activities. Industry best practice also demands a courtesy notification be submitted to the local Cree Nation and Tally-Person(s) to ensure they are informed of pending activities and presented with the appropriate contact information. The Property is situated on Category III Land within the Eeyou Istchee Cree Territory (Cree Nation of Chisasibi), as defined under the James Bay and Northern Quebec Agreement (JBNQA). The Eeyou Istchee James Bay Regional Government (EIJBRG) is the designed municipality for the region including the Property. Exploration activity in the region, at the request of the Cree Nations, is paused between April 20th and May 20th for the annual goose hunting season.

The initial phase of the 2023 mineral exploration activities to be conducted by Champion will consist of airborne geophysical surveys, ground based geophysical surveys, prospecting, mapping, surface geochemical surveys and grid line cutting (<1.5 meters wide). These normal exploration activities are low impact and do not require permit approvals from the regulating authorities.

When the exploration activities advance to the drilling, trenching, and access road phases, Champion will obtain all required permits and certifications in a timely manner from the required government agencies to allow exploration to continue on the Property.

Consultation with the community of Chisasibi was started in 2022 and will continue in 2023.

4.8 Environmental Consideration

According to the Gouvernement du Québec records, no part of the land covered by the Property is a park or mineral reserve. The Property is devoid of back in rights, payments, or other encumbrances.

There are no other significant factors and risks that may affect access, title, or the right or ability to perform work on the property. The Authors are unaware of environmental liabilities, public hazards or other significant factors and risks that may affect access, title, or Champion's right or ability to perform the exploration work required to advance the Property. There are no known environmental liabilities associated with the Property and there are no other significant factors and risks that may affect access, title, or the right or ability to perform work on the property.

There are no mine workings, tailing ponds, waste deposits or other significant natural or man-made features on the claims and consequently the Property is not subject to any liabilities due to previous mining activities that may impact future development of the property.



5 ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE, AND PHYSIOGRAPHY

5.1 Accessibility

Access to the property is via the Transtaïga all-season gravel road, which trends east-west through the centre of the property. Two (2) Hydro-Quebec 735 KV powerlines also trend east-west through the central portion of the property (Figure 5-1). ATV trails together with lakes and creeks provide some access through-out the property. However, an efficient exploration strategy involves the use of a helicopter to transport personnel to and from remote parts of the Property.

The Transtaïga Road connects approximately 200 km to the west of the Property to the Billy-Diamond Highway (Rte. 109), also known as the James Bay Road, which extends north to Radisson and south to Matagami.

The James Bay Region and area of the Property is covered by the mandate of the Société du Plan Nord. The Société du Plan Nord is an arm of the Quebec Government which is mandated to support Sustainable development of Quebec's territory north of the 49th parallel and includes infrastructure and mineral development (Government of Quebec, 2022).

5.2 Local Resources and Infrastructure

The major infrastructure in Eeyou Istchee James Bay consist of a string of dams, water reservoirs, dikes, and hydroelectric power plants distributed in an E-W direction along the La Grande River. The Transtaïga and Billy-Diamond roads are the two main vital links. Radisson is a small hamlet with a nearby regional airport giving daily access to Montréal, 1,600 km to the south. Radisson offers several services, including lodging, food, gas, health clinic, and car and truck rental. Specialized expertise to conduct any exploration campaign is almost non-existent in the region. Manpower is occasionally available in local communities.

The Transtaïga all-season gravel road, and the two (2) Hydro-Quebec 735 KV powerlines, trend east-west through the central portion of the Property. The closest hydroelectric generating station to the Property is La Grande-4 (LG-4) and is approximately 25 kilometers to the northeast. LG-4 has an installed capacity of 2,779 MW (Hydro-Québec, 2022). This road and power line infrastructure corridor is well-maintained and accessible year-round.

Exploration of the Property is based out of Mirage Adventure Lodge, an all-season regional outfitter located at KM-358 on the Transtaïga Road. The Mirage Lodge is located approximately 75 km to the north-northeast of the Property and provides accommodations, meals, bulk fuel (gas, diesel, Jet A), a local airstrip, as well as internet access, making it a logical staging area for exploration of the Property. A regional ground transportation company, Kepa Transport, provides weekly ground shipping services between the Mirage Lodge and Val D'Or.

Radisson, with a population of ~470 people, is the closest community accessible by road from Mirage, and is located approximately 220 km west of the Property and 300 km west of Mirage. Radisson is serviced regularly by scheduled flights through the adjacent La Grande-2 Airport and is the closest airport to the Property with regularly scheduled flights. The Cree community of Wemindji, with a population of ~1600, is located approximately 305 km west of the Property. Wemindji hosts a larger array of service providers to the region and is serviced by regularly scheduled flights. Both Radisson and Wemindji, as well as Mirage, are accessible by road year-round with connection to the main provincial road network.

The Property is a large, early-stage exploration project with no mineral resources defined. Therefore, no studies of potential power, water, workforce, or infrastructure needs or locations that would be required to support a mining operation have been completed.



5.3 Climate

The Eeyou Istchee James Bay region is characterized by a continental climate. Summers (early June to late August) are very short with average maximum and minimum temperatures of 20.0°C and 7.4°C (July). Winter is harsh and starts in October and lasts until May, with extensive snow precipitation (>250 cm) and temperatures reaching -30°C (min) and -18°C (max) in January. The field work season in Eeyou Istchee James Bay ranges from mid-June to mid-October. During this period exploration and mining companies conduct geological mapping, prospecting, drilling, overburden stripping/trenching, surface geochemical surveys and rock sampling. However, except for radiometric surveys, airborne and ground-based geophysical surveys and drilling can be carried out year-round.


5.4 Physiography

The geomorphology of the region is dominated by glacial features and by a multitude of lakes and swamps. The direction of glacial ice movements as determined by glacial striae, glacial grooves, and eskers, runs SW to WSW. In general areas occupied by granitic and volcanic rocks have a very thin glacial cover, whereas in the regions dominated by volcano-sedimentary rocks and migmatites the glacial overburden is thicker and more extensive. Sand and clay deposits are common along rivers and lakes. There are numerous clay deposits along La Grande River and glacial, fluvio-glacial, lacustrine, and fluvial deposits, swamps and string-bogs cover extensive areas (Sharma, 1977). The area belongs to the La Grande River hydrographic basin.

The Property topography consists of forested gently rolling hills, drainages, and muskeg swamps between approximately 260 and 350 m elevation above sea level, typical of the James Bay Region. Vegetation is characteristic of the Boreal Vegetation Zone in Quebec and consists mainly of black spruce, and lesser alder, poplar, birch, and various shrubs.



Figure 5-1 Access roads to the Champion Electric Lithium Property (CE Lithium Property)



6 HISTORY

6.1 Introduction

Historical work listed below refers to the mineral exploration programs and regional government geoscience surveys undertaken on portions of the Champion Electric Lithium Property and in the regional area of the property.

6.2 Exploration History

6.2.1 Regional Exploration during the 1940-1979 Period

Historical work listed below refers to the regional scale mapping, geochemical and geophysical surveys undertaken by the Quebec and Canadian governments, which included portions of and/or the entire Property.

The first systematic geological work in Eeyou Istchee James Bay was led by the Geological Survey of Canada (GSC) in the 1940s to 1960s and generated a 1:506,880 scale geological map (Shaw, 1942; Eade et al., 1957; Eade, 1966). Ongoing work by the GSC (Eade, 1966) consisted of a published geological map at 1:1,000,000 scale which described several types of orthogneiss in the Bienville subprovince adjacent to a band of metavolcanic and metasediments exposed along the La Grande River. The GSC also published an overburden map at a 1:500,000 scale (Hughes, 1964; Fouques and Schumacher, 1979).

In the 1960s and 1970s, the *Ministère des Richesses Naturelles du Québec* completed a systematic mapping campaign covering the regions of the La Grande River hydrographic system before the LG-1 to LG-4 reservoirs were progressively filled in the 1970's. This resulted in several reports and maps at 1:63,350 scale (Mills, 1965, 1967, 1973, 1974; Sharma, 1974; 1975; 1977). Mining companies, notably the *Groupe Minier SES* (with the *Société de Développement de la Baie James*) conducted several uranium exploration campaigns in the La Grande River basin during which various geophysical surveys, geochemical sampling, prospection, mapping, and drilling programs were completed (Dupuis et al., 1976; Caron and Fouques, 1979; Fouques and Schumacher, 1979).

Regional geochemical sampling surveys were completed over the broad area of the La Grande hydrographic basin (Bonneau, 1973; Gleeson, 1975, 1976; Pride, 1974; SDBJ, 1978; Fouques and Schumacher, 1979). The following were the most extensive of these regional surveys and included portions of the CE Lithium Project on NTS sheets 33G09, 33G10, 33H12 and 33H13. These geochemical surveys were completed during the 1973-1974 period by:

- 3) The *Société de Développement de la Baie James* collected 1100 lake sediment samples that were spaced at 5 km² intervals over an area of approximately 5850 km², which were analyzed for U, Cu, Pb, Zn, Ag, Co, Ni, Mo, As, Fe and Mn.
- 4) The *Ministère des Richesses Naturelles du Québec* collected 10,000 stream and river sediment samples that were spaced every 0.5 km² over an area of 5850 km², which were analyzed for U, Cu, Pb, Zn, Ag, Ni, Co, Cr, Mo, Sn, Mn, V, Ba, Li, and Cs.

The latest regional survey was completed in 2009 by the *Ministère des Ressources et de la Faune du Québec* and consisted of a regional airborne magnetic and radiometric survey in the LG4 area (Pelletier, 2009).

6.2.2 Property Scale Exploration during the 1996-2023 Period

Historical work listed below refers to the exploration activities and surveys undertaken by numerous companies and individuals on and in the area immediately adjacent to the Property.

1996. Explorateurs-Innovateurs de Québec Inc. conducted a program of prospecting that utilized a Beep-Mat over an area immediately south of the western portion of the CE Lithium Property. A total of forty-five (45) conductive



anomalies were discovered and sampled. Three (3) separate samples returned anomalous values, the maximum of which were 309 ppb Au, 1867 ppm Cu and 3066 ppm Zn (Poirier, 1996). This work was following up on geological reconnaissance work by Tyrone Mines in 1959 that had discovered two mineralized boulders near Lac Trente, which returned assays of 1.0 g/t Au and 0.69 g/t Au and became known as the Lac Trente gold showing and two boulders at what became known as the Damn Lake copper showing, which returned 0.19% Cu and 1.35% Cu (Fouques and Schumacher, 1979).

1997. Exploration Boréale Inc. completed an airborne magnetic and electromagnetic survey over 420 line-km at a 150 m spacing over an area immediately south of the western portion of the CE Lithium Property. Ground geophysical surveys were completed on a cut-grid with 54 line-km of magnetic and 45 line-km of electromagnetic surveys completed (St-Cyr and Blanchet, 1998). Five (5) mechanical trenches were completed late in the year to follow-up several airborne electromagnetic conductors over a one (1) kilometer east-west trend. A total of ninety-five (95) samples consisting of eighty-nine (89) grab samples and six (6) channel samples were taken. The best results returned were 1.34 g/t Au over 5 m on TR-97-01, including a sample of 6.99 g/t Au; 10.08 g/t Au in TR-97-02; and 2.14% Cu and 2.73% Zn in TR-97-04.

1998. Exploration Boréales Inc. completed a drilling program to follow-up on the results from the trenches and airborne EM conductors. Nine (9) DDH were completed totaling 1096.3 m. Hole RP-98-03 intersected the best results with 3.03 g/t Au over 1.30 m and 0.88 g/t Au over 1.00 m. (Blanchet, 1998).

2000. Ressources Sirios inc. completed a diamond exploration program using a team from IOS Services Géoscientifiques Inc. A total of one-hundred-and-twenty-six (126) till and eighty (80) glaciofluvial samples were collected along the Transtaïga road (Girard, 2001). Thirty-one (31) of these samples were collected within the current CE Lithium Property. Results were not significant with only three (3) gahnite grains identified in two of (2) the thirty-one (31) samples.

2001-2003. INCO defined eighty-nine (89) geophysical targets from a MaxMin and magnetic ground survey conducted over 100 m spaced cut grid lines. One electromagnetic target (target # 275) was on the eastern portion of the current CE Lithium Property. SOQUEM joined Inco on a joint venture to follow-up these targets with soil sampling and prospecting (Jourdain, 2002). In 2003, a total of 753 m of drilling was completed on three (3) specific targets that explained five (5) conductors. One (1) diamond drill hole was completed to test target #275 and intersected a 3 m-thick pegmatite dyke with muscovite from 19.00 m to 22.00 m (Lavoie, 2003). A total of one-hundred-and-twenty-nine (129) core samples were taken with no significant results for base metals or gold.

2005-2006. Follow-up work was done on trenches and other targets mentioned in historical reports of Exploration Boréale and of Virginia over an area immediately west of the CE Lithium Property. A total of fifty-six (56) samples were collected on the different trenches, followed by another summer of prospecting in 2006 where seventy-four (74) samples were collected (Lavallée and Rioux, 2017)

2009-2010. A 43-101 report was completed on the LG4 Diamond CONSOREM project in 2010 by Virginia Mines Inc. over the western boundary and the area further west of the CE Lithium Property. Targets with kimberlitic potential were identified from a regional aeromagnetic survey that was flown by the Ministère des Ressources Naturelles et de la Faune in 2008 and 2009. Aurizon Mines, Stornoway Resources, SOQUEM and Virginia Mines partnered to explore the area for diamonds. In 2010 exploration work consisting of ground magnetic surveys, prospecting and till sampling was completed to evaluate the potential for diamonds in the LG4 area. Till samples were analyzed for kimberlitic indicator minerals with one (1) sample returning a single (1) grain of pyrope garnet with a few other samples containing grains of forsterite (Roy, 2011). None of these grains occurred in samples on the current CE Lithium Property.

2011. The Ministère des Ressources Naturelles et de la Faune du Québec published a 1:250,000 scale geological map of the Lac Nochet and Lc De La Fregate areas, which covered most of the CE Lithium Property (Mathieu et al., 2011).



2017. Métaux Stratégiques du Canada completed prospecting on the original Blanche portion of the Property. A total of two-hundred-and-twenty-one (221) rock samples were collected and analyzed for gold and other elements. No results were significant (Lavallée and Rioux, 2017).

2019. Corporation Métaux Précieux du Québec completed mapping and prospecting for gold on a portion of the original Charles block on the Property. The objective was to follow-up the Phénix (0.8% Cu in a grab sample) and Lac Nochet (37.2% Fe in a grab sample) showings. Two (2) samples returned anomalous gold values (0.962 g/t and 0.619 g/t) on the Property, within a pyritic basalt and at the contact between an iron formation and an ultramafic sill, respectively (Nieminen, 2022).

2021. Corporation Métaux Précieux used the services of GoldSpot Discoveries to generate a prospectivity map showing the location of outcrops present on the property (Nieminen, 2022).

6.3 Historical Mineral Resources

There are no known historical mineral resources or reserves on the Property.

6.4 Production

There is no known historical mineral production on the Property.

7 GEOLOGICAL SETTING AND MINERALIZATION

7.1 Regional Geology

The CE Lithium Property (Property) is situated within the Archean Superior Province of the Canadian Shield, which extends from Manitoba to Quebec and covers approximately 750,000 km² of Quebec. Within the Property region, the Superior Province is divided into three distinct subprovinces, the Minto, La Grande and Opinaca (Figure 7-1). This sub-division is based on the distinct differences in lithological, metamorphic, geophysical, and structural characteristics between the subprovinces. The Property is situated within the central portion of the volcano-plutonic La Grande subprovince. Rocks of this subprovince share several similarities with the Sachigo-Uchi-Wabigoon domains of northwestern Ontario that also rest on Archean basement with an arenitic sequence and narrow greenstone belts. The Bienville Domain of the Minto subprovince, which is composed of voluminous granite-granodiorite plutonic suites (ca. 2.74-2.69 Ga) (Ciesielski, 1999; Simard et al., 2004; Gosselin et al., 2004) borders the La Grande subprovince to the north. The Opinaca subprovince, formed by metasedimentary and plutonic rocks comparable to that exposed in the English River and Quetico subprovinces of Ontario (Card and Ciesielski, 1986; Lucas & St-Onge, 1998; Houle, 2004; Percival, 2007) borders the La Grande subprovince to the south. The La Grande and Opinaca subprovinces are considered to have strong exploration potential for a variety of commodities including base and precious metals, and lithium.

The La Grande subprovince is a Meso to Neoarchean assemblage of volcano-plutonic rocks composed of an ancient tonalitic basement (>2.76 Ga), several westward-younging volcano-sedimentary greenstone belts and multiple ultramafic to felsic intrusions (Card and Ciesielski, 1986; Goutier et al., 2002). It is oriented parallel to the east-northeast trending Wemindji- Caniapiscou structural corridor (Moorehead, et.al., 2014; Houle, 2004). It consists of two main domains (Percival, et al., 2012): the Eastmain River Greenstone Belt (ERGB) and the La Grande River Greenstone Belt (LGRGB). The Property is situated within the LGRGB that is characterized by a volcano-



sedimentary sequence. This belt occupies the older, more evolved, northern domain (Houle, 2004; Percival, et al., 2012) and is comprised of:

- 1) A Mesoarchean (3360-2790 Ma) tonalitic basement called the Langelier Complex (Goutier et al., 1998).
- 2) The Guyer Group supracrustal volcanic sequences (2750-2730 Ma) and interstratified metasediments.

The lower basalt sequence sits unconformably atop the Mesoarchean basement and locally overlies U-bearing pebble conglomerate, quartz arenite and minor carbonate of the Apple Formation (Roscoe & Donaldson, 1988; Goutier & Dion, 2004). The upper sequence is a result of crustal assimilation by komatiitic liquids. It is made up of felsic to intermediate volcanics, komatiite, volcanoclastic rocks and iron formation capped by basalt and high-Mg andesite. This is a typical assemblage for the Property area (St-Seymour & Francis, 1988; Lucas & St-Onge, 1998).

Regional metamorphism increases from greenschist facies in the centre of La Grande outwards to amphibolite facies in the north and southeast (Card, 1986; Houle, 2004). Steeply dipping structural trends transition from E-W in the southwest to NE-SW within northern La Grande, most of which developed between 2700 and 2680 Ma (Percival, et al., 2012). A series of Proterozoic dykes, 2740-2680 Ma plutonic rocks and the Paleoproterozoic Sakami Formation as siliciclastic infilled grabens occur throughout the area (Houle, 2004; Percival, et al., 2012).

7.2 Local and Property Geology

The Property is situated within the Lac Guyer Greenstone Belt, considered part of the larger La Grande River Greenstone Belt (Figure 7-1). The western and central portions of the Property are underlain by the ENE-WSW trending Guyer Group and granitoid intrusive rocks of the Coates, Bezier, and Vieux Comptoir Suites. The eastern portion of the property is underlain and bordered to the southeast by the NNE-SSW trending Guyer Group, granitoid intrusives of the Coates and Bezier Suites, the Nochet Pluton and paragneiss of the Keyano Formation. It is bordered to the northwest by the Langelier Complex, Fontay Pluton and Coates Suite intrusive rocks (Figure 7-2). Several regional-scale Proterozoic diabase dykes cut through portions of the Property.

The following is a brief description of the Property stratigraphy from the Archean basement Langelier Complex to the Proterozoic diabase dykes.

Langelier Complex

This complex forms the basement of the stratigraphic sequence and has been dated between 3360 to 2788 Ma (Parent, 2011). It consists of granitic, tonalitic and dioritic gneiss, migmatites, diorite and tonalite, with rare granodiorite (Goutier, 1999; Bandyayera et al., 2013).

Poste de Lemoyne Pluton

This pluton overlays the Langelier Complex and consists of tonalite and quartz diorite. It is dated at 2881 +/- 2 Ma (Goutier et al., 2002).

Guyer Group

This group consists dominantly of mafic volcanics, a major iron formation unit, with minor felsic volcanics, intermediate tuffs, Mg-rich basalts and komatiites and local wacke (St-Seymour et al., 1979; Goutier et al., 2002; Bandyayera et al., 2013). Locally, 100 to 500 m-wide and 500 m to 3 km-long syn-volcanic sills of peridotite, pyroxenite and gabbro occur adjacent or in contact with the iron formation. On the eastern portion of the Property, the mafic volcanics are metamorphosed to amphibolite facies. The felsic tuff was dated at 2820 +/- 0.8 Ma (Goutier et al, 2002) and 2806 +/- 2.3 Ma (David et al, 2011).

Coates Suite

This suite consists of a leucocratic tonalite with biotite and minor hornblende (Simard and Lafrance, 2011). Two different ages were found for this unit: 2742.9 +/- 5.6/-3.8 Ma and 2716 +/- 2.8/-1.9 Ma (David et al., 2011).



Keyano Formation

This formation overlies the Guyer Group and consists of mainly paragneiss but is locally characterized by a heterolithic conglomerate composed mainly of rounded quartz clasts with minor lithic clasts (Nieminen, 2022).

Magin Formation

This formation consists of a clast-supported, heterolithic conglomerate. The clasts are poorly sorted, and their composition consists of granitoid, gabbro, ultramafic, paragneiss and iron formation (Bandyayera et al. 2013). The unit has a high magnetic signature on regional magnetic maps. One detrital zircon was dated at 2720.5 +/- 2.7 Ma (David and Dion, 2011).

Bezier Suite

This suite consists of granodiorite and quartz monzodiorite intrusives (Goutier et. al. 2001) and is dated at 2674 +/- 12 Ma (St-Seymour et. al. 1989).

Fontay Pluton

This pluton consists of granodiorite, biotite granite and biotite-hornblende tonalite. (Bandyayera et al. 2013).

Vieux Comptoir Suite

This suite consists of a series of small granite bodies that range from coarse-grained to pegmatitic. They are composed of dominant K-feldspar, plagioclase, quartz, and micas (biotite and muscovite). Accessory minerals consist of garnet, tourmaline, and beryl. These bodies are scattered across the belt and have been dated at 2618 +/- 2 Ma (Goutier et al 2000).

Diabase dykes

Diabase dykes of Proterozoic age, 2515 +/- 3 Ma (Hamilton, 2009) crosscut all Archean lithologies on the Property. These dykes are mainly oriented into an NNW direction and are up to fifteen (15) metres wide. They tend to be strongly magnetic and are easily visible on magnetic maps.

7.3 Mineralization

The two (2) historic showings on the Property (Nieminen, 2022) are the Lac Nochet and Phénix (Figure 7-2). Quartz-feldspar pegmatites have been observed on the Property, but limited work has been completed to date.

7.3.1 Lac Nochet Iron Showing

The Lac Nochet iron showing occurs at the contact between iron formation and an ultramafic sill. The showing has assayed up to 37.2% Fe in grab samples.

7.3.2 Phénix Copper Showing

The Phénix Copper showing occurs in a pyritic mafic volcanic and has assayed up to 0.8% copper in grab samples.

Two samples returned anomalous gold values (0.962 g/t and 0.619 g/t) on the property (Nieminen, 2022).



Figure 7-1 Regional geology map of the Property. Map modified from MERN’s SIGEOM. *Colours of the regional lithological units do not match those in the property geology maps




Figure 7-2 Local geology map of the Property





Figure 7-3 Mineralized showings on the Property



8 DEPOSIT TYPES

The geologic setting of the Property is prospective for lithium, gold, silver, base metals, platinum group elements over several different deposit styles including orogenic gold (Au), mafic-ultramafic intrusion base metals (Ni, Cu, PGE) and pegmatite dikes (Li, Cs, Ta). Although several deposit types occur on or adjacent to the Property, Champion's focus is on the exploration for LCT pegmatites, therefore, only this mineralization style is described in detail.

There are two distinct families of rare element pegmatites (Cerny, 1991; *Cerny and Ercit, 2005; Phelps-Barber, et al, 2022*):

- 1) LCT enriched pegmatites which contain lithium-cesium-tantalum, and
- 2) NYF enriched pegmatites which contain niobium-yttrium-fluorine.

LCT pegmatites are associated with S-type, peraluminous (aluminum-rich), quartz-rich, two-mica (biotite and muscovite) granites. The granites form from magmas produced by partial melting of sedimentary source rocks and generally occupy the roof of larger granite plutons or batholiths. The LCT pegmatites form through fractional crystallization of the S-type granites.

The dominant minerals in LCT pegmatites are quartz, albite, or locally orthoclase, along with lesser amounts of muscovite and lithium-bearing minerals such as spodumene. Mafic minerals are generally minor constituents, including biotite, tourmaline, garnet, or cordierite. Oxide and sulphide minerals are rare. These pegmatites are often coarse-grained, frequently with finer-grained, sometimes graphic margins. Other elements sometimes associated with lithium include cesium, tantalum, beryllium, phosphorus, and rare earth elements (Cerny, 1991; Cerny & Ercit, 2005). Lithium-bearing minerals are most commonly spodumene, petalite, and lepidolite. Tantalum-bearing minerals include pyrochlore and columbite-tantalite.

The sources for rare-metal pegmatites are fertile parental granite pluton(s). A summary of how these rare-metal pegmatites form is as follows:

- 1) The granitic melt first crystallizes several different granitic units due to an evolving melt composition within a single parental fertile granite pluton, such as biotite granite to two-mica (biotite and muscovite) granite to muscovite granite.
- 2) As the melt evolves, a residual melt can form which is enriched in incompatible elements (e.g., Li, Cs, Ta, Nb, Sn, Rb) and volatiles (e.g., H₂O, F, BO₃ and PO₄). These elements also act as fluxing components, depressing the solidus temperature which allows the LCT pegmatite bodies to drop to temperatures that are significantly lower (250-350° C) than ordinary granitic melts (650-850° C).
- 3) This residual melt can migrate along structures into the country rock and crystallize LCT mineralized pegmatite dikes.

LCT pegmatite dikes can occur in country rocks at considerable distances (i.e., kilometers) from their parent granite intrusions, which creates a chemical zonation (Cerny, 1991; Cerny and Ercit, 2005; London, 2008). This zonation of LCT pegmatites over distances from the source granite is outlined in Figures 8-1 and 8-2. There are chemical trends in less evolved pegmatites that can point toward evolved LCT pegmatites (Bradley, McCauley, & Stillings, 2017), which include:

- 1) increasing rubidium in potassium feldspar,
- 2) increasing lithium in white mica,
- 3) increasing manganese in garnet, and
- 4) increasing tantalum and manganese in columbite-tantalite.

The dimensions and shape of pegmatite deposits are dependent upon the competency of the host rocks. Pegmatite dikes emplaced in competent rocks such as gneiss, amphibolite and igneous intrusions form planar and extensive bodies. Whereas more ductile host rocks such as schists commonly form isolated, ellipsoidal bodies (Cerny, 1991; London, 2018).



In the Archean Superior province, the majority of LCT pegmatites are hosted by metamorphosed supracrustal rocks in the upper greenschist to lower amphibolite metamorphic grades. The pegmatite intrusions are generally emplaced late during orogeny, with emplacement being controlled by pre-existing structures. Typically, they are located near evolved, peraluminous granites and leucogranites from which they are inferred to be derived by fractional crystallization. In cases where a parental granite pluton is not exposed, one is inferred to lie at depth.

The LCT pegmatites can also be associated with fractionated I-type meta-aluminous (aluminum-poor), quartz-poor, biotite or hornblende granites. The rare elements may be sourced from the progressive partial melting of trochjemitonalite-granodiorite and fluids transported through regional structures such as shear zones.

There is the potential for orogenic mesothermal style gold deposits, specifically lode gold and shear-zone hosted deposits. The primary exploration model is the Abitibi subprovince quartz-carbonate vein deposits, which are hosted by a wide variety of rock types ranging from mafic and ultramafic volcanic rocks, clastic sedimentary rocks and granitoid intrusions. Deposits are associated with large crustal scale unconformities and second and third order faults, which are commonly referred to as 'breaks'.

Potential may exist for magmatic Ni-Cu-PGE deposits related to ultramafic and mafic intrusions on the Property. Rich Ni-Cu occurrences, often with associated PGE and Cr, have also been found in komatiitic flows and ultramafic intrusions in the region (Houle, 2004).



Figure 8-1 Zonation of Pegmatite Mineralization (modified from Cerny,1991)





Figure 8-2 Zonation of Pegmatite Mineralization (modified from Cerny,1991)



9 EXPLORATION (2022-2023)

9.1 Introduction

Dr. Eric Hébert (P. Geo) visited the Blanche and Charles portions of the Property on October 18th and October 19th, 2022. Previous work by INCO and SOQUEM had intersected a 3-metre-thick pegmatite dike in a drill hole testing an airborne EM anomaly on the Charles portion of the Property (Lavoie, 2003). A helicopter based out of the Mirage camp was used to access both properties. The objectives were to:

- 1) assess the Property for the presence of LCT pegmatite dikes, and
- 2) to evaluate the distribution of any pegmatite dikes observed.

9.1.1 Mapping and Surface Sampling (2022)

A total of twenty-one (21) representative grab samples of outcrop were collected for geochemical analyses during the October field visit. Twenty (20) of the samples collected were from pegmatite dikes and one (1) sample from a peridotite intrusive body. The samples were collected over a spacing of twenty-five (25) to two-hundred-and-fifty (250) metres in clusters that are two (2) to twelve (12) kilometers apart (Figures 9-1 and 9-2). The distance between sample clusters was a function of safe landing areas near outcrop areas identified as potential pegmatite dikes during the helicopter flights. Rock sample descriptions and complete geochemical results for the 2022 field visit are in Appendices 2 and 3, respectively.

The Charles claims are located on the eastern portion of the Property (Figure 9-1). South of the Transtaïga road there is good outcrop exposure, while north of the road there is dominantly glacial cover. The rock units encountered included amphibolite, metasediment (biotite-rich meta-wacke), banded iron formation (oxide facies with magnetite and chert), ultramafic intrusive bodies and pegmatite dikes. The metamorphic grade ranges from greenschist to amphibolite facies. The pegmatite dikes observed crosscut the metasediments and amphibolites and consisted mainly of K-feldspar and quartz with minor muscovite, garnet and locally a blueish-green feldspar. Six (6) samples of pegmatite dikes (G296401 and G296403 to G496407) and one (1) sample (G496402) of a peridotite intrusive were collected and sent for geochemical analyses (Figure 9-1). The pegmatite dike samples were not anomalous in lithium (Li), returning values less than the average crustal abundance (Govett, 1983; Rose, et.al., 1979) with a maximum value of 25.40 ppm (Table 9-1). The geochemical results for beryllium (Be) and strontium (Sr) were also less than the average crustal abundance. The geochemical results for cesium (Cs), manganese (Mn), niobium (Nb), rubidium (Rb) and tantalum (Ta) are all above the average crustal abundance (Table 9-1). However, none of these values are considered significantly anomalous. Results for the single sample (G296402) collected for Au, Pt and Pd were all at or below detection limits (Appendix 3).

The Blanche claims are in the central and western portion of the Property (Figure 9-2). There is less outcrop exposure and more glacial till and glaciofluvial cover. Several pegmatite outcrops were identified and sampled. The dominant rock types encountered were orthogneiss, metasediment and pegmatite, with minor amphibolite. The pegmatite dikes occurred mainly near or within orthogneiss (Figures 9-2). Fourteen (14) samples of pegmatite dikes were collected and sent for multi-element geochemical analysis. The pegmatite dike samples were not anomalous in lithium (Li), returning values less than the average crustal abundance (Govett, 1983; Rose, et.al., 1979) with a maximum value of 19.90 ppm (Table 9-1). The geochemical results for manganese (Mn) and niobium (Nb) were also less than the average crustal abundance. The geochemical results for beryllium (Be), cesium (Cs), rubidium (Rb), strontium (Sr) and tantalum (Ta) range from less than to greater than the average crustal abundance (Table 9-1). However, none of these values are considered significantly anomalous.

Overall, the results from the pegmatite dike samples collected on the Charles claims indicate a better potential than the pegmatite dike sample results from the Blanche claims. The fact that numerous pegmatite dikes were observed over 50 kilometers during the two-day site visit is sufficient evidence to continue exploration on the Property, in particular, on the eastern portion of the Property.



Table 9-1 2022 Pegmatite Dike Sample Geochemistry Results

| Sample ID | Area | Be_ppm | Cs_ppm | Li_ppm | Mn_ppm | Nb_ppm | Rb_ppm | Sr_ppm | Ta_ppm |
|-----------|----------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|
| G296401 | Charles | 2.59 | 9.3 | 21.1 | 82 | 84.3 | 452 | 3.8 | 7.67 |
| G296403 | Charles | 1.76 | 23.8 | 3.5 | 1200 | 142.5 | 868 | 25.4 | 18.35 |
| G296404 | Charles | 1.6 | 17.6 | 7.1 | 1035 | 90.7 | 832 | 4.5 | 10.3 |
| G296405 | Charles | 1.71 | 57.7 | 25.4 | 215 | 54.9 | 1605 | 2.3 | 6.16 |
| G296406 | Charles | 1.78 | 5.41 | 11.9 | 248 | 73.2 | 148 | 4.9 | 4.63 |
| G296407 | Charles | 2.21 | 16.55 | 13.8 | 85 | 2.2 | 542 | 231 | 0.18 |
| G296408 | Blanche East | 0.56 | 2.05 | 7.5 | 71 | 1 | 168.5 | 494 | 0.11 |
| G296411 | Blanche East | 1.38 | 2.55 | 6.2 | 58 | 1.9 | 275 | 518 | 0.39 |
| G296412 | Blanche East | 4.25 | 11.05 | 3.7 | 95 | 9.3 | 356 | 25.2 | 2.8 |
| G296413 | Blanche East | 0.89 | 3.01 | 19.9 | 45 | 1.9 | 150.5 | 141 | 0.28 |
| G296414 | Blanche East | 1.38 | 1.63 | 18.4 | 51 | 1.2 | 35.4 | 126 | 0.11 |
| G296415 | Blanche East | 1.16 | 1.14 | 7.6 | 61 | 1.2 | 69 | 100 | 0.14 |
| G296416 | Blanche West | 1.85 | 6.6 | 7.1 | 53 | 1.8 | 145.5 | 34 | 0.44 |
| G296417 | Blanche West | 2.1 | 3.09 | 4.5 | 90 | 2.7 | 87.8 | 27.5 | 0.3 |
| G296418 | Blanche West | 1.5 | 2.07 | 7.8 | 89 | 13 | 109 | 114.5 | 3.83 |
| G296419 | Blanche West | 0.28 | 6.15 | 2.1 | 32 | 0.8 | 226 | 30.8 | 0.16 |
| G296420 | Blanche West | 0.88 | 4.22 | 3 | 60 | 0.3 | 279 | 62.2 | 0.025 |
| G296421 | Blanche West | 1.95 | 1.76 | 4.1 | 63 | 0.7 | 84.5 | 76.8 | 0.11 |
| G296422 | Blanche West | 0.26 | 19.5 | 2.2 | 36 | 18.9 | 229 | 44.3 | 1.72 |
| G296423 | Blanche West | 0.87 | 12.5 | 4.8 | 57 | 2.6 | 237 | 55.8 | 0.73 |
| N/A | Average* Crustal Abundance | 3 | 3 | 30 | 900 | 20 | 120 | 350 | 2 |

9.1.2 Airborne Geophysical Surveys (2022)

During the period of October 2nd to 17th, 2022 ALS GoldSpot Discoveries Ltd. completed an airborne magnetic, radiometric, and EM-VLF survey on the Blanche and Charles claims (Figures 9-4, 9-5, 9-6). A total of 2,188-line kilometers were flown at a 50-metre nominal elevation and 100-metre spacing on north-south (180°) oriented lines.

A B2 A-Star helicopter was used to complete these surveys. It was equipped with the ALS GoldSpot's M-PASS platform which consists of a triaxial magnetic gradient magnetic/VLF platform and a 2048 channel radiometric sensor.



Figure 9-1 2022 Surface Sampling Locations - Samples 01 to 07 (prefixed by G2964)





Figure 9-2 2022 Surface Sampling Locations - Samples 08 to 23 (prefixed by G2964)



9.1.3 LiDAR Survey (2022)

During the period of October 2nd to 17th, 2022 ALS GoldSpot Discoveries Ltd. completed a high-resolution LiDAR (Figure 9-3) and Ortho-imagery survey (Figure 9-7) in tandem with the airborne magnetic, radiometric, and EM-VLF survey (Figures 9-4, 9-5, 9-6).

A total of 338 km² was covered by the LiDAR survey. A B2 A-Star helicopter was used to complete these surveys. It was equipped with the ALS GoldSpot's M-PASS platform which consists of a high-precision LiDAR sensor and high-resolution camera capable of producing four band imagery.



Figure 9-3 2022 Lidar Survey Area on the Champion Electric Lithium Property




Figure 9-4 Airborne Geophysical Survey – Total Magnetic Field




Figure 9-5 Airborne Radiometric Survey – Total Counts





Figure 9-6 Airborne EM-VLF Out-of-Phase Line Response



9.2 Data Compilation (2023)

9.2.1 Historical Data Compilation and Geophysical Interpretation

A compilation of all historical exploration data available in the SIGEOM database was completed. A total of two-hundred-and-seventy-four (274) bedrock and boulder assays, of which fifty-three (53) included Li, showed no significant anomalous values for Li or any LCT pegmatite associated elements. Historically LCT pegmatites were not the focus of the historical exploration programs conducted from the 1940s until recently (see Section 6.0) and given the size of the Property (~500 km²) this is considered a very limited dataset.



9.2.2 Airborne Geophysical Survey by Prospectair Geosurveys (2023)

Prospectair Geosurveys completed a high-resolution airborne magnetic (MAG) and time-domain electromagnetic (TDEM) survey flown by an Airbus H125 on two blocks during the period of April 1st to 3rd, 2023 (Figure 9-8). Targets for potential deep conductors (50 to 150 meters) were identified using the 2022 GoldSpot VLF survey (Figure 9-6). The first block, located in the west portion of the Property (Figure 9-9), consists of 159 line-km. The second block is in the east portion of the Property (Figure 9-10) and consists of 192 line-km. Both blocks were surveyed at 100 m spacing with control lines at 1000 m spacing oriented perpendicular to the survey lines. The survey lines were oriented at an azimuth of 164° on the west block and 129° on the east block. The survey instruments used were:


- 1) A Geometrics G-822A airborne magnetometer having a 0.005 nT sensitivity and a range of 15,000 to 100,000 nT,
- 2) A GEM GSM-19 Overhauser magnetometer, and
- 3) A time-domain electromagnetic ProspecTEM system.

9.3 LiDAR Data Interpretation (2023)

Using the high-resolution air photos, more than 1000 outcrops have been identified for field checking during 2023. An example is shown in Figure 9-7. These identified outcrop areas will be combined with the areas of disruption in the magnetic signature to target priority areas for early field checking.



Figure 9-7 Areas of outcrops interpreted on high-resolution ortho-photos



9.4 Airborne Geophysical Data Interpretation (2023)

The combination of GoldSpot (2022) and Prospectair (2023) airborne magnetic surveys show a wide variation in Total Magnetic Intensity (TMI) with variations over a range of 26,587 nT to 42,889 nT with standard variations of 2,941 nT to 4,327 nT and average values of 831 nT to 1064 nT.

The magnetic surveys define the change in orientation of the Guyer Group from ENE-WSW in the western portion of the Property to NNE-SSW in the eastern portion of the Property. The strongest TMI anomaly is linear and follows the property wide iron formation. The Magnetic Tilt Angle derivative shows a weaker magnetic trend locally on the south side of the iron formation that could be caused by ultramafic bodies, based on the known geology.

Based on the calculated time constant (TAU), which measures the speed of decay of the electromagnetic response reflecting the quality of the source conductor, there are thirty-eight (38) EM anomalies on the west block and one-hundred-and-sixteen (116) EM anomalies on the east block. A weak conductor has a rapid decay response (i.e., a small value of the time constant) and might be interpreted as shallow conductive overburden. A good conductor has a slow decay response, generating a high TAU value. Good conductors are usually caused by graphite or sulphide, most likely pyrrhotite, conductors in the bedrock.

Figures 9-10 and 9-11 show two linear trends of conductors which strongly suggest that they correspond to the known iron formation and ultramafic units mapped in the area. There are local weaker EM anomalies associated with the mapped ultramafic rocks, which could be related to less conductive sulphides, such as chalcopyrite or nickel minerals.

Figure 9-8 Location of the Prospectair AMAG - TDEM surveyed areas




Figure 9-9 Geological interpretation for the west block




Figure 9-10 Tilt Angle Derivative with TDEM anomalies for the east block





Figure 9-11 Geological interpretation for the magnetic breaks in the east block



10 DRILLING

No drilling has been completed on the Property as of the Effective Date.

11 SAMPLE PREPARATION, ANALYSES, AND SECURITY

11.1 Rock Samples

All twenty-one (21) rock grab samples were put in sturdy plastic bags, tagged, and sealed in the field under the supervision of Dr. Eric Hebert. The sample bags were then put in rice bags and kept securely in a cabin before being shipped for preparation and analysis.

All the grab rock samples were sent by truck to ALS laboratory in Val-d'Or, Québec. The rock samples were dried, crushed to 70% passing 2 mm sieve with a 250-gram sub-sample collected from a riffle splitter and pulverized to 85% passing 75 µm sieve. Twenty (20) of the samples were sent to the ALS Minerals laboratories in Vancouver BC to be analysed for forty-eight (48) elements using a four-acid digestion followed by inductively coupled plasma – emission spectrometry (ICP-ES) and inductively coupled plasma – mass spectrometry (ICP-MS) determinations (ALS method code ME-MS61). One (1) sample was analysed for Au, Pt and Pd using the standard lead oxide collection fire assay method followed by ICP-AES determination (PGM-ICP23).

11.2 Discussion

The Authors are confident that the size and weight of all rock samples were adequate and that the sampling procedures covered a representative part of the pegmatite dikes observed during the 2022 field visit. The data from the quality control checks did not indicate any significant bias or quality control issues for the ALS results. Sample G296421 is a duplicate sample of G296420, and the geochemical results of these samples are within acceptable limits (Appendix 3). The Authors have not visited the laboratories to see their operations firsthand, nor are they familiar with the general historical performance of the facilities. Professional geologists were constantly involved during the sampling procedure and shipping process. Handling and transport of samples followed a protocol established by the field geologist that included a strict chain of custody from sampling to the laboratory. Therefore, the integrity of the samples is indisputable.

ALS is independent of the Issuer and has obtained the ISO/IEC 17025 Certification from the Standards Council of Canada for all the test procedures required for the samples submitted. ALS has standard operating procedures requiring the analysis of quality control samples (reference materials, duplicates, and blanks) with all sample batches. As part of the assessment of every data set, results from the control samples are evaluated to ensure they meet set standards determined by the precision and accuracy requirements of the method. For the twenty-one (21) grab samples submitted the following QA/QC was completed by ALS (Appendix 4):

- 1) Three (3) reference standards (GPP-14, Oreas 45h and TAZ20) were analysed in association with the Au-Pt-Pd analysis,
- 2) Five (5) reference standards (EMOG-17, MRGeo08, Oreas 906, Oreas 920 and SK120) were analysed in association with the ICP-ES and ACP-MS analysis.
- 3) Sample G296415 was analysed as a duplicate sample.
- 4) Blanks were also analysed.

This QA/QC assessment of this data determined that all the samples precision and accuracy are within the accepted maximum and minimum limits (Appendix 4).

In conclusion, the Authors believe that the sampling preparation, security, and analytical procedures were adequate and consistent with the best generally accepted practices of the industry.



12 DATA COMPILATION, VERIFICATION AND SITE VISIT

12.1 Rock Samples QA/QC

During the October 2022 site visit, Dr. Hebert personally supervised and collected twenty-one (21) rock samples. The assay data are considered satisfactory (Section 11.2), and the Authors are of the opinion that the analytical quality meets industry best practices.

12.2 Site Visit

Dr. Hebert personally inspected the original Blanche and Charles claims, which were the Issuer's only blocks of claims constituting the Property at the time, on October 18-19th, 2022. Prior to the site visit, Hebert reviewed Quebec government assessment reports and the recent press releases related to the Property.

Hebert accessed the Property via helicopter based out of the Mirage camp. The Property was not active with respect to exploration at the time of the October visit. Hebert was able to inspect and sample multiple outcrops based on the existing LiDAR, airborne geophysics, and visual confirmation from the helicopter.

12.3 Results

A total of twenty-one (21) samples was collected in October of 2022, including one (1) ultramafic rock. Twenty (20) samples of pegmatite dikes were analyzed for a suite of forty-eight (48) elements (Appendix 3).

Six (6) samples of pegmatite dikes (G296401 and G296403 to G496407) and one (1) sample (G496402) of a peridotite intrusive were collected on the Charles claims and sent for geochemical analyses. The pegmatite dike samples were not anomalous in lithium (Li), returning values less than the average crustal abundance (Govett, 1983; Rose, et.al., 1979) with a maximum value of 25.40 ppm. The geochemical results for beryllium (Be) and strontium (Sr) were also less than the average crustal abundance. The geochemical results for cesium (Cs), manganese (Mn), niobium (Nb), rubidium (Rb) and tantalum (Ta) are all above the average crustal abundance (Table 9-1). However, none of these values are considered significantly anomalous. Results for the single sample (G296402) collected for Au, Pt and Pd were all at or below detection limits (Appendix 3).

Fourteen (14) samples of pegmatite dikes were collected on the Blanche claims and sent for multi-element geochemical analysis. The pegmatite dike samples were not anomalous in lithium (Li), returning values less than the average crustal abundance (Govett, 1983; Rose, et.al., 1979) with a maximum value of 19.90 ppm (Table 9-1). The geochemical results for manganese (Mn) and niobium (Nb) were also less than the average crustal abundance. The geochemical results for beryllium (Be), cesium (Cs), rubidium (Rb), strontium (Sr) and tantalum (Ta) range from less than to greater than the average crustal abundance (Table 9-1). However, none of these values are considered significantly anomalous.



13 MIINERAL PROCESSING AND METALLURGICAL TESTING

This section does not apply to the Technical Report as no mineral processing or metallurgical testing has been completed by the Issuer or otherwise on material recovered from the Property.



14 MINERAL RESOURCE ESTIMATE

This section does not apply to the Technical Report.



15 MINERAL RESERVE ESTIMATE

This section does not apply to the Technical Report.



16 MINING METHODS

This section does not apply to the Technical Report.



17 RECOVERY METHODS

This section does not apply to the Technical Report.



18 PROJECT INFRASTRUCTURE

This section does not apply to the Technical Report.



19 MARKET STUDIES AND CONTRACTS

This section does not apply to the Technical Report.



20 ENVIRONMENTAL STUDIES, PERMITTING AND SOCIAL OR COMMUNITY IMPACT

This section does not apply to the Technical Report.



21 CAPITAL AND OPERATING COSTS

This section does not apply to the Technical Report.



22 ECONOMIC ANALYSIS

This section does not apply to the Technical Report.



23 ADJACENT PROPERTIES

There are several contiguous mineral properties (Figure 23-1) to the CE Lithium Property that contain significant lithium mineralization hosted within the volcano-sedimentary sequence of the Guyer Group. The owners of the largest contiguous properties are:

- 1) Patriot Battery Metals Inc. contiguous to the south.
- 2) Winsome Resources Ltd. contiguous to the west.
- 3) Azimut Exploration Inc. contiguous to the south.
- 4) SOQUEM Inc. contiguous to the south.
- 5) Midland Exploration Inc. contiguous to the south.

The properties related to these five (5) companies (Figures 23-2 and 23-3) are described briefly below. The Authors have not verified the information or statements with respect to adjacent similar properties. The Issuer has no interest or right to explore these properties, and results given here are not necessarily representative of mineralization that may be found on the CE Lithium Property that is the subject of this report.

Patriot Battery Metals is exploring the CV Lithium Pegmatite Trend (Figure 23-3). Discovered by the company in 2017, this easterly trend extends for more than 25 km across the Corvette Property, which is host to numerous distinct lithium pegmatite occurrences. The core area of the trend is the CV5 pegmatite, which has been defined to date over 3.15 km. Within the CV5 pegmatite, the high-grade “Nova Zone” has been defined over 750 meters of strike length. This zone has returned drill intercepts of (Patriot Battery Metals press release of March 29, 2023):

- 1) 83.7m at 3.13% Li₂O, including 19.8m at 5.27% Li₂O (CV23-105);
- 2) 132.2m at 1.22% Li₂O, including 11.2m at 2.99% Li₂O (CV23-106);
- 3) 65.4m at 1.30% Li₂O, including 37.1m at 2.09% Li₂O (CV23-107); and
- 4) 54.0m at 1.55% Li₂O, including 26.6m at 2.44% Li₂O (CV23-108).

The Patriot Battery Metals Q1 2023 newsletter issued on May 7th, 2023, discusses the general outline of the remainder of the 2023 work programs which entails:

- 1) A maiden mineral resource estimate for the CV5 Pegmatite,
- 2) Moving the CV5 Pegmatite towards a Pre-Feasibility Study,
- 3) Environmental baseline work,
- 4) Starting the permitting process with submission of a Project Description, and
- 5) Building an 80-person camp near the Transtaïga road and completing an all-weather road into CV5.

The Winsome Resources property (Figure 23-2) is contiguous to the west of the CE Lithium Property and hosts the Cancet Pegmatite with drill intersections up to 3.14% Li₂O over 18.0 metres (Winsome Resources Ltd. prospectus Oct. 11, 2021).

Midland Exploration Inc. has been actively exploring the Mythril Property since the discovery of a Cu-Au-Mo-Ag mineralized boulder field in 2018. Numerous additional showings and boulder fields have been discovered since the initial discovery. Several geophysical surveys and diamond drill programs have been completed. The deposit type is a “porphyry-style”, and a polymetallic magmatic-hydrothermal system has been postulated as the mineralizing source. Drill results to date include:

- 1) 1.07% Cu, 0.37 g/t Au, 0.007% Mo, and 8.9 g/t Ag over 12.6 m (drill hole MTY-19-06), and
- 2) 1.34% Cu, 0.69 g/t Au, 0.041% Mo, and 9.5 g/t Ag over 9.0 m (Midland Exploration Inc. website).

SOQUEM and Azimut Exploration are in partnership on the Pikwa Property. The exploration target is a polymetallic (Au-Cu-Co-Mo) intrusion related (Archean porphyry) and shear-zone hosted system. The project is coincident with a regional As-Bi-Cu anomaly and regional magnetic-high trend. The focus is the 20 km long Copperfield Trend where high-grade chalcopyrite (Cu) has been found to be hosted in biotite-rich gneiss and associated quartz veining. Mineralization has been found in boulder fields and outcrops with the highest result in outcrop of 9.81% Cu, 13.45 g/t Au and 37.6 g/t Ag (Azimut Exploration Inc. website).



Figure 23-1 Location of adjacent properties




Figure 23-2 Location of Winsome Resources and their recent discovery





Figure 23-3 Location of Patriot Battery Metals and their recent discovery



24 OTHER RELEVANT DATA AND INFORMATION

The Authors are unaware of any further data or relevant information that could be considered of any practical use in this report.



25 INTERPRETATION and CONCLUSIONS

The Property is an early-stage exploration property located within the Lac Guyer Greenstone Belt (LGGB) in the James Bay region. The geologic setting is prospective for gold, silver, base metals, platinum group elements and lithium over several different deposit styles including orogenic gold (Au), komatiite-ultramafic intrusions (Au, Ag, PGE, Ni, Cu, Co) and LCT pegmatite (Li, Cs, Ta).

The historical assessment reports and available government geoscience data in the vicinity of the Property was compiled and merged with the 2022-2023 airborne geophysical surveys (magnetics, radiometrics, TDEM) and LiDAR survey into the Company's GIS database. The interpretive layers generated outlined potential pegmatite targets based on the following criteria:

- 1) The known lithium-bearing pegmatites all occur within the local LGGB, which is considered part of the larger Grand River Greenstone Belt. The LGGB consists of two distinct branches, the southern branch which hosts very significant lithium pegmatite mineralization within the Corvette (CV) Pegmatite trend and the less explored northern branch which hosts lithium pegmatite mineralization within the Cancet Pegmatite trend and the presence of pegmatites on the CE Lithium project.
- 2) The LGGB consists of amphibolite with local iron formations and ultramafic rocks. The competency contrast between the more competent amphibolite and iron formation and less competent ultramafic rocks creates dilational zones, breaks, and flexures in the trends of these rock types that allow the potential for pegmatites to intrude. The dimensions and shapes of pegmatite deposits are dependent upon this competency contrast based on the current understanding known economic lithium pegmatite deposits (Cerny, 1991; London, 2018). Pegmatite dikes emplaced in competent rocks such as gneiss, amphibolite and igneous intrusions form planar and extensive bodies. Whereas more ductile host rocks such as schists commonly form isolated, ellipsoidal bodies.
- 3) The airborne magnetic and TDEM data can be used to identify targets based on changes in direction and breaks in geologic units of contrasting competency / rheology. On the CE Lithium Property this has identified several potential targets in the vicinity of the currently mapped iron formation and ultramafic units for field checking.
- 4) The high-resolution air photos created from the LiDAR data allow areas of outcrop and boulders to be identified in the vicinity of these identified targets.
- 5) The historical data has been used to further identify and support the selected targets based on the identification of fifty-three (53) outcrop and boulder samples of felsic intrusive rocks.
- 6) An historic diamond drill hole (INCO, 2003) occurs on the property. This drilling was following up an airborne EM target and intersected a 3m-thick pegmatite dike with muscovite at 19.00 to 22.00 metres depth in the drill hole.

In conclusion there is good potential for LCT pegmatite hosted lithium mineral deposits on the Property. The data compilation from the publicly available Quebec government geoscience database and the limited field work to date have verified the presence of pegmatite dikes. Historically, the focus over the CE Lithium Property was gold and base metal exploration, and therefore, occurrences of lithium pegmatite were neither evaluated nor sampled. Therefore, the CE Lithium Property has been underexplored for lithium pegmatites and remains to be assessed for this deposit type. This potential is further supported by the presence of significant lithium-bearing pegmatites hosted with the Guyer Greenstone Belt on contiguous properties.

There are no significant risks and uncertainties identified by the Authors that could reasonably be expected to affect the reliability or confidence in the exploration information presented herein this report. The Champion Electric Lithium Property is an early-stage exploration project.



As with all early-stage mineral exploration there are risks and opportunities associated with future exploration. This exploration risk does not include the additional external risks that apply to all exploration and development projects, such as changes in metal prices, exchange rates, availability of investment capital, and change in government regulations, to name a few. There is no guarantee that future work will lead to economically viable resources of any metal. However, the recent exploration work provides sufficient evidence to support additional exploration with a reasonable opportunity to discover lithium within LCT pegmatite dikes.



26 RECOMMENDATIONS

Based on the favourable geologic setting for LCT pegmatite and base and precious metal occurrences on the Property, it is considered of sufficient geological merit to warrant further exploration. The pegmatite targets generated during the data compilation and interpretation will form the basis for the initial exploration on the Property.

The recommended mineral exploration programs include both surface and airborne survey components during Phase 1, which would be conducted during the June-July 2023 period. A Phase 2 program, designed to follow-up on any success during Phase 1, would be conducted during the August-September 2023 period.

26.1 Proposed 2023 Work Programs and Budgets

Phase 1

The recommended Phase 1 program would consist of the following and cost \$2,189,000 (Table 26-1):

- 1) Property wide LiDAR survey,
- 2) Mapping and Prospecting,
- 3) Collection of HMC till samples (10 kg weight)
- 4) Collection of Kraft till samples (1 kg weight)
- 5) Channel sampling of all lithium bearing pegmatite dikes/bodies discovered.

Phase 2

The recommended Phase 2 program would consist of the following and cost \$1,848,000 (Table 26-2):

- 1) Defining of additional targets based on new LiDAR survey,
- 2) Micro-Gravity surveys over Priority targets defined by Phase 1,
- 3) Mapping and Prospecting,
- 4) Collection of HMC till samples (10 kg weight)
- 5) Collection of Kraft till samples (1 kg weight)
- 6) Channel sampling of all lithium bearing pegmatite dikes/bodies discovered.



Table 26-1 CE Lithium Property 2023 Phase 1 Exploration Program Budget

| Cost Centre | Units | Unit Cost | Total |
|--|--------------|--------------------------|--------------------|
| Logistics and Planning | 1 | \$20,000 | \$20,000 |
| Target Definition for Field Follow-Up | 1 | \$20,000 | \$20,000 |
| LiDAR Survey | 1 | \$125,000 | \$125,000 |
| Helicopter Hours (includes mob/demob and fuel) | 200 | \$2,200 | \$440,000 |
| Assaying (rocks) | 2000 | \$80 | \$160,000 |
| Geochemistry - Till samples (HMC) | 250 | \$500 | \$125,000 |
| Geochemistry - Kraft Till samples (geochemistry) | 1000 | \$500 | \$500,000 |
| Travel Costs for field crews | 1 | \$25,000 | \$25,000 |
| Field crew salary | 1 | \$200,000 | \$200,000 |
| Consumables | 1 | \$10,000 | \$10,000 |
| Vehicle Rental | 1 | \$50,000 | \$50,000 |
| Equipment Rental | 1 | \$15,000 | \$15,000 |
| Accommodation (room and board) | 1 | \$300,000 | \$300,000 |
| | | Sub-Total | \$1,990,000 |
| | | Contingency (10%) | \$199,000 |
| | | Total | \$2,189,000 |



Table 26-2 CE Lithium Property 2023 Phase 2 Exploration Program Budget

| Cost Centre | Units | Unit Cost | Total |
|--|--------------|--------------------------|--------------------|
| Logistics and Planning | 1 | \$10,000 | \$10,000 |
| Target Definition for Ongoing Field Follow-Up | 1 | \$20,000 | \$20,000 |
| Helicopter Hours (includes mob/demob and fuel) | 100 | \$2,200 | \$220,000 |
| Micro-Gravity Surveys | 2 | \$100,000 | \$200,000 |
| Assaying (rocks) | 1000 | \$80 | \$80,000 |
| Geochemistry - Till samples (HMC) | 100 | \$500 | \$50,000 |
| Geochemistry - Kraft Till samples (geochemistry) | 1000 | \$500 | \$500,000 |
| Travel Costs for field crews | 1 | \$25,000 | \$25,000 |
| Field crew salary | 1 | \$200,000 | \$200,000 |
| Consumables | 1 | \$10,000 | \$10,000 |
| Vehicle Rental | 1 | \$50,000 | \$50,000 |
| Equipment Rental | 1 | \$15,000 | \$15,000 |
| Accommodation (room and board) | 1 | \$300,000 | \$300,000 |
| | | Sub-Total | \$1,680,000 |
| | | Contingency (10%) | \$168,000 |
| | | Total | \$1,848,000 |



27 REFERENCES

- Bandyera, D., Burniaux, P., Chapon, B., 2013. Géologie de la région du lac Magin (33G09), de la colline Captel (33G15) et du lac Fontay (33G16), Baie-James, Québec; Ministère des Ressources naturelles, Québec. RP 2013-01. 32 pages.
- Blanchet, C., 1998. Rapport sur la Campagne de Forage, Projet Riviere Pontois. Eeploration Boreale Inc., rapport statutaire soumis au gouvernement du Québec; [GM 55864](#), 110 pages, 9 plans.
- Card, K., 1986. Geology and Tectonics of the Archean Superior Province, Canadian Shield. In Workshop on Early Crustal Genesis: The World's Oldest Rocks (pp. 27-29). LPI Technical Report 86-04.
- Card, K. D. and Ciesielski, A. 1986. DNAG #1. Subdivisions of the Superior Province of the Canadian Shield. Geoscience Canada, 13(1), pages 5-13.
- Caron, L., Fouques, J.P. 1979. Rapport D'Étude des Travaux de la Campagne D'Été 1978 sur les Secteurs Domino-Danois-Ganiq Nord. SDBJ, Groupe minier SES, 44 p. (GM 34229).
- Cerny, P. 1991 Rare-Element granite pegmatites. Geoscience Canada. Vol 18. No. 2. pg 49-81.
- Cerny, P., & Ercit, T. 2005. The Classification of Pegmatites revisited. Canadian Mineralogist, 2005-2026.
- Ciesielski, A. 1998. Compilation Géologique de la Partie Orientale de la Province du Supérieur, Québec. Commission Géologique du Canada; dossier public 3580, 1 carte annotée; (1 :1 000 000).
- David, J., McNicoll, V., Simard, M., Bandyayera, D., Hammouche, H., Goutier, J., Pilote, P., Rheume, P., Leclerc, F., Dion, C., 2011. Datations U-Pb effectuées dans provinces du Supérieur et de Churchill en 2009-2010. Ministère des Ressources naturelles et de la Faune, Québec; RP 2011-02, 37 pages.
- Dupuis, J.C., Lavoie, L., Morel, R., 1976. Rapport de Sondage et D'Échantillonnage sur L'Indice Ganiq. SDBJ, Groupe Minier SES, 294 p. (GM 34122)
- Eade, K. E., Heywood, W. W., Lee, H. A. 1957. Sakami Lake Area, New Quebec. Geological survey of Canada, Map 23-1957.
- Eade, K.E. 1966. Fort Geologe and Kaniapiskau River (West Half) Map-Areas, New Quebec. Geological Survey of Canada, Memoir 339; 84 p.
- Fouques, J.-P., Schumacher, F. 1979. Rapport de Synthèse du Permis Ses. Groupe minier SES, 156 p. (GM37017)
- Girard, R., 2001. Campagne D'Echantillonnage Regionale pour les Minéraux Lourds dans le Secteur de la Riviere La Grande, Projet Trans-Taiga. Ressources Sirios Inc., rapport statutaire soumis au gouvernement du Québec; [GM 59897](#), 220 pages, 4 plans.
- Gosselin, C., Roy, P., David, J. 2004. Geology of the Lac Bienville Area (33P). Mrnfp, 36 p. (RG 2003-04)
- Goutier, J., Doucet, P., Dion, C., Beausoleil, C., David, J., Parent, M., Dion, D.J. 1998. Geologie de la Region du Lac Kowskatehkakmow (33F/06). Ministère des Richesses Naturelles du Québec, 48 p. (RG 98-16)



Goutier, J., Dion, C., Lafrance, I., David, J., Parent, M., Dion, D.J. 1999. Geologie de la Region des Lacs Langlier et Threefold (33F/03 et 33F/04). Ministère des Richesses Naturelles du Québec, 52 p. (RG 98-18)

Goutier, J., Dion, C., Ouellet, M.-C., Davis, D.W., David, J., Parent, M. 2002. Geologie de la Region du Lac Guyer (33G/05, 33G/06, 33G/11). Ministère des Ressources naturelles et de la Faune du Québec, 53 p. (RG 2001-15)

Goutier, J., & Dion, C. (2004). Géologie et minéralisation de la Sous-province de La Grande, Baie-James, in Québec Exploration 2004. Ministère des Ressources naturelles, de la Faune et des Parcs, Québec, DV 2004-06.

Govett, G.J.S. 1983. Handbook of Exploration Geochemistry. Volume 3, Rock Geochemistry in Mineral Exploration. 461 p.

Hamilton, M.A., 2009. Datation isotopique (U-Pb) d'un diabase de l'Essaim de dykes Mistassini, Québec. Ministère des Ressources naturelles, Québec; GM 65972, 13 pages.

Houle, P. (2004). James Bay Region Central Superior Province (Opatica, Opinaca, Nemiscau, and La Grande Subprovinces). In Report on Mineral Exploration Activities in Quebec 2004 (pp. 9-16). MERN.

Jourdain, V., 2002. Rapport sur la Campagne D'Exploration, Projet Em-Baie (1320). SOQUEM INC, rapport statutaire soumis au gouvernement du Québec; [GM 60504](#), 165 pages, 35 plans.

Lavallee, J. S., Rioux, P., 2017. Rapport de travaux sur la propriété Blanche. Corporation Metaux Précieux du Quebec, rapport statutaire soumis au gouvernement du Québec; [GM 70904](#), 89 pages, 8 plans.

London, D. and Morgan, G.B. 2012. The Pegmatite Puzzle. In Elements, No. 4, Volume 8. pp. 263-273.

Lucas, S., & St-Onge, M. (1998). Geology of the Precambrian Superior and Grenville Provinces and Precambrian Fossils in North America. In Geology of Canada, No. 7, Volume C-1 (Vols. C-1, p. 394). Geological Survey of Canada.

Matieu, G., Goutier, J., Bandyayera, D., 2011. Geologie – Lac Nochet. MRNF; [CG-33H12-2011-01](#), 1 plan.

Midland Exploration Inc. 2023. Retrieved from www.midlandexploration.com on April 30th, 2023.

Mills, J. P. 1967. Geology of the Long Lake Map Area, New Quebec. Ministère des Richesses naturelles du Québec, 10 p. (DP-141)

Mills, J. P. 1965. Geology of the Sakami Lake Area (South Area), New Quebec Territory. Ministère des Richesses naturelles du Québec, 16 p. (DP-100)

Mills, J. P. 1973. Geology of the Sakami Lake (North Area), New Quebec. Ministère des Richesses naturelles du Québec, 7 p. (DP-148)

Mills J. P. 1974. Petrological Studies in the Sakami Lake Greenstone Belt of Northwestern Quebec. University of Kansas, PhD thesis, 190 p.

Moorhead, J.M., Beaumier, M., Girard, R. and Heaman, L., 2014. Distribution, Structural Controls and Ages of Kimberlite Fields in the Superior Province of Quebec, 5 pp.



Nieminen, R., 2022. Rapport de prospection 2019 et de reconnaissance d'affleurements 2021 sur la propriété Charles. Corporation Metaux Précieux du Québec, rapport statutaire soumis au gouvernement du Québec; [GM 72530](#), 63 pages, 3 plans.

Parent, M., 2011. Compilation géochronologique U-Pb des sous-provinces d'Ashwanipi, d'Opinaca, d'Opatica et de La Grande. Ministère des Ressources naturelles, Québec; GM 65524, 13 pages, 1 carte.

Patriot Battery Metals Inc. 2023. Retrieved from www.patriotbatterymetals.com on April 30th, 2023.

Pelletier, M., 2009. Leve Spectrometrique et Magnetique Aeroporte sur le Territoire de la Baie-James - Blocs NW et SW du Secteur LG-4. MRNF, Goldak Airborne Surveys; [DP 2009-01](#), 83 pages, 144 plans.

Percival, J. 2007. Geology and Metallogeny of the Superior Province, Canada. In W. Goodfellow, Mineral Deposits of Canada. A synthesis of major deposit types, district metallogeny, the evolution of geological provinces and exploration methods (pp. 903-928). Special Publication 5.

Percival, J., Skulski, T., Sanborn-Barrie, M., Stott, G. L., Corkery, M., & Boily, M. 2012. Chapter 6 - Geology and Tectonic Evolution of the Superior Province, Canada. In Tectonic Styles in Canada: The Lithoprobe Perspective (pp. 312-378). Geological Association of Canada, Special Paper 49.

Roscoe, S., & Donaldson, J. (1988). Uraniferous pyrite quartz pebble conglomerate and layered ultramafic intrusion in a sequence of quartzite, carbonate, iron formation and basalt of probable Archean age at Lac Sakami, Quebec. In Recent Research, Part C, Paper 88-1C (pp. 117-121). Geological Survey of Canada.

Rose, A.W., Hawkes, H.E., and Webb, J.S., 1979. Geochemistry in Mineral Exploration. Second edition. 657 p.

Roy, I., 2011. Technical Report and Recommendations, LG4-Diamant-Consorem Project, Summer 2010. Mines Virginia Inc., Mines Aurizon Ltee, SOQUEM INC, Les Diamants Stornoway Canada Inc., rapport statutaire soumis au gouvernement du Québec; [GM 66135](#), 90 pages, 2 plans.

SDBJ. 1978. Leve Geochimique des Sediments de Lac. SDBJ. 14 plans (GM38000)

SDBJ. 1979. Rapport de Project Miami 1978, Recherche de Nickel et D'Amianté dans la Miente dans la Region du Lac Sakami. SDBJ 1979, 13 p. (GM57780)

Sharma, K.N.M. 1974. La Grande River Area (1973 Project), New Quebec Territory – Interim Geological Report. Ministère des Richesses naturelles du Québec, 40 p. (DP 221)

Sharma, K.N.M. 1975. La Grande River Area (1973-1974 PROJECT) New Quebec Territory – Geological Report. Ministère des Richesses naturelles du Québec, 81 p. (DP 311)

Sharma, K.N.M. 1977. Region de La Grande Riveiere. Ministère des Richesses naturelles du Québec, 79 p. (RG 184)

Shaw, G. 1942. Preliminary Map, Eastmain, Quebec. Geological Survey of Canada, Paper 42-10.

Simard, M., Parent, M., Thériault, R., David, J., Lacoste, P., Sharma, K.N.M. 2004. Geologie de la Region du Lac a L'Eau Claire (34B et 34C). MRNFP, 48 p. (RG 2003-08)



St-Seymour, K., & Francis, D. (1988). Magmatic interaction between mantle and crust during the evolution of the Archean Lac Guyer greenstone belt. *Canadian Journal of Earth Sciences*, 25, 691-700.



28 DATE AND SIGNATURE PAGE

This report titled “Technical Report on the Champion Electric Lithium Property, Eeyou Itschee James Bay, Québec” dated June 30th, 2023 (the “Technical Report”) for Champion Electric Metals Inc. was prepared and signed by the following authors:

The effective date of the report is June 30th, 2023.
The date of the report is July 5th, 2023.

Signed by: “*Original Signed*”

Qualified Persons

Adam Findley, M.Sc., P. Geo.,
Eric Hebert, Ph.D., P. Geo.,

Company

GeoVector Management Inc.
GeoVector Management Inc.

June 30th, 2023



29 CERTIFICATES OF QUALIFIED PERSONS

QP CERTIFICATE – ADAM FINDLEY

To Accompany the Report titled “Technical Report on the Champion Electric Lithium Property, Eeyou Istchee James Bay, Québec”, dated June 30th, 2023 (the “Technical Report”).

I, Adam Findley, M.Sc., P.Geol. of 921 Eastboro Avenue, Orleans, ON, hereby certify that:

1. I am currently a consulting geologist with GeoVector Management Inc., 10 Green Street Suite 312 Ottawa, Ontario, Canada K2J 3Z6.
2. I am a graduate of the University of Ottawa having obtained the degree of Bachelor of Science – Honours Geology in 2007.
3. I am a graduate of Queens University having obtained the degree of Master of Science in Geology in 2010.
4. I have been employed during the 2006-2009 summer field seasons and have been continually employed as a geologist since 2010.
5. I have been involved in mineral exploration from grass root to advanced exploration projects spanning shear hosted gold, Ag-Pb-Zn epithermal, Ni-Cu-PGE and zinc oxide deposits in Canada, Mexico, USA, and Rwanda.
6. I have not made a personal inspection of the Property.
7. I have no prior involvement with the Property.
8. I hold a member of the Ordre des Géologues du Québec (OGQ), member # 2315 and use the title of Professional Geologist (P.Geol.).
9. I am a member of the Professional Geoscientists of Ontario (PGO), member #2852, and use the designation P.Geol. I am a member of the Northwest Territories and Nunavut Association of Professional Engineers and Geoscientists (NAPEG), member # L3968.
10. I have read the definition of “Qualified Person” set out in National Instrument 43-101 (“NI 43-101”) and certify that by reason of my education, affiliation of my professional association and past relevant work experience, I fulfill the requirements to be a “Qualified Person” for the purposes of NI 43-101.
11. I am an author of this report and, I have reviewed all sections, except for sections 9 to 12. I accept professional responsibility for all the sections which I have reviewed and the information pertaining to Champion Electric Metals Inc. within this Technical Report.
12. I am independent of Champion Electric Metals Inc. as defined by Section 1.5 of NI 43-101.



13. As of the date of this certificate, to the best of my knowledge, information and belief, the Technical Report contains all scientific and technical information that is required to be disclosed to make the Technical Report not misleading.
14. I have read NI 43-101 and Form 43-101F1 (the “Form”), and the Technical Report has been prepared in compliance with NI 43-101 and the Form.
15. Signed and dated this 30th day of June 2023 at Ottawa, Ontario.

{SIGNED AND SEALED}

[Adam Findley]

Adam Findley, M.Sc., P. Geo.



QP CERTIFICATE – ERIC HEBERT

To Accompany the Report titled “Technical Report on the Champion Electric Lithium Property, Eeyou Istchee James Bay, Québec”, dated June 30th, 2023 (the “Technical Report”).

I, Eric Hebert, Ph.D., P.Geo., residing at 710, rue Le Normand, Boucherville (Québec), J4B 3S9, hereby certify that:

1. I am currently a consulting geologist with GeoVector Management Inc., 312-10 Green Street, Nepean, Ontario, Canada K2J 3Z6.
2. I graduated from the Université du Québec à Montréal with a B.Sc in Resources Geology in 2003 and completed a PhD in Mineral Resources with the Université du Québec à Chicoutimi in 2007.
3. I have been continuously working as a professional geologist since 2008.
4. Since 2008, I have been involved as a geologist on several projects in Québec, Ontario, Nunavut and Northwest Territories exploring for several commodities including extensive experience on gold and base metals deposits.
5. I am a member of the Ordre des Géologue du Québec (OGQ) and use the title of Professional Geologist (P.Geo.). OGQ Member #0842.
6. I am a member of the Professional Geoscientists of Ontario (PGO; membership #1801) and of Northwest Territories Association of Professional Engineers and Geoscientists (NAPEG; membership # L3386).
7. I have read the definition of “Qualified Person” set out in National Instrument 43-101 (“NI 43-101”) and certify that by reason of my education, affiliation of my professional association and past relevant work experience, I fulfill the requirements to be a “Qualified Person” for the purposes of NI 43-101.
8. I am an author of this report, I have reviewed all sections and accept professional responsibility for all sections of this Technical Report.
9. On several occasions I worked in the region of the Property with similar geology intermittently between 2004 and 2006 and in 2020. I also visited the Property that is the subject of this Technical Report on October 18th and 19th 2022.
10. I am independent of Champion Electric Metals Inc., as defined by Section 1.5 of NI 43-101.
11. As of the date of this certificate, to the best of my knowledge, information and belief, the Technical Report contains all scientific and technical information that is required to be disclosed to make the Technical Report not misleading.



12. I have read NI 43-101 and Form 43-101F1 (the “Form”), and the Technical Report has been prepared in compliance with NI 43-101 and the Form.

13. Signed and dated this 30th day of June 2023 at Québec City, Québec.

{SIGNED AND SEALED}

[Eric Hebert]

Eric Hebert, P. Geo., Ph.D.



30 APPENDIX 1: MINERAL CLAIMS OF THE PROPERTY



| Count | CDC Claim No. | Claim Status | NTS Sheet | Registration Date | Expiry Date | Excess Credits | Work Required | Required Fee | Claim Group | Area (Ha) |
|-------|---------------|--------------|-----------|-------------------|-------------|----------------|---------------|--------------|-------------|-----------|
| 45 | 2695415 | Active | 33H12 | 2022-12-01 | 2025-11-30 | 0.00 | 135.00 | 170.00 | Carat | 51.03 |
| 46 | 2695416 | Active | 33H12 | 2022-12-01 | 2025-11-30 | 0.00 | 135.00 | 170.00 | Carat | 51.03 |
| 47 | 2695417 | Active | 33H12 | 2022-12-01 | 2025-11-30 | 0.00 | 135.00 | 170.00 | Carat | 51.03 |
| 48 | 2695418 | Active | 33H12 | 2022-12-01 | 2025-11-30 | 0.00 | 135.00 | 170.00 | Carat | 51.02 |
| 49 | 2695419 | Active | 33H12 | 2022-12-01 | 2025-11-30 | 0.00 | 135.00 | 170.00 | Carat | 51.02 |
| 50 | 2695420 | Active | 33H12 | 2022-12-01 | 2025-11-30 | 0.00 | 135.00 | 170.00 | Carat | 51.02 |
| 51 | 2645324 | Active | 33G09 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.19 |
| 52 | 2645325 | Active | 33G09 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.19 |
| 53 | 2645326 | Active | 33G09 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.19 |
| 54 | 2645327 | Active | 33G09 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.18 |
| 55 | 2645328 | Active | 33G09 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.18 |
| 56 | 2645329 | Active | 33G09 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.18 |
| 57 | 2645330 | Active | 33G09 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.18 |
| 58 | 2645331 | Active | 33G09 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.16 |
| 59 | 2645332 | Active | 33G09 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.16 |
| 60 | 2645333 | Active | 33G09 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.16 |
| 61 | 2645334 | Active | 33G09 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.17 |
| 62 | 2645335 | Active | 33G09 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.16 |
| 63 | 2645336 | Active | 33G09 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.16 |
| 64 | 2645337 | Active | 33G09 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.16 |
| 65 | 2645338 | Active | 33G09 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.16 |
| 66 | 2645339 | Active | 33G09 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.16 |
| 67 | 2645340 | Active | 33G09 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.15 |
| 68 | 2645341 | Active | 33G09 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.15 |
| 69 | 2645342 | Active | 33G09 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.15 |
| 70 | 2645343 | Active | 33G09 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.15 |
| 71 | 2645344 | Active | 33G09 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.15 |
| 72 | 2645345 | Active | 33G09 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.13 |
| 73 | 2645346 | Active | 33G09 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.13 |
| 74 | 2645347 | Active | 33G09 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.13 |
| 75 | 2645348 | Active | 33G09 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.14 |
| 76 | 2645349 | Active | 33G09 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.14 |
| 77 | 2645350 | Active | 33G09 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.14 |
| 78 | 2645351 | Active | 33G09 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.14 |
| 79 | 2645352 | Active | 33G09 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.12 |
| 80 | 2645353 | Active | 33G09 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.13 |
| 81 | 2645354 | Active | 33G09 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.13 |
| 82 | 2645355 | Active | 33G09 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.13 |
| 83 | 2645356 | Active | 33G09 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.13 |
| 84 | 2645357 | Active | 33G09 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.13 |
| 85 | 2645358 | Active | 33G09 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.12 |
| 86 | 2645359 | Active | 33G09 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.12 |
| 87 | 2645360 | Active | 33G09 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.12 |
| 88 | 2645361 | Active | 33G09 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.08 |
| 89 | 2645362 | Active | 33G09 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.08 |
| 90 | 2645363 | Active | 33G09 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.08 |
| 91 | 2645364 | Active | 33G09 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.08 |

| Count | CDC Claim No. | Claim Status | NTS Sheet | Registration Date | Expiry Date | Excess Credits | Work Required | Required Fee | Claim Group | Area (Ha) |
|-------|---------------|--------------|-----------|-------------------|-------------|----------------|---------------|--------------|-------------|-----------|
| 92 | 2645365 | Active | 33G09 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.08 |
| 93 | 2645366 | Active | 33G09 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.08 |
| 94 | 2645367 | Active | 33G09 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.07 |
| 95 | 2645368 | Active | 33G09 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.07 |
| 96 | 2645369 | Active | 33G09 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.07 |
| 97 | 2645370 | Active | 33G09 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.07 |
| 98 | 2645371 | Active | 33G09 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.07 |
| 99 | 2645372 | Active | 33G09 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.07 |
| 100 | 2645373 | Active | 33G09 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.06 |
| 101 | 2645374 | Active | 33G09 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.06 |
| 102 | 2645375 | Active | 33G09 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.06 |
| 103 | 2645376 | Active | 33G09 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.06 |
| 104 | 2645377 | Active | 33G09 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.06 |
| 105 | 2645378 | Active | 33G09 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.06 |
| 106 | 2645379 | Active | 33H12 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.10 |
| 107 | 2645380 | Active | 33H12 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.10 |
| 108 | 2645381 | Active | 33H12 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.10 |
| 109 | 2645382 | Active | 33H12 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.10 |
| 110 | 2645383 | Active | 33H12 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.10 |
| 111 | 2645384 | Active | 33H12 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.10 |
| 112 | 2645385 | Active | 33H12 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.10 |
| 113 | 2645386 | Active | 33H12 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.10 |
| 114 | 2645387 | Active | 33H12 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.09 |
| 115 | 2645388 | Active | 33H12 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.09 |
| 116 | 2645389 | Active | 33H12 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.09 |
| 117 | 2645390 | Active | 33H12 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.09 |
| 118 | 2645391 | Active | 33H12 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.09 |
| 119 | 2645392 | Active | 33H12 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.09 |
| 120 | 2645393 | Active | 33H12 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.09 |
| 121 | 2645394 | Active | 33H12 | 2022-04-13 | 2025-04-12 | 0.00 | 135.00 | 170.00 | Des Bois | 51.09 |
| 122 | 2663302 | Active | 33H12 | 2022-09-09 | 2025-09-08 | 0.00 | 135.00 | 170.00 | Des Bois | 50.97 |
| 123 | 2663303 | Active | 33H12 | 2022-09-09 | 2025-09-08 | 0.00 | 135.00 | 170.00 | Des Bois | 50.97 |
| 124 | 2663304 | Active | 33H12 | 2022-09-09 | 2025-09-08 | 0.00 | 135.00 | 170.00 | Des Bois | 50.96 |
| 125 | 2663305 | Active | 33H12 | 2022-09-09 | 2025-09-08 | 0.00 | 135.00 | 170.00 | Des Bois | 50.96 |
| 126 | 2663306 | Active | 33H12 | 2022-09-09 | 2025-09-08 | 0.00 | 135.00 | 170.00 | Des Bois | 50.96 |
| 127 | 2663307 | Active | 33H12 | 2022-09-09 | 2025-09-08 | 0.00 | 135.00 | 170.00 | Des Bois | 50.96 |
| 128 | 2663308 | Active | 33H13 | 2022-09-09 | 2025-09-08 | 0.00 | 135.00 | 170.00 | Des Bois | 50.95 |
| 129 | 2663309 | Active | 33H12 | 2022-09-09 | 2025-09-08 | 0.00 | 135.00 | 170.00 | Des Bois | 51.14 |
| 130 | 2663310 | Active | 33H12 | 2022-09-09 | 2025-09-08 | 0.00 | 135.00 | 170.00 | Des Bois | 51.14 |
| 131 | 2663311 | Active | 33H12 | 2022-09-09 | 2025-09-08 | 0.00 | 135.00 | 170.00 | Des Bois | 51.14 |
| 132 | 2663312 | Active | 33H12 | 2022-09-09 | 2025-09-08 | 0.00 | 135.00 | 170.00 | Des Bois | 51.13 |
| 133 | 2663313 | Active | 33H12 | 2022-09-09 | 2025-09-08 | 0.00 | 135.00 | 170.00 | Des Bois | 51.13 |
| 134 | 2663314 | Active | 33H12 | 2022-09-09 | 2025-09-08 | 0.00 | 135.00 | 170.00 | Des Bois | 51.13 |
| 135 | 2663315 | Active | 33H13 | 2022-09-09 | 2025-09-08 | 0.00 | 135.00 | 170.00 | Des Bois | 50.95 |
| 136 | 2663316 | Active | 33H13 | 2022-09-09 | 2025-09-08 | 0.00 | 135.00 | 170.00 | Des Bois | 50.95 |
| 137 | 2663317 | Active | 33H13 | 2022-09-09 | 2025-09-08 | 0.00 | 135.00 | 170.00 | Des Bois | 50.95 |
| 138 | 2663318 | Active | 33H13 | 2022-09-09 | 2025-09-08 | 0.00 | 135.00 | 170.00 | Des Bois | 50.94 |

| Count | CDC Claim No. | Claim Status | NTS Sheet | Registration Date | Expiry Date | Excess Credits | Work Required | Required Fee | Claim Group | Area (Ha) |
|-------|---------------|--------------|-----------|-------------------|-------------|----------------|---------------|--------------|-------------|-----------|
| 139 | 2663319 | Active | 33H13 | 2022-09-09 | 2025-09-08 | 0.00 | 135.00 | 170.00 | Des Bois | 50.94 |
| 140 | 2663320 | Active | 33H13 | 2022-09-09 | 2025-09-08 | 0.00 | 135.00 | 170.00 | Des Bois | 50.90 |
| 141 | 2663321 | Active | 33H13 | 2022-09-09 | 2025-09-08 | 0.00 | 135.00 | 170.00 | Des Bois | 50.90 |
| 142 | 2663322 | Active | 33H13 | 2022-09-09 | 2025-09-08 | 0.00 | 135.00 | 170.00 | Des Bois | 50.90 |
| 143 | 2663323 | Active | 33H13 | 2022-09-09 | 2025-09-08 | 0.00 | 135.00 | 170.00 | Des Bois | 50.89 |
| 144 | 2663324 | Active | 33H13 | 2022-09-09 | 2025-09-08 | 0.00 | 135.00 | 170.00 | Des Bois | 50.89 |
| 145 | 2663325 | Active | 33H13 | 2022-09-09 | 2025-09-08 | 0.00 | 135.00 | 170.00 | Des Bois | 50.89 |
| 146 | 2663326 | Active | 33H13 | 2022-09-09 | 2025-09-08 | 0.00 | 135.00 | 170.00 | Des Bois | 50.89 |
| 147 | 2663327 | Active | 33H13 | 2022-09-09 | 2025-09-08 | 0.00 | 135.00 | 170.00 | Des Bois | 50.89 |
| 148 | 2663328 | Active | 33H13 | 2022-09-09 | 2025-09-08 | 0.00 | 135.00 | 170.00 | Des Bois | 50.89 |
| 149 | 2663329 | Active | 33H13 | 2022-09-09 | 2025-09-08 | 0.00 | 135.00 | 170.00 | Des Bois | 50.88 |
| 150 | 2663330 | Active | 33H13 | 2022-09-09 | 2025-09-08 | 0.00 | 135.00 | 170.00 | Des Bois | 50.88 |
| 151 | 2663331 | Active | 33H13 | 2022-09-09 | 2025-09-08 | 0.00 | 135.00 | 170.00 | Des Bois | 50.88 |
| 152 | 2663332 | Active | 33H13 | 2022-09-09 | 2025-09-08 | 0.00 | 135.00 | 170.00 | Des Bois | 50.87 |
| 153 | 2663333 | Active | 33H13 | 2022-09-09 | 2025-09-08 | 0.00 | 135.00 | 170.00 | Des Bois | 50.87 |
| 154 | 2663334 | Active | 33H13 | 2022-09-09 | 2025-09-08 | 0.00 | 135.00 | 170.00 | Des Bois | 50.87 |
| 155 | 2663335 | Active | 33H13 | 2022-09-09 | 2025-09-08 | 0.00 | 135.00 | 170.00 | Des Bois | 50.86 |
| 156 | 2663336 | Active | 33H13 | 2022-09-09 | 2025-09-08 | 0.00 | 135.00 | 170.00 | Des Bois | 50.86 |
| 157 | 2663337 | Active | 33H13 | 2022-09-09 | 2025-09-08 | 0.00 | 135.00 | 170.00 | Des Bois | 50.86 |
| 158 | 2663338 | Active | 33H13 | 2022-09-09 | 2025-09-08 | 0.00 | 135.00 | 170.00 | Des Bois | 50.85 |
| 159 | 2663339 | Active | 33H13 | 2022-09-09 | 2025-09-08 | 0.00 | 135.00 | 170.00 | Des Bois | 50.85 |
| 160 | 2663340 | Active | 33H13 | 2022-09-09 | 2025-09-08 | 0.00 | 135.00 | 170.00 | Des Bois | 50.85 |
| 161 | 2663341 | Active | 33H13 | 2022-09-09 | 2025-09-08 | 0.00 | 135.00 | 170.00 | Des Bois | 50.85 |
| 162 | 2663342 | Active | 33H13 | 2022-09-09 | 2025-09-08 | 0.00 | 135.00 | 170.00 | Des Bois | 50.85 |
| 163 | 2663343 | Active | 33H13 | 2022-09-09 | 2025-09-08 | 0.00 | 135.00 | 170.00 | Des Bois | 50.84 |
| 164 | 2663344 | Active | 33H13 | 2022-09-09 | 2025-09-08 | 0.00 | 135.00 | 170.00 | Des Bois | 50.84 |
| 165 | 2663345 | Active | 33H13 | 2022-09-09 | 2025-09-08 | 0.00 | 135.00 | 170.00 | Des Bois | 50.84 |
| 166 | 2663346 | Active | 33H13 | 2022-09-09 | 2025-09-08 | 0.00 | 135.00 | 170.00 | Des Bois | 50.84 |
| 167 | 2663347 | Active | 33H13 | 2022-09-09 | 2025-09-08 | 0.00 | 135.00 | 170.00 | Des Bois | 50.84 |
| 168 | 2681378 | Active | 33H13 | 2022-10-21 | 2025-10-20 | 0.00 | 135.00 | 170.00 | Des Bois | 50.86 |
| 169 | 2681379 | Active | 33H13 | 2022-10-21 | 2025-10-20 | 0.00 | 135.00 | 170.00 | Des Bois | 50.86 |
| 170 | 2682011 | Active | 33H13 | 2022-10-21 | 2025-10-20 | 0.00 | 135.00 | 170.00 | Des Bois | 50.95 |
| 171 | 2682012 | Active | 33H13 | 2022-10-21 | 2025-10-20 | 0.00 | 135.00 | 170.00 | Des Bois | 50.95 |
| 172 | 2684288 | Active | 33H13 | 2022-10-27 | 2025-10-26 | 0.00 | 135.00 | 170.00 | Des Bois | 50.94 |
| 173 | 2684289 | Active | 33H13 | 2022-10-27 | 2025-10-26 | 0.00 | 135.00 | 170.00 | Des Bois | 50.94 |
| 174 | 2728227 | Active | 33H12 | 2023-02-09 | 2026-02-08 | 0.00 | 135.00 | 170.00 | Des Bois | 50.97 |
| 175 | 2728228 | Active | 33H12 | 2023-02-09 | 2026-02-08 | 0.00 | 135.00 | 170.00 | Des Bois | 50.97 |
| 176 | 2728229 | Active | 33H12 | 2023-02-09 | 2026-02-08 | 0.00 | 135.00 | 170.00 | Des Bois | 50.97 |
| 177 | 2728230 | Active | 33H12 | 2023-02-09 | 2026-02-08 | 0.00 | 135.00 | 170.00 | Des Bois | 50.97 |
| 178 | 2728231 | Active | 33H12 | 2023-02-09 | 2026-02-08 | 0.00 | 135.00 | 170.00 | Des Bois | 50.96 |
| 179 | 2728232 | Active | 33H12 | 2023-02-09 | 2026-02-08 | 0.00 | 135.00 | 170.00 | Des Bois | 50.96 |
| 180 | 2728233 | Active | 33H13 | 2023-02-09 | 2026-02-08 | 0.00 | 135.00 | 170.00 | Des Bois | 50.90 |
| 181 | 2728234 | Active | 33H13 | 2023-02-09 | 2026-02-08 | 0.00 | 135.00 | 170.00 | Des Bois | 50.90 |
| 182 | 2728235 | Active | 33H13 | 2023-02-09 | 2026-02-08 | 0.00 | 135.00 | 170.00 | Des Bois | 50.89 |
| 183 | 2728236 | Active | 33H13 | 2023-02-09 | 2026-02-08 | 0.00 | 135.00 | 170.00 | Des Bois | 50.89 |
| 184 | 2728237 | Active | 33H13 | 2023-02-09 | 2026-02-08 | 0.00 | 135.00 | 170.00 | Des Bois | 50.89 |
| 185 | 2637078 | Active | 33G09 | 2022-02-22 | 2025-02-21 | 0.00 | 135.00 | 170.00 | GG Claims | 51.05 |

| Count | CDC Claim No. | Claim Status | NTS Sheet | Registration Date | Expiry Date | Excess Credits | Work Required | Required Fee | Claim Group | Area (Ha) |
|-------|---------------|--------------|-----------|-------------------|-------------|----------------|---------------|--------------|-------------|-----------|
| 186 | 2637080 | Active | 33H12 | 2022-02-22 | 2025-02-21 | 0.00 | 135.00 | 170.00 | GG Claims | 51.06 |
| 187 | 2701382 | Active | 33G09 | 2022-12-16 | 2025-12-15 | 0.00 | 135.00 | 170.00 | GG Claims | 51.04 |
| 188 | 2701383 | Active | 33G09 | 2022-12-16 | 2025-12-15 | 0.00 | 135.00 | 170.00 | GG Claims | 51.04 |
| 189 | 2703839 | Active | 33G09 | 2022-12-26 | 2025-12-25 | 0.00 | 135.00 | 170.00 | GG Claims | 51.04 |
| 190 | 2703840 | Active | 33G09 | 2022-12-26 | 2025-12-25 | 0.00 | 135.00 | 170.00 | GG Claims | 51.04 |
| 191 | 2703841 | Active | 33G09 | 2022-12-26 | 2025-12-25 | 0.00 | 135.00 | 170.00 | GG Claims | 51.04 |
| 192 | 2703842 | Active | 33G09 | 2022-12-26 | 2025-12-25 | 0.00 | 135.00 | 170.00 | GG Claims | 51.04 |
| 193 | 2728296 | Active | 33G09 | 2023-02-09 | 2026-02-08 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.11 |
| 194 | 2728297 | Active | 33G09 | 2023-02-09 | 2026-02-08 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.11 |
| 195 | 2728298 | Active | 33G09 | 2023-02-09 | 2026-02-08 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.11 |
| 196 | 2728299 | Active | 33G09 | 2023-02-09 | 2026-02-08 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.11 |
| 197 | 2728300 | Active | 33G09 | 2023-02-09 | 2026-02-08 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.11 |
| 198 | 2728301 | Active | 33G09 | 2023-02-09 | 2026-02-08 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.11 |
| 199 | 2728302 | Active | 33G09 | 2023-02-09 | 2026-02-08 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.11 |
| 200 | 2728303 | Active | 33G09 | 2023-02-09 | 2026-02-08 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.10 |
| 201 | 2728304 | Active | 33G09 | 2023-02-09 | 2026-02-08 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.10 |
| 202 | 2728305 | Active | 33G09 | 2023-02-09 | 2026-02-08 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.10 |
| 203 | 2728306 | Active | 33G09 | 2023-02-09 | 2026-02-08 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.10 |
| 204 | 2728307 | Active | 33G09 | 2023-02-09 | 2026-02-08 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.10 |
| 205 | 2728308 | Active | 33G09 | 2023-02-09 | 2026-02-08 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.09 |
| 206 | 2728309 | Active | 33G09 | 2023-02-09 | 2026-02-08 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.09 |
| 207 | 2728310 | Active | 33G09 | 2023-02-09 | 2026-02-08 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.10 |
| 208 | 2728311 | Active | 33G09 | 2023-02-09 | 2026-02-08 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.10 |
| 209 | 2728312 | Active | 33G09 | 2023-02-09 | 2026-02-08 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.08 |
| 210 | 2728313 | Active | 33G09 | 2023-02-09 | 2026-02-08 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.08 |
| 211 | 2728314 | Active | 33G09 | 2023-02-09 | 2026-02-08 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.09 |
| 212 | 2728315 | Active | 33G09 | 2023-02-09 | 2026-02-08 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.09 |
| 213 | 2728316 | Active | 33G09 | 2023-02-09 | 2026-02-08 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.09 |
| 214 | 2728317 | Active | 33G09 | 2023-02-09 | 2026-02-08 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.09 |
| 215 | 2728318 | Active | 33G09 | 2023-02-09 | 2026-02-08 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.09 |
| 216 | 2728319 | Active | 33G09 | 2023-02-09 | 2026-02-08 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.09 |
| 217 | 2728320 | Active | 33G09 | 2023-02-09 | 2026-02-08 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.08 |
| 218 | 2728321 | Active | 33G09 | 2023-02-09 | 2026-02-08 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.08 |
| 219 | 2728322 | Active | 33G09 | 2023-02-09 | 2026-02-08 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.08 |
| 220 | 2728323 | Active | 33G09 | 2023-02-09 | 2026-02-08 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.08 |
| 221 | 2728324 | Active | 33G09 | 2023-02-09 | 2026-02-08 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.08 |
| 222 | 2728325 | Active | 33G09 | 2023-02-09 | 2026-02-08 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.08 |
| 223 | 2728326 | Active | 33G09 | 2023-02-09 | 2026-02-08 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.07 |
| 224 | 2728327 | Active | 33G09 | 2023-02-09 | 2026-02-08 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.07 |
| 225 | 2730190 | Active | 33G09 | 2023-02-10 | 2026-02-09 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.05 |
| 226 | 2730191 | Active | 33G09 | 2023-02-10 | 2026-02-09 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.04 |
| 227 | 2730192 | Active | 33G09 | 2023-02-10 | 2026-02-09 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.04 |
| 228 | 2730193 | Active | 33G09 | 2023-02-10 | 2026-02-09 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.04 |
| 229 | 2730194 | Active | 33G09 | 2023-02-10 | 2026-02-09 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.03 |
| 230 | 2730195 | Active | 33G09 | 2023-02-10 | 2026-02-09 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.03 |
| 231 | 2730196 | Active | 33G09 | 2023-02-10 | 2026-02-09 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.03 |
| 232 | 2730197 | Active | 33G09 | 2023-02-10 | 2026-02-09 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.03 |

| Count | CDC Claim No. | Claim Status | NTS Sheet | Registration Date | Expiry Date | Excess Credits | Work Required | Required Fee | Claim Group | Area (Ha) |
|-------|---------------|--------------|-----------|-------------------|-------------|----------------|---------------|--------------|-------------|-----------|
| 233 | 2730198 | Active | 33G09 | 2023-02-10 | 2026-02-09 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.03 |
| 234 | 2730199 | Active | 33G09 | 2023-02-10 | 2026-02-09 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.03 |
| 235 | 2730200 | Active | 33G09 | 2023-02-10 | 2026-02-09 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.03 |
| 236 | 2730201 | Active | 33H12 | 2023-02-10 | 2026-02-09 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.03 |
| 237 | 2730202 | Active | 33H12 | 2023-02-10 | 2026-02-09 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.03 |
| 238 | 2730203 | Active | 33H12 | 2023-02-10 | 2026-02-09 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.03 |
| 239 | 2730204 | Active | 33H12 | 2023-02-10 | 2026-02-09 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.02 |
| 240 | 2730205 | Active | 33H12 | 2023-02-10 | 2026-02-09 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.02 |
| 241 | 2730206 | Active | 33H12 | 2023-02-10 | 2026-02-09 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.02 |
| 242 | 2730207 | Active | 33H12 | 2023-02-10 | 2026-02-09 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.02 |
| 243 | 2730208 | Active | 33H12 | 2023-02-10 | 2026-02-09 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.02 |
| 244 | 2730209 | Active | 33H12 | 2023-02-10 | 2026-02-09 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.02 |
| 245 | 2730210 | Active | 33H12 | 2023-02-10 | 2026-02-09 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.02 |
| 246 | 2730211 | Active | 33H12 | 2023-02-10 | 2026-02-09 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.01 |
| 247 | 2730212 | Active | 33H12 | 2023-02-10 | 2026-02-09 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.01 |
| 248 | 2730213 | Active | 33H12 | 2023-02-10 | 2026-02-09 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.01 |
| 249 | 2730214 | Active | 33H12 | 2023-02-10 | 2026-02-09 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.01 |
| 250 | 2730215 | Active | 33H12 | 2023-02-10 | 2026-02-09 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.01 |
| 251 | 2730216 | Active | 33H12 | 2023-02-10 | 2026-02-09 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.01 |
| 252 | 2730217 | Active | 33H12 | 2023-02-10 | 2026-02-09 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.01 |
| 253 | 2730218 | Active | 33H12 | 2023-02-10 | 2026-02-09 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.01 |
| 254 | 2730219 | Active | 33H12 | 2023-02-10 | 2026-02-09 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.01 |
| 255 | 2730220 | Active | 33H12 | 2023-02-10 | 2026-02-09 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.00 |
| 256 | 2730221 | Active | 33H12 | 2023-02-10 | 2026-02-09 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.00 |
| 257 | 2730222 | Active | 33H12 | 2023-02-10 | 2026-02-09 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.00 |
| 258 | 2730223 | Active | 33H12 | 2023-02-10 | 2026-02-09 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.00 |
| 259 | 2730224 | Active | 33H12 | 2023-02-10 | 2026-02-09 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.00 |
| 260 | 2730225 | Active | 33H12 | 2023-02-10 | 2026-02-09 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.00 |
| 261 | 2730226 | Active | 33H12 | 2023-02-10 | 2026-02-09 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.00 |
| 262 | 2730227 | Active | 33H12 | 2023-02-10 | 2026-02-09 | 0.00 | 135.00 | 170.00 | JDM Claims | 50.99 |
| 263 | 2730228 | Active | 33H12 | 2023-02-10 | 2026-02-09 | 0.00 | 135.00 | 170.00 | JDM Claims | 50.99 |
| 264 | 2730229 | Active | 33H12 | 2023-02-10 | 2026-02-09 | 0.00 | 135.00 | 170.00 | JDM Claims | 50.99 |
| 265 | 2730230 | Active | 33H12 | 2023-02-10 | 2026-02-09 | 0.00 | 135.00 | 170.00 | JDM Claims | 50.99 |
| 266 | 2730231 | Active | 33H12 | 2023-02-10 | 2026-02-09 | 0.00 | 135.00 | 170.00 | JDM Claims | 50.99 |
| 267 | 2730232 | Active | 33H12 | 2023-02-10 | 2026-02-09 | 0.00 | 135.00 | 170.00 | JDM Claims | 50.99 |
| 268 | 2730233 | Active | 33H12 | 2023-02-10 | 2026-02-09 | 0.00 | 135.00 | 170.00 | JDM Claims | 50.98 |
| 269 | 2730234 | Active | 33H12 | 2023-02-10 | 2026-02-09 | 0.00 | 135.00 | 170.00 | JDM Claims | 50.98 |
| 270 | 2730235 | Active | 33H12 | 2023-02-10 | 2026-02-09 | 0.00 | 135.00 | 170.00 | JDM Claims | 50.98 |
| 271 | 2730236 | Active | 33H12 | 2023-02-10 | 2026-02-09 | 0.00 | 135.00 | 170.00 | JDM Claims | 50.98 |
| 272 | 2730237 | Active | 33H12 | 2023-02-10 | 2026-02-09 | 0.00 | 135.00 | 170.00 | JDM Claims | 50.98 |
| 273 | 2730238 | Active | 33H12 | 2023-02-10 | 2026-02-09 | 0.00 | 135.00 | 170.00 | JDM Claims | 50.98 |
| 274 | 2730239 | Active | 33H12 | 2023-02-10 | 2026-02-09 | 0.00 | 135.00 | 170.00 | JDM Claims | 50.98 |
| 275 | 2730240 | Active | 33H12 | 2023-02-10 | 2026-02-09 | 0.00 | 135.00 | 170.00 | JDM Claims | 50.98 |
| 276 | 2730241 | Active | 33H12 | 2023-02-10 | 2026-02-09 | 0.00 | 135.00 | 170.00 | JDM Claims | 50.98 |
| 277 | 2730242 | Active | 33H12 | 2023-02-10 | 2026-02-09 | 0.00 | 135.00 | 170.00 | JDM Claims | 50.97 |
| 278 | 2730243 | Active | 33H12 | 2023-02-10 | 2026-02-09 | 0.00 | 135.00 | 170.00 | JDM Claims | 50.97 |
| 279 | 2730244 | Active | 33H12 | 2023-02-10 | 2026-02-09 | 0.00 | 135.00 | 170.00 | JDM Claims | 50.96 |

| Count | CDC Claim No. | Claim Status | NTS Sheet | Registration Date | Expiry Date | Excess Credits | Work Required | Required Fee | Claim Group | Area (Ha) |
|-------|---------------|--------------|-----------|-------------------|-------------|----------------|---------------|--------------|-------------|-----------|
| 280 | 2732083 | Active | 33G09 | 2023-02-13 | 2026-02-12 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.11 |
| 281 | 2732084 | Active | 33G09 | 2023-02-13 | 2026-02-12 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.11 |
| 282 | 2732085 | Active | 33G09 | 2023-02-13 | 2026-02-12 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.11 |
| 283 | 2732086 | Active | 33G09 | 2023-02-13 | 2026-02-12 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.11 |
| 284 | 2732087 | Active | 33G09 | 2023-02-13 | 2026-02-12 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.11 |
| 285 | 2732088 | Active | 33G09 | 2023-02-13 | 2026-02-12 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.10 |
| 286 | 2732089 | Active | 33G09 | 2023-02-13 | 2026-02-12 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.10 |
| 287 | 2732090 | Active | 33G09 | 2023-02-13 | 2026-02-12 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.10 |
| 288 | 2732091 | Active | 33G09 | 2023-02-13 | 2026-02-12 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.10 |
| 289 | 2732092 | Active | 33G09 | 2023-02-13 | 2026-02-12 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.10 |
| 290 | 2732093 | Active | 33G09 | 2023-02-13 | 2026-02-12 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.09 |
| 291 | 2732094 | Active | 33G09 | 2023-02-13 | 2026-02-12 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.09 |
| 292 | 2732095 | Active | 33G09 | 2023-02-13 | 2026-02-12 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.09 |
| 293 | 2732096 | Active | 33G09 | 2023-02-13 | 2026-02-12 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.09 |
| 294 | 2732097 | Active | 33G09 | 2023-02-13 | 2026-02-12 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.09 |
| 295 | 2732098 | Active | 33G09 | 2023-02-13 | 2026-02-12 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.09 |
| 296 | 2732099 | Active | 33G09 | 2023-02-13 | 2026-02-12 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.08 |
| 297 | 2732100 | Active | 33G09 | 2023-02-13 | 2026-02-12 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.08 |
| 298 | 2732101 | Active | 33G09 | 2023-02-13 | 2026-02-12 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.07 |
| 299 | 2732102 | Active | 33G09 | 2023-02-13 | 2026-02-12 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.07 |
| 300 | 2732103 | Active | 33G09 | 2023-02-13 | 2026-02-12 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.07 |
| 301 | 2732104 | Active | 33G09 | 2023-02-13 | 2026-02-12 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.07 |
| 302 | 2732105 | Active | 33G09 | 2023-02-13 | 2026-02-12 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.07 |
| 303 | 2732106 | Active | 33G09 | 2023-02-13 | 2026-02-12 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.07 |
| 304 | 2732107 | Active | 33G09 | 2023-02-13 | 2026-02-12 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.07 |
| 305 | 2732108 | Active | 33G09 | 2023-02-13 | 2026-02-12 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.07 |
| 306 | 2732109 | Active | 33G09 | 2023-02-13 | 2026-02-12 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.06 |
| 307 | 2732110 | Active | 33G09 | 2023-02-13 | 2026-02-12 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.06 |
| 308 | 2741744 | Active | 33G09 | 2023-02-23 | 2026-02-22 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.05 |
| 309 | 2741745 | Active | 33G09 | 2023-02-23 | 2026-02-22 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.05 |
| 310 | 2741746 | Active | 33G09 | 2023-02-23 | 2026-02-22 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.05 |
| 311 | 2741747 | Active | 33G09 | 2023-02-23 | 2026-02-22 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.05 |
| 312 | 2741748 | Active | 33G09 | 2023-02-23 | 2026-02-22 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.05 |
| 313 | 2741749 | Active | 33G09 | 2023-02-23 | 2026-02-22 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.04 |
| 314 | 2741750 | Active | 33G09 | 2023-02-23 | 2026-02-22 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.04 |
| 315 | 2741751 | Active | 33G09 | 2023-02-23 | 2026-02-22 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.04 |
| 316 | 2741752 | Active | 33G09 | 2023-02-23 | 2026-02-22 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.04 |
| 317 | 2741753 | Active | 33G09 | 2023-02-23 | 2026-02-22 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.04 |
| 318 | 2741754 | Active | 33G09 | 2023-02-23 | 2026-02-22 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.03 |
| 319 | 2741755 | Active | 33G09 | 2023-02-23 | 2026-02-22 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.03 |
| 320 | 2741756 | Active | 33G09 | 2023-02-23 | 2026-02-22 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.03 |
| 321 | 2741757 | Active | 33G09 | 2023-02-23 | 2026-02-22 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.03 |
| 322 | 2741758 | Active | 33G09 | 2023-02-23 | 2026-02-22 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.03 |
| 323 | 2741759 | Active | 33G09 | 2023-02-23 | 2026-02-22 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.03 |
| 324 | 2741760 | Active | 33G09 | 2023-02-23 | 2026-02-22 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.03 |
| 325 | 2741761 | Active | 33G09 | 2023-02-23 | 2026-02-22 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.02 |
| 326 | 2741762 | Active | 33G09 | 2023-02-23 | 2026-02-22 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.02 |

| Count | CDC Claim No. | Claim Status | NTS Sheet | Registration Date | Expiry Date | Excess Credits | Work Required | Required Fee | Claim Group | Area (Ha) |
|-------|---------------|--------------|-----------|-------------------|-------------|----------------|---------------|--------------|----------------------------|-----------|
| 327 | 2741763 | Active | 33H12 | 2023-02-23 | 2026-02-22 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.02 |
| 328 | 2741764 | Active | 33H12 | 2023-02-23 | 2026-02-22 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.01 |
| 329 | 2741765 | Active | 33H12 | 2023-02-23 | 2026-02-22 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.01 |
| 330 | 2741766 | Active | 33H12 | 2023-02-23 | 2026-02-22 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.01 |
| 331 | 2741767 | Active | 33H12 | 2023-02-23 | 2026-02-22 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.01 |
| 332 | 2741768 | Active | 33H12 | 2023-02-23 | 2026-02-22 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.01 |
| 333 | 2741769 | Active | 33H12 | 2023-02-23 | 2026-02-22 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.01 |
| 334 | 2741770 | Active | 33H12 | 2023-02-23 | 2026-02-22 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.01 |
| 335 | 2741771 | Active | 33H12 | 2023-02-23 | 2026-02-22 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.00 |
| 336 | 2741772 | Active | 33H12 | 2023-02-23 | 2026-02-22 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.00 |
| 337 | 2741773 | Active | 33H12 | 2023-02-23 | 2026-02-22 | 0.00 | 135.00 | 170.00 | JDM Claims | 51.00 |
| 338 | 2741774 | Active | 33H12 | 2023-02-23 | 2026-02-22 | 0.00 | 135.00 | 170.00 | JDM Claims | 50.99 |
| 339 | 2741775 | Active | 33H12 | 2023-02-23 | 2026-02-22 | 0.00 | 135.00 | 170.00 | JDM Claims | 50.99 |
| 340 | 2741776 | Active | 33H12 | 2023-02-23 | 2026-02-22 | 0.00 | 135.00 | 170.00 | JDM Claims | 50.99 |
| 341 | 2741777 | Active | 33H12 | 2023-02-23 | 2026-02-22 | 0.00 | 135.00 | 170.00 | JDM Claims | 50.98 |
| 342 | 2741778 | Active | 33H12 | 2023-02-23 | 2026-02-22 | 0.00 | 135.00 | 170.00 | JDM Claims | 50.98 |
| 343 | 2741779 | Active | 33H12 | 2023-02-23 | 2026-02-22 | 0.00 | 135.00 | 170.00 | JDM Claims | 50.97 |
| 344 | 2741780 | Active | 33H12 | 2023-02-23 | 2026-02-22 | 0.00 | 135.00 | 170.00 | JDM Claims | 50.97 |
| 345 | 2741781 | Active | 33H12 | 2023-02-23 | 2026-02-22 | 0.00 | 135.00 | 170.00 | JDM Claims | 50.97 |
| 346 | 2741782 | Active | 33H12 | 2023-02-23 | 2026-02-22 | 0.00 | 135.00 | 170.00 | JDM Claims | 50.96 |
| 347 | 2741783 | Active | 33H12 | 2023-02-23 | 2026-02-22 | 0.00 | 135.00 | 170.00 | JDM Claims | 50.96 |
| 348 | 2497364 | Active | 33G09 | 2017-07-11 | 2024-07-10 | 211.75 | 900.00 | 170.00 | QI Énergétique Québec Ltée | 51.18 |
| 349 | 2497365 | Active | 33G09 | 2017-07-11 | 2024-07-10 | 211.75 | 900.00 | 170.00 | QI Énergétique Québec Ltée | 51.18 |
| 350 | 2497366 | Active | 33G09 | 2017-07-11 | 2024-07-10 | 211.75 | 900.00 | 170.00 | QI Énergétique Québec Ltée | 51.18 |
| 351 | 2497367 | Active | 33G09 | 2017-07-11 | 2024-07-10 | 211.75 | 900.00 | 170.00 | QI Énergétique Québec Ltée | 51.18 |
| 352 | 2497368 | Active | 33G09 | 2017-07-11 | 2024-07-10 | 211.75 | 900.00 | 170.00 | QI Énergétique Québec Ltée | 51.17 |
| 353 | 2497369 | Active | 33G09 | 2017-07-11 | 2024-07-10 | 211.75 | 900.00 | 170.00 | QI Énergétique Québec Ltée | 51.17 |
| 354 | 2497370 | Active | 33G09 | 2017-07-11 | 2024-07-10 | 211.75 | 900.00 | 170.00 | QI Énergétique Québec Ltée | 51.17 |
| 355 | 2497371 | Active | 33G09 | 2017-07-11 | 2024-07-10 | 211.75 | 900.00 | 170.00 | QI Énergétique Québec Ltée | 51.17 |
| 356 | 2497372 | Active | 33G09 | 2017-07-11 | 2024-07-10 | 211.75 | 900.00 | 170.00 | QI Énergétique Québec Ltée | 51.17 |
| 357 | 2497373 | Active | 33G09 | 2017-07-11 | 2024-07-10 | 211.75 | 900.00 | 170.00 | QI Énergétique Québec Ltée | 51.17 |
| 358 | 2497374 | Active | 33G09 | 2017-07-11 | 2024-07-10 | 211.75 | 900.00 | 170.00 | QI Énergétique Québec Ltée | 51.17 |
| 359 | 2497375 | Active | 33G09 | 2017-07-11 | 2024-07-10 | 211.75 | 900.00 | 170.00 | QI Énergétique Québec Ltée | 51.17 |
| 360 | 2497376 | Active | 33G09 | 2017-07-11 | 2024-07-10 | 211.75 | 900.00 | 170.00 | QI Énergétique Québec Ltée | 51.16 |
| 361 | 2497377 | Active | 33G09 | 2017-07-11 | 2024-07-10 | 211.75 | 900.00 | 170.00 | QI Énergétique Québec Ltée | 51.16 |
| 362 | 2497378 | Active | 33G09 | 2017-07-11 | 2024-07-10 | 211.75 | 900.00 | 170.00 | QI Énergétique Québec Ltée | 51.16 |
| 363 | 2497379 | Active | 33G09 | 2017-07-11 | 2024-07-10 | 211.75 | 900.00 | 170.00 | QI Énergétique Québec Ltée | 51.16 |
| 364 | 2497380 | Active | 33G09 | 2017-07-11 | 2024-07-10 | 211.75 | 900.00 | 170.00 | QI Énergétique Québec Ltée | 51.16 |
| 365 | 2497381 | Active | 33G09 | 2017-07-11 | 2024-07-10 | 211.75 | 900.00 | 170.00 | QI Énergétique Québec Ltée | 51.16 |
| 366 | 2497382 | Active | 33G09 | 2017-07-11 | 2024-07-10 | 211.75 | 900.00 | 170.00 | QI Énergétique Québec Ltée | 51.16 |
| 367 | 2497383 | Active | 33G09 | 2017-07-11 | 2024-07-10 | 211.75 | 900.00 | 170.00 | QI Énergétique Québec Ltée | 51.16 |
| 368 | 2497384 | Active | 33G09 | 2017-07-11 | 2024-07-10 | 211.75 | 900.00 | 170.00 | QI Énergétique Québec Ltée | 51.16 |
| 369 | 2497385 | Active | 33G09 | 2017-07-11 | 2024-07-10 | 211.75 | 900.00 | 170.00 | QI Énergétique Québec Ltée | 51.16 |
| 370 | 2497386 | Active | 33G09 | 2017-07-11 | 2024-07-10 | 211.75 | 900.00 | 170.00 | QI Énergétique Québec Ltée | 51.16 |
| 371 | 2497387 | Active | 33G09 | 2017-07-11 | 2024-07-10 | 211.75 | 900.00 | 170.00 | QI Énergétique Québec Ltée | 51.16 |
| 372 | 2497388 | Active | 33G09 | 2017-07-11 | 2024-07-10 | 11.75 | 900.00 | 170.00 | QI Énergétique Québec Ltée | 51.16 |
| 373 | 2497389 | Active | 33G09 | 2017-07-11 | 2024-07-10 | 11.75 | 900.00 | 170.00 | QI Énergétique Québec Ltée | 51.16 |

| Count | CDC Claim No. | Claim Status | NTS Sheet | Registration Date | Expiry Date | Excess Credits | Work Required | Required Fee | Claim Group | Area (Ha) |
|-------|---------------|--------------|-----------|-------------------|-------------|----------------|---------------|--------------|----------------------------|-----------|
| 797 | 2749188 | Active | 33G10 | 2023-03-15 | 2026-03-14 | 0.00 | 135.00 | 170.00 | QI Énergétique Québec Ltée | 51.08 |
| 798 | 2749189 | Active | 33G10 | 2023-03-15 | 2026-03-14 | 0.00 | 135.00 | 170.00 | QI Énergétique Québec Ltée | 51.08 |
| 799 | 2749190 | Active | 33H12 | 2023-03-15 | 2026-03-14 | 0.00 | 135.00 | 170.00 | QI Énergétique Québec Ltée | 51.00 |
| 800 | 2749191 | Active | 33H12 | 2023-03-15 | 2026-03-14 | 0.00 | 135.00 | 170.00 | QI Énergétique Québec Ltée | 51.00 |
| 801 | 2749192 | Active | 33H12 | 2023-03-15 | 2026-03-14 | 0.00 | 135.00 | 170.00 | QI Énergétique Québec Ltée | 51.00 |
| 802 | 2749193 | Active | 33H12 | 2023-03-15 | 2026-03-14 | 0.00 | 135.00 | 170.00 | QI Énergétique Québec Ltée | 51.00 |
| 803 | 2749194 | Active | 33H12 | 2023-03-15 | 2026-03-14 | 0.00 | 135.00 | 170.00 | QI Énergétique Québec Ltée | 50.99 |
| 804 | 2693292 | Active | 33G09 | 2022-11-25 | 2025-11-24 | 0.00 | 135.00 | 170.00 | Reservoir Lithium | 51.16 |
| 805 | 2693293 | Active | 33G09 | 2022-11-25 | 2025-11-24 | 0.00 | 135.00 | 170.00 | Reservoir Lithium | 51.15 |
| 806 | 2693294 | Active | 33G09 | 2022-11-25 | 2025-11-24 | 0.00 | 135.00 | 170.00 | Reservoir Lithium | 51.14 |
| 807 | 2693295 | Active | 33G09 | 2022-11-25 | 2025-11-24 | 0.00 | 135.00 | 170.00 | Reservoir Lithium | 51.14 |
| 808 | 2693296 | Active | 33G09 | 2022-11-25 | 2025-11-24 | 0.00 | 135.00 | 170.00 | Reservoir Lithium | 51.14 |
| 809 | 2693297 | Active | 33G09 | 2022-11-25 | 2025-11-24 | 0.00 | 135.00 | 170.00 | Reservoir Lithium | 51.14 |
| 810 | 2693298 | Active | 33G09 | 2022-11-25 | 2025-11-24 | 0.00 | 135.00 | 170.00 | Reservoir Lithium | 51.14 |
| 811 | 2693299 | Active | 33G09 | 2022-11-25 | 2025-11-24 | 0.00 | 135.00 | 170.00 | Reservoir Lithium | 51.13 |
| 812 | 2693300 | Active | 33G09 | 2022-11-25 | 2025-11-24 | 0.00 | 135.00 | 170.00 | Reservoir Lithium | 51.13 |
| 813 | 2693301 | Active | 33G09 | 2022-11-25 | 2025-11-24 | 0.00 | 135.00 | 170.00 | Reservoir Lithium | 51.13 |
| 814 | 2693302 | Active | 33G09 | 2022-11-25 | 2025-11-24 | 0.00 | 135.00 | 170.00 | Reservoir Lithium | 51.13 |
| 815 | 2693303 | Active | 33G09 | 2022-11-25 | 2025-11-24 | 0.00 | 135.00 | 170.00 | Reservoir Lithium | 51.13 |
| 816 | 2693304 | Active | 33G09 | 2022-11-25 | 2025-11-24 | 0.00 | 135.00 | 170.00 | Reservoir Lithium | 51.12 |
| 817 | 2693305 | Active | 33G09 | 2022-11-25 | 2025-11-24 | 0.00 | 135.00 | 170.00 | Reservoir Lithium | 51.12 |
| 818 | 2693306 | Active | 33G09 | 2022-11-25 | 2025-11-24 | 0.00 | 135.00 | 170.00 | Reservoir Lithium | 51.12 |
| 819 | 2693307 | Active | 33H12 | 2022-11-25 | 2025-11-24 | 0.00 | 135.00 | 170.00 | Reservoir Lithium | 51.16 |
| 820 | 2693308 | Active | 33H12 | 2022-11-25 | 2025-11-24 | 0.00 | 135.00 | 170.00 | Reservoir Lithium | 51.15 |
| 821 | 2693309 | Active | 33H12 | 2022-11-25 | 2025-11-24 | 0.00 | 135.00 | 170.00 | Reservoir Lithium | 51.15 |
| 822 | 2693310 | Active | 33H12 | 2022-11-25 | 2025-11-24 | 0.00 | 135.00 | 170.00 | Reservoir Lithium | 51.14 |
| 823 | 2693311 | Active | 33H12 | 2022-11-25 | 2025-11-24 | 0.00 | 135.00 | 170.00 | Reservoir Lithium | 51.14 |
| 824 | 2693312 | Active | 33H12 | 2022-11-25 | 2025-11-24 | 0.00 | 135.00 | 170.00 | Reservoir Lithium | 51.14 |
| 825 | 2693313 | Active | 33H12 | 2022-11-25 | 2025-11-24 | 0.00 | 135.00 | 170.00 | Reservoir Lithium | 51.14 |
| 826 | 2693314 | Active | 33H12 | 2022-11-25 | 2025-11-24 | 0.00 | 135.00 | 170.00 | Reservoir Lithium | 51.13 |
| 827 | 2693315 | Active | 33H12 | 2022-11-25 | 2025-11-24 | 0.00 | 135.00 | 170.00 | Reservoir Lithium | 51.13 |
| 828 | 2693316 | Active | 33H12 | 2022-11-25 | 2025-11-24 | 0.00 | 135.00 | 170.00 | Reservoir Lithium | 51.13 |
| 829 | 2693317 | Active | 33H12 | 2022-11-25 | 2025-11-24 | 0.00 | 135.00 | 170.00 | Reservoir Lithium | 51.13 |
| 830 | 2693318 | Active | 33H12 | 2022-11-25 | 2025-11-24 | 0.00 | 135.00 | 170.00 | Reservoir Lithium | 51.13 |
| 831 | 2693319 | Active | 33H12 | 2022-11-25 | 2025-11-24 | 0.00 | 135.00 | 170.00 | Reservoir Lithium | 51.13 |
| 832 | 2693320 | Active | 33H12 | 2022-11-25 | 2025-11-24 | 0.00 | 135.00 | 170.00 | Reservoir Lithium | 51.12 |
| 833 | 2626765 | Active | 33H12 | 2021-11-21 | 2024-11-20 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.04 |
| 834 | 2626766 | Active | 33H12 | 2021-11-21 | 2024-11-20 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.04 |
| 835 | 2626767 | Active | 33H12 | 2021-11-21 | 2024-11-20 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.04 |
| 836 | 2626768 | Active | 33H12 | 2021-11-21 | 2024-11-20 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.04 |
| 837 | 2626769 | Active | 33H12 | 2021-11-21 | 2024-11-20 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.03 |
| 838 | 2626770 | Active | 33H12 | 2021-11-21 | 2024-11-20 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.03 |
| 839 | 2626771 | Active | 33H12 | 2021-11-21 | 2024-11-20 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.03 |
| 840 | 2626772 | Active | 33H12 | 2021-11-21 | 2024-11-20 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.03 |
| 841 | 2626773 | Active | 33H12 | 2021-11-21 | 2024-11-20 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.02 |
| 842 | 2626774 | Active | 33H12 | 2021-11-21 | 2024-11-20 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.02 |
| 843 | 2626775 | Active | 33H12 | 2021-11-21 | 2024-11-20 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.02 |

| Count | CDC Claim No. | Claim Status | NTS Sheet | Registration Date | Expiry Date | Excess Credits | Work Required | Required Fee | Claim Group | Area (Ha) |
|-------|---------------|--------------|-----------|-------------------|-------------|----------------|---------------|--------------|--------------------|-----------|
| 844 | 2626776 | Active | 33H12 | 2021-11-21 | 2024-11-20 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.02 |
| 845 | 2626777 | Active | 33H12 | 2021-11-21 | 2024-11-20 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.01 |
| 846 | 2626778 | Active | 33H12 | 2021-11-21 | 2024-11-20 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.01 |
| 847 | 2626779 | Active | 33H12 | 2021-11-21 | 2024-11-20 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.01 |
| 848 | 2626780 | Active | 33H12 | 2021-11-21 | 2024-11-20 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.01 |
| 849 | 2626781 | Active | 33H12 | 2021-11-21 | 2024-11-20 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.01 |
| 850 | 2626782 | Active | 33H12 | 2021-11-21 | 2024-11-20 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.00 |
| 851 | 2626783 | Active | 33H12 | 2021-11-21 | 2024-11-20 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.00 |
| 852 | 2626784 | Active | 33H12 | 2021-11-21 | 2024-11-20 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.00 |
| 853 | 2626785 | Active | 33H12 | 2021-11-21 | 2024-11-20 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.00 |
| 854 | 2633114 | Active | 33G10 | 2022-01-13 | 2025-01-12 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.23 |
| 855 | 2634944 | Active | 33G07 | 2022-02-01 | 2025-01-31 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.25 |
| 856 | 2634945 | Active | 33G07 | 2022-02-01 | 2025-01-31 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.25 |
| 857 | 2634946 | Active | 33G10 | 2022-02-01 | 2025-01-31 | 0.00 | 135.00 | 152.00 | Transtaiga Lithium | 45.83 |
| 858 | 2636803 | Active | 33G09 | 2022-02-21 | 2025-02-20 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.12 |
| 859 | 2636804 | Active | 33G09 | 2022-02-21 | 2025-02-20 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.12 |
| 860 | 2636805 | Active | 33G09 | 2022-02-21 | 2025-02-20 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.11 |
| 861 | 2636806 | Active | 33G09 | 2022-02-21 | 2025-02-20 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.11 |
| 862 | 2636807 | Active | 33G09 | 2022-02-21 | 2025-02-20 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.11 |
| 863 | 2636808 | Active | 33G09 | 2022-02-21 | 2025-02-20 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.11 |
| 864 | 2636809 | Active | 33G09 | 2022-02-21 | 2025-02-20 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.11 |
| 865 | 2636810 | Active | 33G09 | 2022-02-21 | 2025-02-20 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.10 |
| 866 | 2636811 | Active | 33G09 | 2022-02-21 | 2025-02-20 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.10 |
| 867 | 2636812 | Active | 33G09 | 2022-02-21 | 2025-02-20 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.10 |
| 868 | 2636813 | Active | 33G09 | 2022-02-21 | 2025-02-20 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.10 |
| 869 | 2636814 | Active | 33G09 | 2022-02-21 | 2025-02-20 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.10 |
| 870 | 2636815 | Active | 33H12 | 2022-02-21 | 2025-02-20 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.12 |
| 871 | 2636816 | Active | 33H12 | 2022-02-21 | 2025-02-20 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.12 |
| 872 | 2636817 | Active | 33H12 | 2022-02-21 | 2025-02-20 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.12 |
| 873 | 2636818 | Active | 33H12 | 2022-02-21 | 2025-02-20 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.12 |
| 874 | 2636819 | Active | 33H12 | 2022-02-21 | 2025-02-20 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.12 |
| 875 | 2636820 | Active | 33H12 | 2022-02-21 | 2025-02-20 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.12 |
| 876 | 2636821 | Active | 33H12 | 2022-02-21 | 2025-02-20 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.12 |
| 877 | 2636822 | Active | 33H12 | 2022-02-21 | 2025-02-20 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.12 |
| 878 | 2636823 | Active | 33H12 | 2022-02-21 | 2025-02-20 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.12 |
| 879 | 2636824 | Active | 33H12 | 2022-02-21 | 2025-02-20 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.11 |
| 880 | 2636825 | Active | 33H12 | 2022-02-21 | 2025-02-20 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.11 |
| 881 | 2636826 | Active | 33H12 | 2022-02-21 | 2025-02-20 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.11 |
| 882 | 2636827 | Active | 33H12 | 2022-02-21 | 2025-02-20 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.11 |
| 883 | 2636828 | Active | 33H12 | 2022-02-21 | 2025-02-20 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.11 |
| 884 | 2636829 | Active | 33H12 | 2022-02-21 | 2025-02-20 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.11 |
| 885 | 2636830 | Active | 33H12 | 2022-02-21 | 2025-02-20 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.11 |
| 886 | 2636831 | Active | 33H12 | 2022-02-21 | 2025-02-20 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.11 |
| 887 | 2636832 | Active | 33H12 | 2022-02-21 | 2025-02-20 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.11 |
| 888 | 2636833 | Active | 33H12 | 2022-02-21 | 2025-02-20 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.11 |
| 889 | 2636834 | Active | 33H12 | 2022-02-21 | 2025-02-20 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.11 |
| 890 | 2636835 | Active | 33H12 | 2022-02-21 | 2025-02-20 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.10 |

| Count | CDC Claim No. | Claim Status | NTS Sheet | Registration Date | Expiry Date | Excess Credits | Work Required | Required Fee | Claim Group | Area (Ha) |
|-------|---------------|--------------|-----------|-------------------|-------------|----------------|---------------|--------------|--------------------|-----------|
| 938 | 2636951 | Active | 33G09 | 2022-02-21 | 2025-02-20 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.05 |
| 939 | 2636952 | Active | 33G09 | 2022-02-21 | 2025-02-20 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.05 |
| 940 | 2636953 | Active | 33G09 | 2022-02-21 | 2025-02-20 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.05 |
| 941 | 2636966 | Active | 33H12 | 2022-02-21 | 2025-02-20 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.08 |
| 942 | 2636967 | Active | 33H12 | 2022-02-21 | 2025-02-20 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.08 |
| 943 | 2636968 | Active | 33H12 | 2022-02-21 | 2025-02-20 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.06 |
| 944 | 2636969 | Active | 33H12 | 2022-02-21 | 2025-02-20 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.06 |
| 945 | 2636970 | Active | 33H12 | 2022-02-21 | 2025-02-20 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.06 |
| 946 | 2636971 | Active | 33H12 | 2022-02-21 | 2025-02-20 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.06 |
| 947 | 2636972 | Active | 33H12 | 2022-02-21 | 2025-02-20 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.06 |
| 948 | 2636986 | Active | 33H12 | 2022-02-21 | 2025-02-20 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 50.99 |
| 949 | 2636987 | Active | 33H12 | 2022-02-21 | 2025-02-20 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 50.99 |
| 950 | 2636989 | Active | 33H12 | 2022-02-21 | 2025-02-20 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 50.98 |
| 951 | 2636990 | Active | 33H12 | 2022-02-21 | 2025-02-20 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 50.98 |
| 952 | 2637663 | Active | 33G07 | 2022-03-01 | 2025-02-28 | 0.00 | 135.00 | 152.00 | Transtaiga Lithium | 49.44 |
| 953 | 2651290 | Active | 33G09 | 2022-05-31 | 2025-05-30 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.06 |
| 954 | 2651291 | Active | 33G09 | 2022-05-31 | 2025-05-30 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.05 |
| 955 | 2651292 | Active | 33G09 | 2022-05-31 | 2025-05-30 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.05 |
| 956 | 2651329 | Active | 33H12 | 2022-05-31 | 2025-05-30 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.09 |
| 957 | 2651330 | Active | 33H12 | 2022-05-31 | 2025-05-30 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.08 |
| 958 | 2651331 | Active | 33H12 | 2022-05-31 | 2025-05-30 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.08 |
| 959 | 2651332 | Active | 33H12 | 2022-05-31 | 2025-05-30 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.05 |
| 960 | 2651333 | Active | 33H12 | 2022-05-31 | 2025-05-30 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.05 |
| 961 | 2651334 | Active | 33H12 | 2022-05-31 | 2025-05-30 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.05 |
| 962 | 2651335 | Active | 33H12 | 2022-05-31 | 2025-05-30 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 50.97 |
| 963 | 2651336 | Active | 33H12 | 2022-05-31 | 2025-05-30 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 50.97 |
| 964 | 2651337 | Active | 33H12 | 2022-05-31 | 2025-05-30 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 50.97 |
| 965 | 2662836 | Active | 33G09 | 2022-09-06 | 2025-09-05 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.14 |
| 966 | 2662837 | Active | 33G09 | 2022-09-06 | 2025-09-05 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.14 |
| 967 | 2691540 | Active | 33H12 | 2022-11-22 | 2025-11-21 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.04 |
| 968 | 2691541 | Active | 33H12 | 2022-11-22 | 2025-11-21 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.04 |
| 969 | 2691542 | Active | 33H12 | 2022-11-22 | 2025-11-21 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.03 |
| 970 | 2691543 | Active | 33H12 | 2022-11-22 | 2025-11-21 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.03 |
| 971 | 2691544 | Active | 33H12 | 2022-11-22 | 2025-11-21 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.02 |
| 972 | 2691545 | Active | 33H12 | 2022-11-22 | 2025-11-21 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.01 |
| 973 | 2691546 | Active | 33H12 | 2022-11-22 | 2025-11-21 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.00 |
| 974 | 2691547 | Active | 33H12 | 2022-11-22 | 2025-11-21 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.00 |
| 975 | 2691548 | Active | 33H12 | 2022-11-22 | 2025-11-21 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 51.00 |
| 976 | 2691549 | Active | 33H12 | 2022-11-22 | 2025-11-21 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 50.99 |
| 977 | 2691550 | Active | 33H12 | 2022-11-22 | 2025-11-21 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 50.99 |
| 978 | 2691551 | Active | 33H12 | 2022-11-22 | 2025-11-21 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 50.99 |
| 979 | 2691552 | Active | 33H12 | 2022-11-22 | 2025-11-21 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 50.98 |
| 980 | 2691553 | Active | 33H12 | 2022-11-22 | 2025-11-21 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 50.98 |
| 981 | 2691554 | Active | 33H12 | 2022-11-22 | 2025-11-21 | 0.00 | 135.00 | 170.00 | Transtaiga Lithium | 50.98 |

31 APPENDIX 2: 2022 ROCK SAMPLE DESCRIPTIONS



| Sample # | Date | Easting (Nad83_Z18) | Northing (Nad83_Z18) | Sample type | Rock type | Comment |
|----------|----------------|---------------------|----------------------|-------------|------------|---|
| G296401 | Oct 18th, 2022 | 572172 | 5939543 | grab | Pegmatite | Quartz-Feldspar and minor apple green mineral |
| G296402 | Oct 18th, 2022 | 572181 | 5939566 | grab | Peridotite | Magnetic, fine-grained, ultramafic intrusive. Analysed for Au and PGE |
| G296403 | Oct 18th, 2022 | 572108 | 5939593 | grab | Pegmatite | White and locally pinkish quartz-feldspar dike with minor light blueish-green mineral |
| G296404 | Oct 18th, 2022 | 572669 | 5940819 | grab | Pegmatite | White, quartz-feldspar dike with minor light blueish-green mineral |
| G296405 | Oct 18th, 2022 | 572669 | 5940819 | grab | Pegmatite | White quartz-feldspar with minor light blueish-green mineral. |
| G296406 | Oct 18th, 2022 | 579454 | 5950082 | grab | Pegmatite | Pinkish white. quartz-Feldspar dike with minor, coarse-grained black spinel (?) |
| G296407 | Oct 18th, 2022 | 578885 | 5950106 | grab | Pegmatite | Pinkish-whitedike, quartz-Feldspar with minor coarse-grained blueish-green mineral. |
| G296408 | Oct 18th, 2022 | 556522 | 5945831 | grab | Pegmatite | 2 metre wide pink, Kspar-rich (pink) dike that is cross-cutting orthogneiss. |
| G296411 | Oct 19th, 2022 | 556720 | 5946049 | grab | Pegmatite | 1 meter wide pinkish-white, quartz=feldspar dike cross-cutting orthogneiss. |
| G296412 | Oct 19th, 2022 | 554406 | 5943258 | grab | Pegmatite | 1meter wide pink Kspar-quartz dike cross-cutting orthogneiss. Dyke is oriented 125 degrees. |
| G296413 | Oct 19th, 2022 | 554329 | 5943002 | grab | Pegmatite | Pinkish-white, quartz-feldspar dike. |
| G296414 | Oct 19th, 2022 | 554340 | 5942997 | grab | Pegmatite | White, quartz-feldspar dike with minor, fine grained pink garnets. |
| G296415 | Oct 19th, 2022 | 554196 | 5942955 | grab | Pegmatite | White, quartz-feldspar dike. |
| G296416 | Oct 19th, 2022 | 537644 | 5935749 | grab | Pegmatite | Pink, Kspar-quartz dike. |
| G296417 | Oct 19th, 2022 | 537640 | 5935738 | grab | Pegmatite | Pink, Kspar-quartz dike with minor spots of hematization. |
| G296418 | Oct 19th, 2022 | 537820 | 5935753 | grab | Pegmatite | Pink, Kspar-quartz dike. |
| G296419 | Oct 19th, 2022 | 537901 | 5935747 | grab | Pegmatite | Pink, Kspar-quartz dike. |
| G296420 | Oct 19th, 2022 | 537995 | 5935740 | grab | Pegmatite | Pink, Kspar-quartz dike is cross cutting metasediments. |
| G296421 | Oct 19th, 2022 | 538007 | 5935657 | grab | Pegmatite | Pink, Kspar-quartz dike is cross-cutting metasediments. Duplicate of G296420. |
| G296422 | Oct 19th, 2022 | 526858 | 5934471 | grab | Pegmatite | Pink, Kspar-quartz dike. |
| G296423 | Oct 19th, 2022 | 526845 | 5934462 | grab | Pegmatite | Pink Kspar-quartz dike with minor light greenish-white feldspar (?). |



32 APPENDIX 3: 2022 GEOCHEMICAL RESULTS





ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: IDAHO CHAMPION GOLD MINES
 401 BAY STREET, SUITE 2704
 TORONTO ON M5H 2Y4

Page: 1
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-NOV-2022
 This copy reported on
 19-DEC-2022
 Account: IDACHGOL

CERTIFICATE VO22309169

Project: Charles- Blanche

This report is for 21 samples of Rock submitted to our lab in Val d'Or, QC, Canada on 26-OCT-2022.

The following have access to data associated with this certificate:

| | | |
|--------------|--------------|-------------|
| JOE CAMPBELL | ADAM FINDLEY | ERIC HÉBERT |
|--------------|--------------|-------------|

| SAMPLE PREPARATION | |
|--------------------|---------------------------------|
| ALS CODE | DESCRIPTION |
| WEI-21 | Received Sample Weight |
| LOG-21 | Sample logging - ClientBarCode |
| CRU-31 | Fine crushing - 70% <2mm |
| SPL-21 | Split sample - riffle splitter |
| PUL-31 | Pulverize up to 250g 85% <75 um |
| CRU-QC | Crushing QC Test |

| ANALYTICAL PROCEDURES | | |
|-----------------------|-----------------------------|------------|
| ALS CODE | DESCRIPTION | INSTRUMENT |
| ME-MS61 | 48 element four acid ICP-MS | |
| PGM-ICP23 | Pt, Pd, Au 30g FA ICP | ICP-AES |

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.
 ***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Saa Traxler, Director, North Vancouver Operations



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: IDAHO CHAMPION GOLD MINES
 401 BAY STREET, SUITE 2704
 TORONTO ON M5H 2Y4

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-NOV-2022
 Account: IDACHGOL

Project: Charles- Blanche

CERTIFICATE OF ANALYSIS VO22309169

| Sample Description | Method Analyte Units LOD | WEI-21 | PGM-ICP23 | PGM-ICP23 | PGM-ICP23 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |
|--------------------|--------------------------|-----------------|-----------|-----------|-----------|-----------|---------|-----------|-----------|-----------|-----------|---------|-----------|-----------|-----------|-----------|
| | | Recvd Wt. kg | Au ppm | Pt ppm | Pd ppm | Ag ppm | Al % | As ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Ce ppm | Co ppm | Cr ppm |
| | | 0.02 | 0.001 | 0.005 | 0.001 | 0.01 | 0.01 | 0.2 | 10 | 0.05 | 0.01 | 0.01 | 0.02 | 0.01 | 0.1 | 1 |
| G296401 | | 1.31 | | | | 0.06 | 5.82 | <0.2 | 100 | 2.59 | 0.32 | 0.01 | <0.02 | 17.75 | 0.2 | 11 |
| G296403 | | 0.31 | | | | <0.01 | 6.93 | 0.8 | 60 | 1.76 | 0.85 | 0.32 | 0.04 | 2.44 | 0.1 | 3 |
| G296404 | | 0.46 | | | | 0.03 | 6.49 | 0.8 | 10 | 1.60 | 0.05 | 0.25 | 0.07 | 9.21 | 0.1 | 4 |
| G296405 | | 0.41 | | | | <0.01 | 6.31 | 1.0 | 10 | 1.71 | 0.22 | 0.11 | 0.02 | 0.90 | 0.1 | 5 |
| G296406 | | 0.91 | | | | 0.01 | 6.20 | 0.6 | <10 | 1.78 | 0.19 | 0.47 | 0.04 | 27.0 | 0.2 | 7 |
| G296407 | | 0.50 | | | | 0.03 | 7.33 | 0.9 | 370 | 2.21 | 0.42 | 0.61 | <0.02 | 7.42 | 0.8 | 9 |
| G296408 | | 1.90 | | | | 0.06 | 6.41 | 0.8 | 1410 | 0.56 | 0.26 | 0.37 | 0.09 | 37.5 | 1.8 | 7 |
| G296411 | | 1.60 | | | | 0.06 | 8.10 | 1.1 | 2270 | 1.38 | 0.01 | 0.86 | <0.02 | 25.3 | 1.1 | 6 |
| G296412 | | 1.45 | | | | 0.02 | 7.12 | 0.8 | 20 | 4.25 | 0.09 | 0.57 | <0.02 | 7.68 | 0.1 | 8 |
| G296413 | | 0.68 | | | | 0.04 | 6.14 | 0.7 | 270 | 0.89 | 0.06 | 0.88 | 0.02 | 1.10 | 0.3 | 5 |
| G296414 | | 1.39 | | | | 0.04 | 5.61 | 0.3 | 40 | 1.38 | 0.02 | 1.48 | 0.03 | 1.77 | 0.3 | 6 |
| G296415 | | 1.27 | | | | 0.04 | 5.39 | 0.5 | 50 | 1.16 | 0.14 | 0.88 | 0.02 | 2.70 | 0.4 | 8 |
| G296416 | | 0.71 | | | | 0.02 | 6.85 | 0.9 | 30 | 1.85 | 0.25 | 0.60 | <0.02 | 18.85 | 0.3 | 8 |
| G296417 | | 1.33 | | | | 0.05 | 5.84 | <0.2 | 10 | 2.10 | 0.25 | 0.85 | <0.02 | 10.70 | 0.2 | 11 |
| G296418 | | 0.87 | | | | 0.05 | 6.40 | 0.3 | 210 | 1.50 | 0.06 | 0.90 | 0.02 | 5.78 | 0.8 | 8 |
| G296419 | | 1.31 | | | | 0.02 | 6.53 | 0.4 | 50 | 0.28 | 0.09 | 0.10 | <0.02 | 0.49 | 0.1 | 8 |
| G296420 | | 0.86 | | | | 0.03 | 6.65 | 1.4 | 120 | 0.88 | 0.07 | 0.23 | <0.02 | 1.27 | 0.2 | 10 |
| G296421 | | 0.77 | | | | 0.06 | 5.97 | 0.5 | 60 | 1.95 | 0.09 | 0.83 | 0.04 | 0.99 | 0.1 | 7 |
| G296422 | | 1.58 | | | | 0.01 | 6.97 | 1.2 | 160 | 0.26 | 0.17 | 0.06 | <0.02 | 0.54 | 0.1 | 8 |
| G296423 | | 1.23 | | | | 0.01 | 7.08 | 1.3 | 190 | 0.87 | 0.04 | 0.23 | <0.02 | 1.01 | 0.2 | 8 |
| G296402 | | 1.19 | 0.001 | 0.011 | 0.009 | | | | | | | | | | | |

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: IDAHO CHAMPION GOLD MINES
 401 BAY STREET, SUITE 2704
 TORONTO ON M5H 2Y4

Page: 2 - B
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-NOV-2022
 Account: IDACHGOL

Project: Charles- Blanche

CERTIFICATE OF ANALYSIS VO22309169

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|--------|
| | | Cs ppm | Cu ppm | Fe % | Ga ppm | Ge ppm | Hf ppm | In ppm | K % | La ppm | Li ppm | Mg % | Mn ppm | Mo ppm | Na % | Nb ppm |
| G296401 | | 9.30 | 3.6 | 0.51 | 24.1 | 0.05 | 5.1 | 0.007 | 3.38 | 6.0 | 21.1 | 0.15 | 82 | 1.01 | 0.39 | 84.3 |
| G296403 | | 23.8 | 0.9 | 0.37 | 30.8 | 0.06 | 8.2 | 0.006 | 4.47 | 0.8 | 3.5 | 0.01 | 1200 | 6.72 | 3.03 | 142.5 |
| G296404 | | 17.60 | 1.2 | 0.45 | 30.7 | 0.13 | 5.4 | 0.014 | 3.04 | 3.3 | 7.1 | 0.01 | 1035 | 1.18 | 3.61 | 90.7 |
| G296405 | | 57.7 | 0.9 | 0.21 | 29.6 | 0.09 | 2.2 | 0.006 | 4.95 | <0.5 | 25.4 | <0.01 | 215 | 0.10 | 1.71 | 54.9 |
| G296406 | | 5.41 | 0.8 | 0.48 | 29.0 | 0.12 | 3.0 | 0.046 | 1.36 | 9.7 | 11.9 | 0.05 | 248 | 0.06 | 4.19 | 73.2 |
| G296407 | | 16.55 | 5.3 | 0.42 | 23.1 | 0.11 | 1.0 | 0.005 | 5.52 | 2.0 | 13.8 | 0.10 | 85 | 0.11 | 2.68 | 2.2 |
| G296408 | | 2.05 | 22.9 | 1.06 | 13.00 | 0.15 | 1.1 | <0.005 | 4.62 | 19.4 | 7.5 | 0.12 | 71 | 0.12 | 2.41 | 1.0 |
| G296411 | | 2.55 | 2.8 | 0.40 | 22.6 | 0.17 | 2.2 | <0.005 | 6.12 | 12.0 | 6.2 | 0.10 | 58 | 0.08 | 2.84 | 1.9 |
| G296412 | | 11.05 | 1.1 | 0.21 | 30.3 | 0.15 | 0.6 | 0.005 | 4.63 | 3.3 | 3.7 | 0.01 | 95 | 0.07 | 3.74 | 9.3 |
| G296413 | | 3.01 | 0.8 | 0.33 | 14.40 | 0.14 | 0.9 | <0.005 | 4.08 | 0.7 | 19.9 | 0.04 | 45 | 1.88 | 2.40 | 1.9 |
| G296414 | | 1.63 | 0.8 | 0.40 | 15.50 | 0.14 | 2.6 | <0.005 | 0.90 | 1.0 | 18.4 | 0.03 | 51 | 0.16 | 3.22 | 1.2 |
| G296415 | | 1.14 | 7.1 | 0.33 | 13.55 | 0.15 | 2.4 | <0.005 | 1.47 | 1.3 | 7.6 | 0.05 | 61 | 0.70 | 3.00 | 1.2 |
| G296416 | | 6.60 | 0.8 | 0.46 | 19.65 | 0.19 | 4.7 | <0.005 | 2.88 | 6.2 | 7.1 | 0.13 | 53 | 0.18 | 3.70 | 1.8 |
| G296417 | | 3.09 | 0.7 | 0.41 | 18.45 | 0.13 | 3.6 | 0.006 | 1.76 | 4.4 | 4.5 | 0.07 | 90 | 0.11 | 3.44 | 2.7 |
| G296418 | | 2.07 | 5.5 | 0.53 | 17.55 | 0.14 | 2.0 | <0.005 | 2.38 | 2.5 | 7.8 | 0.09 | 89 | 0.18 | 3.14 | 13.0 |
| G296419 | | 6.15 | 0.6 | 0.24 | 13.65 | 0.17 | 0.4 | <0.005 | 4.96 | <0.5 | 2.1 | 0.01 | 32 | 0.09 | 1.39 | 0.8 |
| G296420 | | 4.22 | 0.8 | 1.03 | 15.55 | 0.14 | 0.2 | <0.005 | 5.23 | 0.6 | 3.0 | 0.03 | 60 | 0.10 | 2.29 | 0.3 |
| G296421 | | 1.76 | 1.0 | 0.38 | 17.85 | 0.14 | 0.5 | <0.005 | 1.88 | 0.6 | 4.1 | 0.02 | 63 | 0.14 | 3.55 | 0.7 |
| G296422 | | 19.50 | 0.8 | 0.26 | 13.55 | 0.16 | 1.8 | <0.005 | 4.71 | <0.5 | 2.2 | 0.01 | 36 | 0.08 | 1.23 | 18.9 |
| G296423 | | 12.50 | 0.9 | 0.28 | 16.15 | 0.14 | 0.6 | <0.005 | 4.73 | 0.7 | 4.8 | 0.02 | 57 | 0.06 | 1.73 | 2.6 |
| G296402 | | | | | | | | | | | | | | | | |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: IDAHO CHAMPION GOLD MINES
 401 BAY STREET, SUITE 2704
 TORONTO ON M5H 2Y4

Page: 2 - C
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-NOV-2022
 Account: IDACHGOL

Project: Charles- Blanche

CERTIFICATE OF ANALYSIS VO22309169

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|--------|
| | | Ni ppm | P ppm | Pb ppm | Rb ppm | Re ppm | S % | Sb ppm | Sc ppm | Se ppm | Sn ppm | Sr ppm | Ta ppm | Te ppm | Th ppm | Ti % |
| | | 0.2 | 10 | 0.5 | 0.1 | 0.002 | 0.01 | 0.05 | 0.1 | 1 | 0.2 | 0.2 | 0.05 | 0.05 | 0.01 | 0.005 |
| G296401 | | 1.1 | 20 | 15.2 | 452 | <0.002 | 0.01 | <0.05 | 4.5 | 1 | 0.5 | 3.8 | 7.67 | <0.05 | 12.55 | 0.007 |
| G296403 | | 0.4 | 10 | 68.9 | 868 | <0.002 | <0.01 | <0.05 | 3.3 | 1 | 0.6 | 25.4 | 18.35 | <0.05 | 10.45 | 0.014 |
| G296404 | | 0.5 | 20 | 89.9 | 832 | <0.002 | <0.01 | <0.05 | 6.0 | 2 | 0.6 | 4.5 | 10.30 | <0.05 | 9.43 | <0.005 |
| G296405 | | 0.9 | 10 | 118.0 | 1605 | <0.002 | <0.01 | 0.12 | 1.3 | 1 | 0.8 | 2.3 | 6.16 | <0.05 | 4.03 | <0.005 |
| G296406 | | 0.4 | 30 | 25.3 | 148.0 | <0.002 | <0.01 | 0.23 | 9.9 | 2 | 0.4 | 4.9 | 4.63 | <0.05 | 11.35 | 0.025 |
| G296407 | | 2.0 | 80 | 49.3 | 542 | <0.002 | <0.01 | <0.05 | 0.7 | 2 | 0.3 | 231 | 0.18 | <0.05 | 34.6 | 0.027 |
| G296408 | | 1.1 | 130 | 48.6 | 168.5 | <0.002 | <0.01 | <0.05 | 0.1 | 2 | <0.2 | 494 | 0.11 | <0.05 | 6.82 | 0.052 |
| G296411 | | 2.0 | 100 | 28.2 | 275 | <0.002 | <0.01 | <0.05 | 0.2 | 1 | <0.2 | 518 | 0.39 | <0.05 | 5.16 | 0.030 |
| G296412 | | 0.3 | 30 | 34.2 | 356 | <0.002 | <0.01 | <0.05 | 0.5 | 2 | 0.3 | 25.2 | 2.80 | <0.05 | 4.72 | 0.006 |
| G296413 | | 0.2 | 20 | 33.9 | 150.5 | <0.002 | <0.01 | <0.05 | 0.4 | 2 | 0.2 | 141.0 | 0.28 | <0.05 | 5.79 | 0.018 |
| G296414 | | 0.4 | 20 | 46.0 | 35.4 | <0.002 | <0.01 | <0.05 | 0.4 | 1 | 0.2 | 126.0 | 0.11 | <0.05 | 33.2 | 0.017 |
| G296415 | | 0.7 | 20 | 37.4 | 69.0 | <0.002 | <0.01 | <0.05 | 0.4 | 2 | <0.2 | 100.0 | 0.14 | <0.05 | 29.0 | 0.019 |
| G296416 | | 0.4 | 30 | 39.6 | 145.5 | <0.002 | <0.01 | 0.05 | 0.5 | 2 | 0.8 | 34.0 | 0.44 | <0.05 | 76.0 | 0.017 |
| G296417 | | 0.5 | 20 | 30.8 | 87.8 | <0.002 | <0.01 | <0.05 | 0.8 | 1 | 0.5 | 27.5 | 0.30 | <0.05 | 27.3 | 0.020 |
| G296418 | | 1.3 | 20 | 28.6 | 109.0 | <0.002 | <0.01 | <0.05 | 1.2 | 1 | 0.3 | 114.5 | 3.83 | <0.05 | 8.98 | 0.031 |
| G296419 | | 0.3 | 20 | 56.0 | 226 | <0.002 | <0.01 | <0.05 | 0.2 | 1 | <0.2 | 30.8 | 0.16 | <0.05 | 3.98 | 0.008 |
| G296420 | | 0.7 | 10 | 35.9 | 279 | <0.002 | <0.01 | <0.05 | 0.3 | 2 | 0.4 | 62.2 | <0.05 | <0.05 | 8.75 | 0.016 |
| G296421 | | 0.3 | 10 | 21.7 | 84.5 | <0.002 | <0.01 | 0.05 | 0.2 | 1 | 0.2 | 76.8 | 0.11 | <0.05 | 10.90 | 0.009 |
| G296422 | | 1.1 | 20 | 36.5 | 229 | <0.002 | <0.01 | 0.06 | 0.3 | 2 | 0.3 | 44.3 | 1.72 | <0.05 | 3.54 | 0.006 |
| G296423 | | 0.4 | 10 | 32.8 | 237 | <0.002 | <0.01 | 0.06 | 0.4 | 1 | 0.3 | 55.8 | 0.73 | <0.05 | 1.11 | 0.006 |
| G296402 | | | | | | | | | | | | | | | | |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: IDAHO CHAMPION GOLD MINES
 401 BAY STREET, SUITE 2704
 TORONTO ON M5H 2Y4

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-NOV-2022
 Account: IDACHGOL

Project: Charles- Blanche

| |
|---|
| CERTIFICATE OF ANALYSIS VO22309169 |
|---|

| | Method Analyte Units LOD | ME-MS61 TI ppm 0.02 | ME-MS61 U ppm 0.1 | ME-MS61 V ppm 1 | ME-MS61 W ppm 0.1 | ME-MS61 Y ppm 0.1 | ME-MS61 Zn ppm 2 | ME-MS61 Zr ppm 0.5 |
|---------|--------------------------|------------------------------|----------------------------|--------------------------|----------------------------|----------------------------|---------------------------|-----------------------------|
| G296401 | | 2.10 | 8.0 | 16 | 1.1 | 17.9 | 10 | 46.4 |
| G296403 | | 3.86 | 8.9 | 1 | 0.8 | 26.6 | <2 | 79.0 |
| G296404 | | 4.06 | 10.4 | <1 | 1.3 | 34.7 | 4 | 57.0 |
| G296405 | | 11.30 | 4.1 | <1 | 0.7 | 6.1 | 3 | 18.6 |
| G296406 | | 0.91 | 24.3 | 1 | 0.6 | 27.8 | 68 | 36.6 |
| G296407 | | 2.48 | 3.7 | 6 | 0.3 | 1.6 | 7 | 21.9 |
| G296408 | | 0.80 | 0.7 | 19 | 0.2 | 0.9 | 13 | 43.9 |
| G296411 | | 1.31 | 0.6 | 7 | 0.1 | 1.3 | 7 | 45.7 |
| G296412 | | 1.81 | 4.6 | <1 | 0.2 | 5.6 | <2 | 6.3 |
| G296413 | | 0.67 | 6.6 | 2 | 0.1 | 0.4 | 3 | 17.3 |
| G296414 | | 0.19 | 30.9 | 2 | 0.1 | 1.7 | 4 | 69.5 |
| G296415 | | 0.32 | 6.3 | 2 | 0.4 | 2.2 | 6 | 52.4 |
| G296416 | | 0.76 | 10.1 | 2 | 0.7 | 9.4 | 5 | 105.5 |
| G296417 | | 0.42 | 21.0 | 1 | 0.2 | 5.1 | 8 | 79.8 |
| G296418 | | 0.53 | 7.0 | 7 | 0.4 | 10.9 | 11 | 32.6 |
| G296419 | | 1.94 | 1.7 | 1 | 0.2 | 0.7 | 2 | 6.3 |
| G296420 | | 1.49 | 7.3 | 5 | 0.4 | 1.6 | 5 | 4.1 |
| G296421 | | 0.41 | 14.3 | 2 | 0.3 | 1.6 | 4 | 9.9 |
| G296422 | | 2.32 | 18.6 | <1 | 0.5 | 6.3 | <2 | 49.3 |
| G296423 | | 1.86 | 5.8 | 1 | 0.2 | 2.3 | 3 | 14.6 |
| G296402 | | | | | | | | |

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: IDAHO CHAMPION GOLD MINES
 401 BAY STREET, SUITE 2704
 TORONTO ON M5H 2Y4

Page: Appendix 1
 Total # Appendix Pages: 1
 Finalized Date: 18-NOV-2022
 Account: IDACHGOL

Project: Charles- Blanche

| |
|---|
| CERTIFICATE OF ANALYSIS VO22309169 |
|---|

| | CERTIFICATE COMMENTS | | | | | | | | | | | | |
|--------------------|--|---------|-----------|--------|--------|--|--------|--------|--------|--|--|--|--|
| Applies to Method: | <p style="text-align: center;">ANALYTICAL COMMENTS</p> <p>REEs may not be totally soluble in this method. ME-MS61</p> | | | | | | | | | | | | |
| Applies to Method: | <p style="text-align: center;">LABORATORY ADDRESSES</p> <p>Processed at ALS Val d'Or located at 1324 Rue Turcotte, Val d'Or, QC, Canada.</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 33%;">CRU-31</td> <td style="width: 33%;">CRU-QC</td> <td style="width: 33%;">LOG-21</td> <td style="width: 15%;"></td> <td style="width: 5%;"></td> <td style="width: 19%;">PUL-31</td> </tr> <tr> <td>SPL-21</td> <td>WEI-21</td> <td></td> <td></td> <td></td> <td></td> </tr> </table> | CRU-31 | CRU-QC | LOG-21 | | | PUL-31 | SPL-21 | WEI-21 | | | | |
| CRU-31 | CRU-QC | LOG-21 | | | PUL-31 | | | | | | | | |
| SPL-21 | WEI-21 | | | | | | | | | | | | |
| Applies to Method: | <p>Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 33%;">ME-MS61</td> <td style="width: 67%;">PGM-ICP23</td> </tr> </table> | ME-MS61 | PGM-ICP23 | | | | | | | | | | |
| ME-MS61 | PGM-ICP23 | | | | | | | | | | | | |

33 APPENDIX 4: 2022 GEOCHEMICAL QA/QC





ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: IDAHO CHAMPION GOLD MINES
 401 BAY STREET, SUITE 2704
 TORONTO ON M5H 2Y4

Page: 1
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-NOV-2022
 This copy reported on
 19-DEC-2022
 Account: IDACHGOL

QC CERTIFICATE VO22309169

Project: Charles- Blanche

This report is for 21 samples of Rock submitted to our lab in Val d'Or, QC, Canada on 26-OCT-2022.

The following have access to data associated with this certificate:

| | | |
|--------------|--------------|-------------|
| JOE CAMPBELL | ADAM FINDLEY | ERIC HÉBERT |
|--------------|--------------|-------------|

| SAMPLE PREPARATION | |
|--------------------|---------------------------------|
| ALS CODE | DESCRIPTION |
| WEI-21 | Received Sample Weight |
| LOG-21 | Sample logging - ClientBarCode |
| CRU-31 | Fine crushing - 70% <2mm |
| SPL-21 | Split sample - riffle splitter |
| PUL-31 | Pulverize up to 250g 85% <75 um |
| CRU-QC | Crushing QC Test |

| ANALYTICAL PROCEDURES | | |
|-----------------------|-----------------------------|------------|
| ALS CODE | DESCRIPTION | INSTRUMENT |
| ME-MS61 | 48 element four acid ICP-MS | |
| PGM-ICP23 | Pt, Pd, Au 30g FA ICP | ICP-AES |

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Saa Traxler, Director, North Vancouver Operations



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: IDAHO CHAMPION GOLD MINES
 401 BAY STREET, SUITE 2704
 TORONTO ON M5H 2Y4

Page: 2 - A
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-NOV-2022
 Account: IDACHGOL

Project: Charles- Blanche

QC CERTIFICATE OF ANALYSIS VO22309169

| Sample Description | Method Analyte Units LOD | PGM-ICP23 | PGM-ICP23 | PGM-ICP23 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | |
|----------------------------|--------------------------|-----------|-----------|-----------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|--------|
| | | Au ppm | Pt ppm | Pd ppm | Ag ppm | Al % | As ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Ce ppm | Co ppm | Cr ppm | Cs ppm |
| STANDARDS | | | | | | | | | | | | | | | | |
| EMOG-17 | | | | | 68.2 | 4.42 | 553 | 190 | 1.78 | 6.30 | 1.88 | 21.4 | 50.4 | 739 | 56 | 7.55 |
| Target Range - Lower Bound | | | | | 60.9 | 4.18 | 522 | 310 | 1.60 | 5.31 | 1.72 | 18.15 | 42.9 | 686 | 49 | 6.56 |
| Upper Bound | | | | | 74.5 | 5.13 | 638 | 440 | 2.06 | 6.51 | 2.12 | 22.2 | 52.5 | 838 | 62 | 8.12 |
| GPP-14 | | 0.914 | 0.515 | 0.477 | | | | | | | | | | | | |
| Target Range - Lower Bound | | 0.853 | 0.468 | 0.451 | | | | | | | | | | | | |
| Upper Bound | | 0.965 | 0.538 | 0.511 | | | | | | | | | | | | |
| MRGeo08 | | | | | 4.22 | 7.40 | 32.7 | 1080 | 3.23 | 0.60 | 2.67 | 2.30 | 71.8 | 18.3 | 94 | 11.40 |
| Target Range - Lower Bound | | | | | 3.93 | 6.64 | 29.5 | 920 | 2.98 | 0.58 | 2.35 | 2.00 | 66.2 | 17.7 | 81 | 11.20 |
| Upper Bound | | | | | 4.83 | 8.14 | 36.5 | 1270 | 3.76 | 0.73 | 2.90 | 2.48 | 81.0 | 21.9 | 102 | 13.80 |
| OREAS 906 | | | | | 0.78 | 7.35 | 23.8 | 2780 | 2.89 | 10.20 | 0.60 | 0.45 | 92.9 | 22.6 | 9 | 6.65 |
| Target Range - Lower Bound | | | | | 0.67 | 6.61 | 20.3 | 2300 | 2.60 | 9.98 | 0.50 | 0.36 | 83.7 | 21.7 | 7 | 6.07 |
| Upper Bound | | | | | 0.84 | 8.11 | 25.3 | 3130 | 3.28 | 12.20 | 0.63 | 0.48 | 102.5 | 26.7 | 11 | 7.53 |
| OREAS 920 | | | | | 0.09 | 7.27 | 5.3 | 530 | 2.61 | 0.58 | 0.48 | 0.04 | 91.0 | 14.8 | 83 | 8.42 |
| Target Range - Lower Bound | | | | | 0.08 | 6.91 | 4.6 | 450 | 2.54 | 0.61 | 0.44 | 0.04 | 84.6 | 13.9 | 75 | 7.72 |
| Upper Bound | | | | | 0.13 | 8.47 | 6.1 | 640 | 3.22 | 0.77 | 0.56 | 0.12 | 103.5 | 17.3 | 93 | 9.54 |
| OREAS-45h | | 0.042 | 0.088 | 0.130 | | | | | | | | | | | | |
| Target Range - Lower Bound | | 0.038 | 0.076 | 0.119 | | | | | | | | | | | | |
| Upper Bound | | 0.044 | 0.098 | 0.137 | | | | | | | | | | | | |
| SK120 | | 4.03 | <0.005 | 0.001 | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | | |
| TAZ-20 | | 0.307 | <0.005 | 0.001 | | | | | | | | | | | | |
| Target Range - Lower Bound | | 0.283 | <0.005 | <0.001 | | | | | | | | | | | | |
| Upper Bound | | 0.321 | 0.010 | 0.002 | | | | | | | | | | | | |
| BLANKS | | | | | | | | | | | | | | | | |
| BLANK | | | | | <0.01 | <0.01 | <0.2 | <10 | <0.05 | <0.01 | <0.01 | <0.02 | <0.01 | <0.1 | <1 | <0.05 |
| BLANK | | | | | <0.01 | <0.01 | <0.2 | <10 | <0.05 | 0.01 | <0.01 | <0.02 | <0.01 | <0.1 | <1 | <0.05 |
| Target Range - Lower Bound | | | | | <0.01 | <0.01 | <0.2 | <10 | <0.05 | <0.01 | <0.01 | <0.02 | <0.01 | <0.1 | <1 | <0.05 |
| Upper Bound | | | | | 0.02 | 0.02 | 0.4 | 20 | 0.10 | 0.02 | 0.02 | 0.04 | 0.02 | 0.2 | 2 | 0.10 |
| BLANK | | 0.001 | <0.005 | 0.002 | | | | | | | | | | | | |
| Target Range - Lower Bound | | <0.001 | <0.005 | <0.001 | | | | | | | | | | | | |
| Upper Bound | | 0.002 | 0.010 | 0.002 | | | | | | | | | | | | |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: IDAHO CHAMPION GOLD MINES
 401 BAY STREET, SUITE 2704
 TORONTO ON M5H 2Y4

Page: 2 - B
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-NOV-2022
 Account: IDACHGOL

Project: Charles- Blanche

QC CERTIFICATE OF ANALYSIS VO22309169

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | |
|----------------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|--------|
| | | Cu ppm | Fe % | Ga ppm | Ge ppm | Hf ppm | In ppm | K % | La ppm | Li ppm | Mg % | Mn ppm | Mo ppm | Na % | Nb ppm | Ni ppm |
| | | 0.2 | 0.01 | 0.05 | 0.05 | 0.1 | 0.005 | 0.01 | 0.5 | 0.2 | 0.01 | 5 | 0.05 | 0.01 | 0.1 | 0.2 |
| STANDARDS | | | | | | | | | | | | | | | | |
| EMOG-17 | | 7940 | 4.75 | 12.60 | 0.27 | 1.8 | 0.958 | 1.60 | 26.2 | 26.7 | 0.93 | 710 | 1050 | 1.06 | 13.9 | 7390 |
| Target Range - Lower Bound | | 7750 | 4.42 | 10.75 | 0.06 | 1.6 | 0.823 | 1.49 | 20.7 | 23.9 | 0.86 | 670 | 997 | 0.99 | 12.7 | 6820 |
| Upper Bound | | 8910 | 5.42 | 13.25 | 0.30 | 2.2 | 1.015 | 1.85 | 26.4 | 29.7 | 1.08 | 830 | 1220 | 1.23 | 15.7 | 8330 |
| GPP-14 | | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | | |
| MRGeo08 | | 617 | 3.90 | 17.65 | 0.19 | 3.0 | 0.170 | 3.14 | 36.0 | 33.6 | 1.35 | 551 | 14.65 | 1.96 | 20.2 | 699 |
| Target Range - Lower Bound | | 587 | 3.55 | 17.50 | <0.05 | 2.8 | 0.155 | 2.79 | 31.1 | 29.5 | 1.17 | 497 | 13.65 | 1.76 | 19.0 | 622 |
| Upper Bound | | 675 | 4.37 | 21.5 | 0.28 | 3.6 | 0.201 | 3.43 | 39.1 | 36.5 | 1.45 | 619 | 16.75 | 2.18 | 23.4 | 760 |
| OREAS 906 | | 3130 | 5.64 | 26.5 | 0.14 | 6.7 | 1.315 | 2.91 | 47.6 | 19.7 | 0.27 | 368 | 4.01 | 2.49 | 18.0 | 4.7 |
| Target Range - Lower Bound | | 2880 | 4.94 | 25.5 | 0.07 | 6.2 | 1.100 | 2.55 | 41.5 | 17.2 | 0.24 | 328 | 3.60 | 2.17 | 15.9 | 4.2 |
| Upper Bound | | 3320 | 6.06 | 31.3 | 0.31 | 7.8 | 1.360 | 3.13 | 51.9 | 21.4 | 0.31 | 412 | 4.51 | 2.67 | 19.7 | 5.6 |
| OREAS 920 | | 106.5 | 3.92 | 19.55 | 0.28 | 4.2 | 0.078 | 2.80 | 44.5 | 28.6 | 1.32 | 576 | 0.39 | 0.62 | 16.9 | 40.0 |
| Target Range - Lower Bound | | 104.0 | 3.72 | 18.65 | <0.05 | 4.0 | 0.070 | 2.59 | 41.0 | 26.0 | 1.23 | 535 | 0.34 | 0.56 | 15.6 | 37.4 |
| Upper Bound | | 120.0 | 4.56 | 22.9 | 0.29 | 5.2 | 0.098 | 3.19 | 51.2 | 32.2 | 1.53 | 665 | 0.58 | 0.71 | 19.2 | 46.2 |
| OREAS-45h | | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | | |
| SK120 | | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | | |
| TAZ-20 | | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | | |
| BLANKS | | | | | | | | | | | | | | | | |
| BLANK | | <0.2 | <0.01 | <0.05 | <0.05 | <0.1 | <0.005 | <0.01 | <0.5 | <0.2 | <0.01 | <5 | <0.05 | <0.01 | <0.1 | <0.2 |
| BLANK | | 0.5 | <0.01 | <0.05 | <0.05 | <0.1 | <0.005 | <0.01 | <0.5 | <0.2 | <0.01 | <5 | <0.05 | <0.01 | <0.1 | <0.2 |
| Target Range - Lower Bound | | <0.2 | <0.01 | <0.05 | <0.05 | <0.1 | <0.005 | <0.01 | <0.5 | <0.2 | <0.01 | <5 | <0.05 | <0.01 | <0.1 | <0.2 |
| Upper Bound | | 0.4 | 0.02 | 0.10 | 0.10 | 0.2 | 0.010 | 0.02 | 1.0 | 0.4 | 0.02 | 10 | 0.10 | 0.02 | 0.2 | 0.4 |
| BLANK | | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | | |

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: IDAHO CHAMPION GOLD MINES
 401 BAY STREET, SUITE 2704
 TORONTO ON M5H 2Y4

Page: 2 - C
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-NOV-2022
 Account: IDACHGOL

Project: Charles- Blanche

QC CERTIFICATE OF ANALYSIS VO22309169

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | |
|----------------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|--------|
| | | P ppm | Pb ppm | Rb ppm | Re ppm | S % | Sb ppm | Sc ppm | Se ppm | Sn ppm | Sr ppm | Ta ppm | Te ppm | Th ppm | Ti % | Tl ppm |
| | | 10 | 0.5 | 0.1 | 0.002 | 0.01 | 0.05 | 0.1 | 1 | 0.2 | 0.2 | 0.05 | 0.05 | 0.01 | 0.005 | 0.02 |
| STANDARDS | | | | | | | | | | | | | | | | |
| EMOG-17 | | 780 | 7040 | 113.5 | 0.329 | 3.11 | 770 | 8.0 | 7 | 2.7 | 196.0 | 0.94 | 1.34 | 11.20 | 0.311 | 2.21 |
| Target Range - Lower Bound | | 700 | 6570 | 98.9 | 0.286 | 2.91 | 643 | 7.2 | 4 | 2.2 | 184.5 | 0.78 | 1.10 | 10.35 | 0.294 | 1.89 |
| Upper Bound | | 880 | 8030 | 121.0 | 0.354 | 3.57 | 869 | 9.0 | 9 | 3.2 | 226 | 1.08 | 1.46 | 12.65 | 0.370 | 2.61 |
| GPP-14 | | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | | |
| MRGeo08 | | 1020 | 1070 | 201 | 0.008 | 0.29 | 4.46 | 12.0 | 2 | 4.0 | 300 | 1.44 | <0.05 | 19.25 | 0.492 | 1.08 |
| Target Range - Lower Bound | | 930 | 971 | 173.5 | 0.004 | 0.27 | 3.89 | 11.1 | <1 | 3.5 | 277 | 1.39 | <0.05 | 17.90 | 0.443 | 0.86 |
| Upper Bound | | 1160 | 1185 | 212 | 0.013 | 0.35 | 5.39 | 13.7 | 4 | 4.7 | 339 | 1.81 | 0.12 | 21.9 | 0.553 | 1.21 |
| OREAS 906 | | 270 | 33.7 | 143.5 | <0.002 | 0.04 | 2.47 | 4.7 | 7 | 4.3 | 159.5 | 1.21 | 0.15 | 14.20 | 0.115 | 0.77 |
| Target Range - Lower Bound | | 230 | 32.0 | 124.0 | <0.002 | 0.02 | 1.96 | 4.0 | 3 | 3.7 | 140.0 | 1.17 | <0.05 | 13.30 | 0.097 | 0.58 |
| Upper Bound | | 310 | 40.2 | 152.0 | 0.004 | 0.06 | 2.76 | 5.2 | 7 | 5.0 | 172.0 | 1.54 | 0.25 | 16.30 | 0.129 | 0.84 |
| OREAS 920 | | 720 | 22.1 | 168.0 | <0.002 | 0.03 | 1.31 | 12.8 | 2 | 4.9 | 75.0 | 1.25 | <0.05 | 18.25 | 0.470 | 0.84 |
| Target Range - Lower Bound | | 670 | 20.7 | 158.5 | <0.002 | <0.01 | 1.22 | 12.8 | <1 | 4.3 | 73.6 | 1.17 | <0.05 | 17.35 | 0.434 | 0.73 |
| Upper Bound | | 840 | 26.4 | 193.5 | 0.004 | 0.05 | 1.76 | 15.8 | 2 | 5.7 | 90.4 | 1.55 | 0.12 | 21.2 | 0.542 | 1.03 |
| OREAS-45h | | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | | |
| SK120 | | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | | |
| TAZ-20 | | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | | |
| BLANKS | | | | | | | | | | | | | | | | |
| BLANK | | <10 | <0.5 | <0.1 | <0.002 | <0.01 | <0.05 | <0.1 | 1 | <0.2 | <0.2 | <0.05 | <0.05 | <0.01 | <0.005 | <0.02 |
| BLANK | | <10 | <0.5 | <0.1 | <0.002 | <0.01 | <0.05 | <0.1 | 1 | <0.2 | <0.2 | <0.05 | <0.05 | <0.01 | <0.005 | <0.02 |
| Target Range - Lower Bound | | <10 | <0.5 | <0.1 | <0.002 | <0.01 | <0.05 | <0.1 | <1 | <0.2 | <0.2 | <0.05 | <0.05 | <0.01 | <0.005 | <0.02 |
| Upper Bound | | 20 | 1.0 | 0.2 | 0.004 | 0.02 | 0.10 | 0.2 | 2 | 0.4 | 0.4 | 0.10 | 0.10 | 0.02 | 0.010 | 0.04 |
| BLANK | | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | | |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: IDAHO CHAMPION GOLD MINES
 401 BAY STREET, SUITE 2704
 TORONTO ON M5H 2Y4

Page: 2 - D
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-NOV-2022
 Account: IDACHGOL

Project: Charles- Blanche

QC CERTIFICATE OF ANALYSIS VO22309169

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |
|----------------------------|--------------------------|---------|---------|---------|---------|---------|---------|
| | | U ppm | V ppm | W ppm | Y ppm | Zn ppm | Zr ppm |
| | | 0.1 | 1 | 0.1 | 0.1 | 2 | 0.5 |
| STANDARDS | | | | | | | |
| EMOG-17 | | 3.2 | 70 | 4.1 | 16.7 | 7320 | 67.1 |
| Target Range - Lower Bound | | 2.8 | 67 | 3.3 | 14.3 | 6800 | 55.6 |
| Upper Bound | | 3.7 | 84 | 4.7 | 17.7 | 8320 | 76.4 |
| GPP-14 | | | | | | | |
| Target Range - Lower Bound | | | | | | | |
| Upper Bound | | | | | | | |
| MGeo08 | | 4.9 | 106 | 5.0 | 26.2 | 785 | 97.2 |
| Target Range - Lower Bound | | 4.9 | 97 | 4.1 | 23.8 | 722 | 92.2 |
| Upper Bound | | 6.2 | 121 | 5.8 | 29.3 | 886 | 126.0 |
| OREAS 906 | | 4.6 | 5 | 2.7 | 16.2 | 165 | 253 |
| Target Range - Lower Bound | | 4.5 | 3 | 2.2 | 14.1 | 145 | 221 |
| Upper Bound | | 5.7 | 8 | 3.2 | 17.5 | 181 | 301 |
| OREAS 920 | | 3.4 | 95 | 3.0 | 32.8 | 115 | 159.0 |
| Target Range - Lower Bound | | 3.3 | 86 | 2.5 | 29.8 | 102 | 128.0 |
| Upper Bound | | 4.2 | 108 | 3.7 | 36.6 | 130 | 174.0 |
| OREAS-45h | | | | | | | |
| Target Range - Lower Bound | | | | | | | |
| Upper Bound | | | | | | | |
| SK120 | | | | | | | |
| Target Range - Lower Bound | | | | | | | |
| Upper Bound | | | | | | | |
| TAZ-20 | | | | | | | |
| Target Range - Lower Bound | | | | | | | |
| Upper Bound | | | | | | | |
| BLANKS | | | | | | | |
| BLANK | | <0.1 | <1 | <0.1 | <0.1 | <2 | <0.5 |
| BLANK | | <0.1 | <1 | <0.1 | <0.1 | <2 | <0.5 |
| Target Range - Lower Bound | | <0.1 | <1 | <0.1 | <0.1 | <2 | <0.5 |
| Upper Bound | | 0.2 | 2 | 0.2 | 0.2 | 4 | 1.0 |
| BLANK | | | | | | | |
| Target Range - Lower Bound | | | | | | | |
| Upper Bound | | | | | | | |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: IDAHO CHAMPION GOLD MINES
 401 BAY STREET, SUITE 2704
 TORONTO ON M5H 2Y4

Page: 3 - A
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-NOV-2022
 Account: IDACHGOL

Project: Charles- Blanche

QC CERTIFICATE OF ANALYSIS VO22309169

| Sample Description | Method Analyte Units LOD | PGM-ICP23 | PGM-ICP23 | PGM-ICP23 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | |
|----------------------------|-----------------------------------|-----------|-----------|-----------|-----------|---------|-----------|-----------|-----------|-----------|---------|-----------|-----------|-----------|-----------|-----------|
| | | Au ppm | Pt ppm | Pd ppm | Ag ppm | Al % | As ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Ce ppm | Co ppm | Cr ppm | Cs ppm |
| | | 0.001 | 0.005 | 0.001 | 0.01 | 0.01 | 0.2 | 10 | 0.05 | 0.01 | 0.01 | 0.02 | 0.01 | 0.1 | 1 | 0.05 |
| DUPLICATES | | | | | | | | | | | | | | | | |
| ORIGINAL | | 0.145 | 0.454 | 5.70 | | | | | | | | | | | | |
| DUP | | 0.118 | 0.465 | 5.78 | | | | | | | | | | | | |
| Target Range - Lower Bound | | 0.124 | 0.432 | 5.45 | | | | | | | | | | | | |
| Upper Bound | | 0.139 | 0.487 | 6.03 | | | | | | | | | | | | |
| G296415 | | | | | 0.04 | 5.39 | 0.5 | 50 | 1.16 | 0.14 | 0.88 | 0.02 | 2.70 | 0.4 | 8 | 1.14 |
| DUP | | | | | 0.02 | 5.30 | 0.4 | 50 | 1.14 | 0.14 | 0.86 | 0.02 | 2.72 | 0.4 | 8 | 1.14 |
| Target Range - Lower Bound | | | | | 0.02 | 5.07 | <0.2 | 40 | 1.04 | 0.12 | 0.82 | <0.02 | 2.56 | 0.3 | 7 | 1.03 |
| Upper Bound | | | | | 0.04 | 5.62 | 0.7 | 60 | 1.26 | 0.16 | 0.92 | 0.04 | 2.86 | 0.5 | 9 | 1.25 |

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: IDAHO CHAMPION GOLD MINES
 401 BAY STREET, SUITE 2704
 TORONTO ON M5H 2Y4

Page: 3 - B
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-NOV-2022
 Account: IDACHGOL

Project: Charles- Blanche

QC CERTIFICATE OF ANALYSIS VO22309169

| Sample Description | Method Analyte Units LOD | ME-MS61 Cu ppm 0.2 | ME-MS61 Fe % 0.01 | ME-MS61 Ga ppm 0.05 | ME-MS61 Ge ppm 0.05 | ME-MS61 Hf ppm 0.1 | ME-MS61 In ppm 0.005 | ME-MS61 K % 0.01 | ME-MS61 La ppm 0.5 | ME-MS61 Li ppm 0.2 | ME-MS61 Mg % 0.01 | ME-MS61 Mn ppm 5 | ME-MS61 Mo ppm 0.05 | ME-MS61 Na % 0.01 | ME-MS61 Nb ppm 0.1 | ME-MS61 Ni ppm 0.2 |
|----------------------------|-----------------------------------|-----------------------------|----------------------------|------------------------------|------------------------------|-----------------------------|-------------------------------|---------------------------|-----------------------------|-----------------------------|----------------------------|---------------------------|------------------------------|----------------------------|-----------------------------|-----------------------------|
| DUPLICATES | | | | | | | | | | | | | | | | |
| ORIGINAL | | | | | | | | | | | | | | | | |
| DUP | | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | | |
| G296415 | | 7.1 | 0.33 | 13.55 | 0.15 | 2.4 | <0.005 | 1.47 | 1.3 | 7.6 | 0.05 | 61 | 0.70 | 3.00 | 1.2 | 0.7 |
| DUP | | 7.4 | 0.33 | 13.65 | 0.14 | 2.1 | <0.005 | 1.45 | 1.3 | 7.8 | 0.05 | 61 | 0.73 | 2.99 | 1.2 | 0.8 |
| Target Range - Lower Bound | | 6.8 | 0.30 | 12.85 | 0.08 | 2.0 | <0.005 | 1.38 | 0.7 | 7.1 | 0.04 | 53 | 0.63 | 2.84 | 1.0 | 0.5 |
| Upper Bound | | 7.7 | 0.36 | 14.35 | 0.21 | 2.5 | 0.010 | 1.54 | 1.9 | 8.3 | 0.06 | 69 | 0.80 | 3.15 | 1.4 | 1.0 |

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: IDAHO CHAMPION GOLD MINES
 401 BAY STREET, SUITE 2704
 TORONTO ON M5H 2Y4

Page: 3 - C
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-NOV-2022
 Account: IDACHGOL

Project: Charles- Blanche

QC CERTIFICATE OF ANALYSIS VO22309169

| Sample Description | Method Analyte Units LOD | ME-MS61 P ppm 10 | ME-MS61 Pb ppm 0.5 | ME-MS61 Rb ppm 0.1 | ME-MS61 Re ppm 0.002 | ME-MS61 S % 0.01 | ME-MS61 Sb ppm 0.05 | ME-MS61 Sc ppm 0.1 | ME-MS61 Se ppm 1 | ME-MS61 Sn ppm 0.2 | ME-MS61 Sr ppm 0.2 | ME-MS61 Ta ppm 0.05 | ME-MS61 Te ppm 0.05 | ME-MS61 Th ppm 0.01 | ME-MS61 Ti % 0.005 | ME-MS61 Tl ppm 0.02 |
|----------------------------|-----------------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|------------------------------|-----------------------------|------------------------------|
| DUPLICATES | | | | | | | | | | | | | | | | |
| ORIGINAL DUP | | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | | |
| G296415 | | 20 | 37.4 | 69.0 | <0.002 | <0.01 | <0.05 | 0.4 | 2 | <0.2 | 100.0 | 0.14 | <0.05 | 29.0 | 0.019 | 0.32 |
| DUP | | 10 | 37.4 | 70.2 | <0.002 | <0.01 | <0.05 | 0.4 | 1 | <0.2 | 99.2 | 0.13 | <0.05 | 28.9 | 0.019 | 0.33 |
| Target Range - Lower Bound | | <10 | 35.0 | 66.0 | <0.002 | <0.01 | <0.05 | 0.3 | <1 | <0.2 | 94.4 | 0.08 | <0.05 | 27.5 | 0.013 | 0.28 |
| Upper Bound | | 20 | 39.8 | 73.2 | 0.004 | 0.02 | 0.10 | 0.5 | 2 | 0.4 | 105.0 | 0.19 | 0.10 | 30.4 | 0.025 | 0.37 |

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: IDAHO CHAMPION GOLD MINES
 401 BAY STREET, SUITE 2704
 TORONTO ON M5H 2Y4

Page: 3 - D
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-NOV-2022
 Account: IDACHGOL

Project: Charles- Blanche

QC CERTIFICATE OF ANALYSIS VO22309169

| Sample Description | Method Analyte Units LOD | ME-MS61 U ppm 0.1 | ME-MS61 V ppm 1 | ME-MS61 W ppm 0.1 | ME-MS61 Y ppm 0.1 | ME-MS61 Zn ppm 2 | ME-MS61 Zr ppm 0.5 |
|--|-----------------------------------|----------------------------|--------------------------|----------------------------|----------------------------|---------------------------|------------------------------|
| DUPLICATES | | | | | | | |
| ORIGINAL DUP Target Range - Lower Bound Upper Bound | | | | | | | |
| G296415 DUP Target Range - Lower Bound Upper Bound | | 6.3 6.2 5.8 6.7 | 2 2 <1 3 | 0.4 0.4 0.3 0.5 | 2.2 2.1 1.9 2.4 | 6 6 4 8 | 52.4 50.1 46.9 55.6 |
| | | | | | | | |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: IDAHO CHAMPION GOLD MINES
 401 BAY STREET, SUITE 2704
 TORONTO ON M5H 2Y4

Page: Appendix 1
 Total # Appendix Pages: 1
 Finalized Date: 18-NOV-2022
 Account: IDACHGOL

Project: Charles- Blanche

QC CERTIFICATE OF ANALYSIS VO22309169

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: REEs may not be totally soluble in this method.
 ME-MS61

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Val d'Or located at 1324 Rue Turcotte, Val d'Or, QC, Canada.
 CRU-31 CRU-QC LOG-21 PUL-31
 SPL-21 WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
 ME-MS61 PGM-ICP23