# Rise Gold Reports Favorable Draft Environmental Impact Report for Idaho-Maryland Project

- Independent Report by Nevada County concludes no significant air, biologic, water, vibration or noise impacts from the project
- Report represents major milestone towards approval to re-open Idaho-Maryland Mine
- Strong local support: majority of residents support the mine re-opening

Grass Valley, California--(Newsfile Corp. - January 4, 2022) - Rise Gold Corp. (CSE: RISE) (OTCQX: RYES) (the "**Company**") is pleased to announce that the Nevada County government has released a much anticipated and highly favorable Draft Environmental Impact Report (the "DEIR") for the Idaho-Maryland Mine Project (the "IMM Project"). The report's release represents a major milestone toward the approval of the Company's <u>Use Permit application</u> to reopen the historic past-producing Idaho-Maryland Gold Mine.

The independently prepared DEIR is the culmination of two years of intensive study by the Nevada County government with the support of its consultant Raney Planning & Management Inc., an experienced firm located in Sacramento<sup>[1]</sup>, and contributions from many qualified technical experts and scientists. The DEIR concludes that there are no significant impacts to air quality, biological resources, water quality, groundwater, vibrations, or noise from operations from the proposed re-opening of the Idaho-Maryland mine.

The DEIR found only three significant unavoidable impacts from the project:

- Temporary construction noise from the installation of a water pipeline
- Addition of traffic to an intersection currently operating at an unacceptable level of service<sup>[2]</sup>
- Aesthetics due to noticeable changes to the existing visual character of the project sites

The Company believes that the project's substantial economic and community benefits significantly outweigh the three unavoidable impacts identified in the DEIR.

- Construction noise from the installation of the water pipeline is a temporary daytime activity and is exempt from Nevada County's noise regulations. The pipeline's installation will provide a reliable water source and increased fire protection to 30 properties in the East Bennett area. Construction in public roadways is a common and necessary activity.
- The traffic intersection at Brunswick Road and Highway 174 currently operates at an unacceptable level of service and is not included in a government traffic improvement program. Any addition of traffic would be considered a significant and unavoidable impact. The Company will pay its fair share contribution to improve this intersection which will reduce costs to the county when it decides to include the intersection in its traffic improvement program.
- The County's DEIR determined that the aesthetics impact to the two sites would be significant and unavoidable due to noticeable changes to the existing visual character of the project sites. Attractive modern buildings are proposed at the Brunswick site and numerous mature trees located on the perimeter of the Brunswick Site would be retained to provide visual shielding of aboveground project facilities and operations. The Company believes that the creation of usable flat land at the Centennial site greatly outweighs any negative aesthetic impact from the placement of engineered fill.

Preparation of the DEIR, in accordance with the California Environmental Quality Act ("CEQA"), is a major approval process milestone. A general outline of remaining milestones in the Use Permit process are as follows:

- 1. Draft Environmental Impact Report public comment period of 60 days;
- 2. After review of the public comments on the DEIR, Nevada County publishes a Final Environmental Impact Report (the "FEIR") which will include responses to public comments;
- 3. The Nevada County Planning Commission holds a public hearing to consider the FEIR and makes a recommendation on project approval to the Nevada County Board of Supervisors;
- 4. The Board of Supervisors holds a public hearing to consider and make a final decision on the IMM Project. A majority vote of the five supervisors is required to approve the project.

The timeline to complete the Use Permit process is largely dependant on the Nevada County government. The most recent mining related EIR process completed in 2019 by Nevada County was the Boca Quarry Expansion. In that case, the Nevada County Board of Supervisors approved the project approximately five months from the release of the DEIR. Based on this recent precedent, the Use Permit process for the IMM Project could be completed by June of 2022.

The Nevada County Board of Supervisors have approved three mining projects in recent years. The Boca Quarry Expansion, a surface aggregate mine with production up to 1 million tons per year, was approved in 2019. The Greenhorn Creek Mining Expansion, a surface aggregate mine with production of up to 600,000 tons per year, was approved in 2017 and the Blue Lead Gold Mine, a surface placer gold mine with production of up to 400,000 tons per year, was approved in 2015.

A recent <u>survey</u> of Nevada County conducted by J. Wallin Opinion Research demonstrates strong local support for the IMM Project. A majority (59%) of respondents supported the re-opening of the Idaho-Maryland Mine with only 34% of respondents opposed. Majority support for the project is consistent across all the county's five districts.

A summary of the Nevada County DEIR for the Idaho-Maryland Mine Project is provided in Table 1 and the entire document is available on the Nevada County <u>website</u>.

TABLE 1 - Summary of IMM Project DEIR

Subject	Potential Impacts	Mitigation Measures
Aesthetics	·	
Aesthetics	Significant and Unavoidable	Applicant must submit a Final Landscape Plan prepared by a licensed professional for review and approval by the
	The project would result in noticeable changes to the	Nevada County Planning department. Plan must include larger (24 gallon) tree plantings for screening purposes.
Light or Glare	existing visual character of the project sites.	None Required
Light or Glare	Less than significant	None Required
	Pole and building mounted exterior LED lighting at the Brunswick Industrial Site is fully shielded and "dark-sky approved". Photometric model shows no illumination from lighting beyond property boundary.	
Agricultural and Forestry	Resources	
Agriculture	No Impact	None Required
Timberland	Less than significant	None Required
Air Quality		
Greenhouse Gas Emissions - Construction	Less than significant after mitigation  The project would exceed threshold of 1,100 tonnes CO2 during construction activities	Applicant would maintain equipment in accordance with manufacturers specifications, employ the use of alterative fueled construction equipment where feasible, provide onsite utility electricity hookups, encourage use of carpools or other methods to reduce construction worker commutes, use locally sourced or recycled material with goal of 20% based on cost of building materials and volume for paving materials, minimize concrete use for paved surfaces or utilize low carbon concrete.  Purchase carbon offsets for CO2 emission of 2,664 tons above the threshold prior to issuance of grading permits.
Greenhouse Gas Emissions - Operations	Less than significant  The project would not exceed threshold of 10,000 tonnes CO2 per year during operations.	None Required
Odors	Less than significant  The project would not result in odors that would adversely affect the public	None Required

Subject	Potential	Mitigation Measures
Subject	Impacts	

Ata Fasta stans	Land the section of t	The of alternatives to some house of constation and a source
Air Emissions	Less than significant after mitigation  Estimated emissions of ROG, NO <sub>x</sub> & PM <sub>10</sub> are all below significance threshold level C of the local air quality district.	Use of alternatives to open burning of vegetation, grid power shall be used where feasible, and temporary traffic control during construction to improve traffic flow. Activities scheduled to direct traffic to off-peak hours when practical. Diesel engines over 50 hp to be certified Tier 4F engines when commercially available.
Human Health  Biological Resources	Less than significant after mitigation  Health risk assessment, using extremely conservative thresholds of the local air quality district, shows that the project effect on human health is less than significant.	Asbestos dust mitigation plan required. Plan requires dust control measures on grinding mills, crushers, conveyors and transfer points. Dust mitigation plan required including removal of track-out material from vehicles, tire washing of earthwork vehicles exiting site, wetting or covering active storage piles, onsite speed limit of 15 mph on unpaved surfaces, watering as necessary to prevent visible dust emissions from leaving property boundary.
Special Status Plants	Less than significant after mitigation	Preservation of majority of Pine Hill Flannelbush plants and
Special Guids Fiding	Pine Hill Flannelbush located on Centennial Industrial Site.	conservation easement over area of plant preservation.  Compensatory mitigation of disturbed plants to ensure no nerloss.
Special Status Wildlife	Less than significant after mitigation  No Special-Status Wildlife observed in field studies.	Pre-construction surveys for bat roosting, coast homed lizard, yellow and red-legged frog, western pond turtle, California black rail, and nesting raptors.
Wetlands	Less than significant after mitigation  ~0.57 acres of wetlands to be filled by construction at	Compensatory mitigation of permanent wetlands impact to ensure no net loss.
Stream & Riparian Zones	Brunswick Site.  Less than significant after mitigation	Compensatory mitigation of permanent stream impact to
Sueam & Ripanam Zones	~0.11 acres of permanent impacts for construction and	ensure no net loss.  Management plans for work within 100 ft non-disturbance
	installation of storm water system.  Temporary impacts to install discharge pipe and culverts.	buffer zone.
	No biological impact from discharge of treated water to South Fork Wolf Creek	
Cultural Resources	COULT ON WOT CICK	
Cultural Resources	Less than significant after mitigation  Underground mine workings are contributing elements of the Idaho-Maryland Mine Historic District.	Rise to share historic documentation with the public. Sharing will consist of providing GIS output and copies of historic diagrams with California State Library, California Geology and Mining Library, or the Searls Library.
		Following initial mine dewatering and prior to commencement of mining, a qualified historian will perform a historical study of accessible underground mine workings. The study would be provided to the library selected.
Carlamand Caile		If archaeological resources are discovered during construction or mining, activities within 200 feet would be halted, the county will be notified, and an archaeologist will investigate and provide recommendations for further evaluation and treatment. Work would recommence after authorization of the Nevada County Planning Department.
Geology and Soils Geotechnical	Less than significant after mitigation	Submission of engineered final grading plans which
Geolechincai	Removal and replacement of sawdust in portion of berm of existing clay-lined pond at Brunswick site. Installation of geomembrane over existing clay liner.	incorporate recommendation from submitted geotechnical reports and best management practices from submitted management plans.
	Existing 48-inch culvert running underneath Brunswick site is near the end of its life and will be replaced.	Closure of historic East Eureka and Idaho Shafts prior to mine dewatering.
	Rock and sand tailings produced by mine will meet the	Submission of a final onsite sewage disposal design report.
	geotechnical criteria for structural fill. Engineered fill to be composed of 100% sand tailings or up to 2-parts rock to 1-part sand tailings.	
Hazards & Hazardous Mat	composed of 100% sand tailings or up to 2-parts rock to 1-part sand tailings.  Risk of seismically induced hazards are remote (negligible).	

Subject	Potential Impacts	Mitigation Measures
Lloo of Llorovdous	•	The mine operator and its contractors and suppliers will
Use of Hazardous Materials	Less than significant after mitigation  All explosives will be stored and used underground.  Explosive's storage, transport, and use are heavily regulated and have an extremely safe track record.	comply with all applicable regulations governing the transport storage and use of explosives. A risk assessment and hazardous materials business plan will be prepared before the storage of explosives underground.
		The mine operator will prepare a Hazardous Materials Business Plan which will be approved by the County prior to use or storage of hazardous materials onsite.
Release of Hazardous Materials	Less than significant after mitigation  Extensive mining and saw milling activities have taken place historically at the Brunswick Industrial Site.	A portion of existing mine waste under paving shall not be removed from the site without approval from state agencies RWQCB or DTSC and specific handling procedures will be developed by a Certified Industrial Hygienist before excavation.
		If unidentified contaminated soil is encountered during construction work shall stop and a qualified professional will investigate and prepare a report for remediation. Work shall not recommence in contaminated area until necessary remediation is complete and approved by the Nevada County Planning Department.
		Prior to commencement of construction all existing wells onsite will be identified. Any identified wells will be properly closed prior to disturbance within 50 feet distance.
Hydrology and Water Quality		Approval of a Depart of Whata Discharge winds also are
Geochemistry - Engineered Fill	Use of barren rock and sand tailings produced by mine as	Approval of a Report of Waste Discharge prior to placement of engineered fill from the California State Water Resources Control Board.
	engineered fill.	
	Sand tailings are environmentally benign. Mineral process plant removes +93% of sulphide sulphur from sand tailings. Geochemical test work shows sand tailings have minimal metal content, similar to average crustal abundance. Leachate samples from waste extraction tests (WET-DI) show metal content less than all California regulatory thresholds.  Sand tailings are shown to be net-acid neutralizing with neutralizing potential ranging from 100-159 times acid potential.	
	Barren rock is environmentally benign. Geochemical test work shows barren rock to have minimal metal content. Leachate samples from 96% of barren rock mined from waste extraction tests (WET-DI) show metal content less than all California regulatory thresholds. Barren rock samples are shown to be net-acid neutralizing with neutralizing potential ranging from 7 -107 times acid potential.	
Geochemistry - Cemented	Less than significant after mitigation	Approval of a Report of Waste Discharge prior to placement
Paste Backfill	Use of cemented sand tailings produced by mine as underground backfill.	of backfill from the California State Water Resources Control Board. Strength, rheological, and geochemical testing of cemented paste backfill mixture to be completed.
	The use of cemented paste backfill is an environmentally favorable disposal alternate for tailings as it significantly limits solute release, eliminates bleed water from placed backfill, and reduces the surface footprint of the mine.	
Surface Water Quality	Less than significant after mitigation	Approval of Notice of Intent for coverage under Limited
	Discharge of treated groundwater from underground mine to South Fork Wolf Creek	Threat General Order R5-2016-0076 (NPDES No. CAG995002) prior to discharge from the California State Water Resources Control Board.
	Water treatment plant using conventional methods validated over years of application in facilities worldwide.	from the California State Water Resources Control Board for use of water treatment pond. An upgrade to the existing day
	Treatment of mine water to standards of California Regional Water Quality Control Board Limited Threat General Order R5-2016-0076 (NPDES No. CAG995002). Water temperature, pH, and dissolved oxygen to be maintained within limits of General Permit.	Inner to a synthetic liner will be required.  Approval of Notice of Intent for coverage under the Industrial General Permit for the Brunswick Industrial Site prior to commencement of operations from the California State
	Mineral process plant to run on a closed water circuit.	Water Resources Control Board.

Less than significant affer mitigation   Items to provide the property of the provided and simulation which was calibrated with historic groundwater inflows. BMKO Environmental prepared analytic solutions to confirm estulates and duterin repotential effects on demestic veter wells could be impacted, with an +0% enduction in the well veter column, due to the groundwater devidence from the veter devices could be impacted, with an +0% enduction in the well veter column, due to the groundwater devidence from the veter devices column, due to the groundwater devidence from the veter from deveatering of the mine. With the assumption of a 100% safety factor, an additional six domestic veter well estimated to mine veter relationship of the mine. With the seamption of a 100% safety factor, an additional six domestic veter well established.  No significant effects to surface water flow in streams are articipated.  No significant effects to surface water flow in streams are articipated.  No significant effects to surface water flow in streams are articipated.  Storm water desention ponds will be constructed at both the Brunsakic Kildes industrial sites.  Post project dom-water discharge of 50 Get will be equal to or less than the estimated pre-project dom-water discharge of 50 Get will be equal to or less than the estimated pre-project dom-water discharge of 50 Get will be equal to or less than the estimated pre-project dom-water discharge of 50 Get will be equal to or less than the estimated pre-project dom-water discharge of 50 Get will be equal to or less than the estimated pre-project dom-water discharge of 50 Get will be equal to or less than the estimated pre-project dom-water discharge of the storm water desention ponds with the construction of the storm water discharge of the storm wat	Subject	Potential Impacts	Mitigation Measures
Itasas Denver prepand a sphisticated groundweter mode and ainclation which was calibrated with historic and ainclation which was calibrated with historic and analytic solitions to continue natural and determine potential effects on comestin veter well located above the historic mine workings could be impacted, with an -40% aduction in the workings could be impacted, with an -40% aduction in the workings could be impacted, with an -40% aduction in the workings could be impacted, with an -40% aduction in the workings could be impacted, with an eduction in the well sweller could not be impacted. With a medication in the well sweller could not be impacted, with an eduction in the well sweller could be impacted, with an eduction in the well sweller could not be impacted. With a medication in the well sweller could not be impacted, with an eduction in the well sweller could not be impacted. With a medication in the well sweller could not be impacted, with an eduction in the well sweller could not be impacted. With a medication in the well sweller could not be impacted. No significant effects to surface water flow in streams are anticipated.  No significant effects to surface water flow in streams are anticipated.  No significant effects to surface water flow in streams are anticipated.  No significant effects to surface water flow in streams are anticipated.  No significant effects to surface water flow in streams are anticipated.  Storme self-redefined product and surface water flow in streams are anticipated.  Storme self-redefined product and surface water flow in streams are anticipated.  Storme self-redefined product and surface water flow in the construction of the storm water detection ponds will be constructed at both the Bunswick Steps including, in the case of the Bunswick Steps including in the construction of the storm water detection ponds will be constructed as the surface water flow in the project will have no impact of the self-redefined production and thouse districts and production of the self-redef	Groundwater Drawdown		Monitoring wells will be constructed and well-level
and shudation which was calibrated with historic groundwater inflows. EMICO Environmental prepared analytic solutions to continue results and determine potential officiation characteristic water well tocated above the historic mine working could be impacted. With an 40% module of in the well water column, due to the groundwater drawdown from dewelvening of the mine. With the assumption of a 100%, safely factor, an additional six domisate water wells could be impacted, with a notuction in the examption of a 100%, safely factor, an additional six domisate water wells could be impacted. With a notuction in the examption of a 100%, safely factor, an additional six domisate water wells could be impacted. While not well water octubred for the well-water octubred of the property of the well-water octubred. The examption of a 100%, safely factor, an additional six domisate well-water octubred. The examption of a 100%, safely factor, an additional six domisate well-water octubred for the well-water octubred. The examption of the well-water octubred in the well-water octubred in the well-water octubred. The examption of the well-water octubred in the well-water octubred in the well-water octubred. The examption of the well-water octubred in the well-wat			monitoring data will be collected for 12 months prior to
groundveter inflows. EMKO Environmental prepared analytic solutions to confine resists and determine potential effects on domestic weter well southors to offer messate water feels. The listes groundwest exists will be constructed in the confinence of the product water well south be installed to messate water feels. The listes groundwest environment water development of the production in the well valve column, due to the groundwest endown from development of the production of			commencement of dewatering.
analytic solutions to confirm results and determine potentials affects on comestic vester wells.  On a demandic vaster well located above the historic mine withing social being made with an analytic disclored in the well vaster column, due to the groundwater dawdown from devatering of the mine. With the aexamption of a 100% safety factor, an additional six domestic water wells sould be impacted, with a resultion in the well swater column of -7% of a 100% safety factor, an additional six domestic water wells sould be impacted, with a resultion in the well swater column of -7% of a 100% safety factor, and additional six domestic water wells sould be impacted, with a resultion in the well swater column of -7% of a 100% safety factor, and additional six domestic water wells sould be impacted, with a resultion in the well swater column of -7% of a 100% safety factor, and additional six domestic water well sould be this sense will not be impacted.  No significant effects to surface water flow in streams are anticipated.  Less than significant after mitigation.  Storm water determinal sixes.  Post project dominal sixes.  Post project dominal sixes.  Post project dominal sixes.  Post project dominal sixes from both the Centernial and Blumskick Sixes including, in the case of the Brumswick Sixe, the treated mine water discharge of 5.6 ds will be equal to or less fram the eliminal project six dominal project six			Hydrologic data will be collected according to project stages.
One domestic water well located above the historic mine workings could be impacted. With an 40% reduction in the well water column, due to the goundwater devidence in the well water column, due to the goundwater devidence in the well water column, due to the goundwater devidence in the well water column, due to the goundwater devidence in the state of 25% o		analytic solutions to confirm results and determine potential	Prior to dewatering, monitoring wells and piezometers would
One domestic valeter well located above the historic mine workings could be impeaded, with an 40% reduction in the well water column, due to the groundwater drawdown from devetoring of the mine. With the assumption of a 100% self-ly factor, an additional six domestic valeter wells could be impeaded, with a reduction in the well's water count of 1-7%. Self-ly factor, an additional six domestic valeter wells could be impeaded, with a reduction in the well's water count of 1-7%. Bennett Read area Domestic water wells outside this area will not be impeaded.  No significant affects to surface water flow in streams are anticipated.  No significant affects to surface water flow in streams are anticipated.  Storms & Flooding  Less than significant after nitigation  Storms & Flooding  Storms & Flooding  Less than significant after nitigation  Storms & Flooding  Less than significant after nitigation  Storms & Flooding  Less than significant after nitigation and Brunavick Sites in charge, in the case of the Brunavick Sites in charge, in the case of the Brunavick Sites in charge, in the case of the Brunavick Sites in charge, in the case of the Brunavick Sites in charge, in the case of the Brunavick Sites in charge of 5.6 de will be equal to or less than the estimated pre-project a form-water discharge for the brunavick Sites in charge the project will have no impact or increase of flowel in crede during storm events.  No work ignoproperal within a floodylain but is within 100 feet of a floodplain at the Contennial site.  Channel Geomorphology  Less than significant  The project is consistent with the Negold County General Plan  The project is consistent with the Negold County General Plan  The project is consistent with the Negold County General Plan  The project is consistent with the Negold County General Plan  The project is consistent with the Negold County General Plan  The project is consistent with the Negold County one equilations of the headfrance and process plant building.  Boundary line adjustments will be rez		effects on domestic water wells.	
well veler column, due to the groundwater drawdown from dewettering of the mine. With the assumption of a 100% safety factor, an additional six domestic water wells could be impacted, with a neutroin in the well's well column of 1-12%. All potentially impacted wells are located in the E. Bennett Pool area. Domestic water wells could be 1-12%. All potentially impacted wells are located in the E. Bennett Pool area. Domestic water wells could be 1-12%. All potentially impacted wells are located in the E. Bennett Pool area. Domestic water wells could be all owned to control and the impacted.  No significant effects to surface water flow in streams are anticipated.  Less than significant after mitigation Storms & Flooding Less than significant after mitigation Storms water detention ponds will be constructed at both the brunswark and Centennial after.  Post project storm-water discharge from both the Centennial and Brunswick Sites in charge of 5.6 dawill be qual to 10 resets than the estimated pre-project storm-water discharge levels. Therefore, with the construction of the storm-water detention ponds, the project will have no impact or increase of flows in creeks during storm events.  No works proposed within a foodplain but is within 100 feet of a floodplain and the Centennial site.  Channel Geomorphology Less than significant The project is considered with the Nevada County General Plan The project is considered with the Nevada County General Plan goals. dejectives, and policies.  None Required.		One domestic water well located above the historic mine	
deweleting of the mine. With the assumption of a 100% sately factor, an additional six domedis vector relisorout be impacted, with a reduction in the well's water column of -7% by 1-12%. All potentially impacted wells are located in the Earnett Road area. Domestic vater wells outside this area will not be impacted.  No significant effects to surface water flow in streams are anticipated.  No significant effects to surface water flow in streams are anticipated.  No significant effects to surface water flow in streams are anticipated.  No significant effects to surface water flow in streams are anticipated.  No significant effects to surface water flow in streams are anticipated.  Storms & Flooding  Less than significant after mitigation  Storms & Flooding  Less than including, in the case of the Bunswack Site. The treated mine water discharge from both the Centennial and Sturnsvick Sites, including, in the case of the Bunswack Site. The treated mine water discharge of 5.6 ds will be discharge levels. Therefore, with the construction of the stormwater detention ponds the project will have no impact or increases of flows in oracle during storm events.  No work is proposed within a floodplain but is within 100 feet of a floodplain at the Centennial site.  Channel Geomorphology  Less than significant  Fleid sampling and calculations indicate that increasing the base flow of South Fook W2M Cleak by the discharge of South Fook W2M Cleak by the Galcharge of South Fook W2M Cleak by the Galcharge o			plan, data from monitoring wells, and measured pumping
selety factor, an additional six domestix vester vestices could be impacted, with a nectucion in the well's water column of 7-76. Earnet TR-Dad area. Dimensici vester wells outside this area will not be impacted.  No significant effects to surface water flow in streams are will not be impacted.  No significant effects to surface water flow in streams are water displated.  No significant effects to surface water flow in streams are articipated.  Storm sa Flooding  Less than significant after mitigation  Storm water detention proxis will be constructed at both the Brunawick and Centennial and Brunswick (site, including, in the case of the Brunswick Site, the treated mine water discharge from both the Centennial and Brunswick (site, including, in the case of the Brunswick Site, the treated mine water discharge from water discharge of the stream water from water water from water wat			rates
impacted, with a reduction in the well's water column of ~7% 1-12%. All potentially impacted wells are located in the E Bennett Road area. Domestic water wells outside this area will not be impacted.  No significant effects to surface water flow in streams are articipated.  No significant effects to surface water flow in streams are articipated.  Storms & Flooding  Less than significant after mitigation Storms & Flooding  Storms & Flooding  Storms & Flooding  Less than significant after mitigation Storm water detention ponds will be constructed at both the Brunswick and Centennial sites Post project storm-water discharge from both the Centennial and Brunswick Sites including, in the case of the Brunswick Site, the treated mine water discharge of 5.6 dis will be equal to not less than be estimated pre-project sommwater storm-water detention ponds will pre-project will have no impact or increase of flows in creeis during storm events.  No work is proposed within a floodplain but is within 100 feet of a floodplain at the Centennial site.  Channel Geomorphology  Less than significant Field sampling and calculations indicate that increasing the base flow of South Fork Will Creak by the distratege of treated mine water (instraints) in 5.6 dis will have no significant impact on event water water water water water in the search of the significant  The project is constant with the Nevada County General Plan The project is constant with the Nevada County General Plan The project is constant with the Nevada County General Plan goals, objectives and policies  Less than significant  None Required.  N			Rise will construct an extension to the Nevada Irrigation
Bennett Road area. Domestic vaster wells coutside this area will not be impacted.  No significant effects to surface water flow in streams are anticipated.  No significant effects to surface water flow in streams are anticipated.  Less than significant after mitigation  Storm & Flooding  Less than significant after mitigation  Storm water detention ponds will be constructed at both the Brunswick and Centermial sites.  Post project storm-water discharge from both the Centennial and Brunswick Sites, the treated mine water discharge from both the Centennial and Brunswick Sites, the treated mine water discharge of 5.6 ds will be equal to or less than the estimated or percycled storm-water discharge levels. Therefore, with the construction of the storm-water detention ponds the project will have no impact or increase of flows in creeks during storm events.  No work is proposed within a floodplain but is within 100 feet of a floodplain at the Centennial site.  Channel Geomorphology  Less than significant  Field sampling and calculations indicate that increasing the base flow of South Fock Wolf Ceak by the discharge of treated mine vater (moximum 5.6 ds) will have no impact or increase of flows in creeks during storm events.  None Required.  Channel Geomorphology  Less than significant  The project is consistent with the Nevada County General Plan geals, objectives, and policies  None Required.			
will not be impacted.  No significant effects to surface water flow in streams are anticipated.  No significant effects to surface water flow in streams are anticipated.  Less than significant after mitigation  Storm water detention ponds will be constructed at both the Brunswick and Centennial sites.  Post project storm-water discharge from both the Centennial and Brunswick 30tes including, in the case of the Brunswick Site, the freeled mine water discharge of 5.6 dis will be expuse to see in the surface of project storm water of critary or or increase of flows in oracles during storm events.  No work is proposed within a floodplain but is within 100 feet of a floodplain at the Centennial site.  No work is proposed within a floodplain but is within 100 feet of a floodplain at the Centennial site.  No work is proposed within a floodplain but is within 100 feet of a floodplain at the Centennial site.  No work is proposed within a floodplain but is within 100 feet of a floodplain at the Centennial site.  Channel Geomorphology  Less than significant  Field sampling and calculations indicate that increasing the base flow of South Fork Wolf Cevelky the discharge of treated mine water (maximum 5.6 dis) will have no significant impact on erosion or sedimentation to the creek.  Land Use and Population and Housing  Nevvada County Zening  Code  Less than significant  The project is consistent with the Nevada County General Plan goals objectives and policies  Lass than significant  A variance or inning is allowed in all base districts, surface access to subsurface mining is allowed in the MT base district (Sec. L.13.21) and surface mining is allowed in the MT base district (Sec. L.13.21) and surface mining is allowed in the MT base of the Eurosack (Industrial Site and International Code)  Population and Housing  Noise and Witzston  Noise - Construction  Significant  Noise - Construction  Significant and Unavoidable  Construction noise is exampt from Nevada County noise regulations. However, noise from construction of the			
No significant effects to surface water flow in streams are anticpated.  Storms & Flooding  Less than significant after mitigation  Storm water detention ponds will be constructed at both the Brunsvick and Centennial sites.  Post project storm-water discharge from both the Centennial and Brunswick Sites, including, in the case of the Brunsvick.  Site the treated mine water discharge from both the Centennial and Brunswick Sites, including, in the case of the Brunsvick.  Site, the treated mine water discharge of 5.6 ds will be equal to to restmant the estimated pre-project storm-water discharge levels. Therefore, with the construction of the storm-water discharge levels. Therefore, with the construction of the storm-water discharge levels. Therefore, with the construction of the storm-water discharge levels. Therefore, with the construction of the storm-water discharge levels. Therefore, with the construction of the storm-water discharge levels. Therefore, with the construction of the storm-water discharge levels. Therefore, with the construction of the storm-water discharge levels. Therefore, with the construction of the storm-water discharge levels. Therefore, with the construction of the storm-water discharge levels. Therefore, with the construction of the storm-water discharge levels. Therefore, with the construction of the storm-water discharge levels. Therefore, with the construction of the storm-water discharge levels. Therefore, with the construction of the storm-water discharge levels. Therefore, with the storm water discharge levels. The storm water discharge levels. The storm water discharge levels of the Storm significant and unavoidable and the construction of the storm water discharge levels. The storm significant made unavoidable under CEOA criteria.  Post storm water detention pools will be ended to improvement plans for the postable water line along E. Bennett Road requiring advance notification of construction dates to nearby residents. United the postable water line along E. Bennett Road requir			funded by Rise. Property owners would be allowed to
Storms & Flooding Loss than significant after mitigation Storm water detention ponds will be constructed at both the Brunswick and Centennial sites. Post project storm-water discharge from both the Centennial and Brunswick Sites, including, in the case of the Brunswick Site, the treated mine water discharge of 5.6 de will be equal to or less than the estimated pre-project sommwater discharge levels. Therefore, with the construction of the storm-water discharge levels. Therefore, with the construction of the storm-water discharge levels. Therefore, with the construction of the storm-water discharge levels. Therefore, with the construction of the storm-water discharge levels. Therefore, with the construction of the storm-water discharge levels. Therefore, with the construction of the storm-water distention ponds, the project will have no impact or increase of flows in creeke during some events.  No work is proposed within a floodplain but is within 100 feet of a floodplain at the Centernial site.  No work is proposed within a floodplain but is within 100 feet of a floodplain at the Centernial site.  Channel Geomorphology  Less than significant  Field sampling and calculations indicate that increasing the base flow of South Fork Wibl Cheek by the discharge of treated mine water finantisms of 5.6 will have no significant flood of the control of the discharge of treated mine water finantisms of 5.6 will have no significant flowers and significant flowers.  None Required.		No significant effects to the conference of the significant	
Storms & Flooding  Less than significant after mitigation  Storm water detention ponds will be constructed at both the Brunswick and Centennial sites.  Post project storm-water discharge from both the Centennial and Brunswick Steep in founding, in the case of the Brunswick Steep in the silmated pre-project storm-water discharge levels. Therefore, with the construction of the storm-water discharge levels. Therefore, with the construction of the storm-water discharge levels. Therefore, with the construction of the storm-water destending promost, the project will have no impact or increase of flows in creek during storm events.  No work is proposed within a floodplain but is within 100 feet of a floodplain at the Centennial site.  No work is proposed within a floodplain but is within 100 feet of a floodplain at the Centennial site.  None Required.  Field sampling and calculations indicate that increasing the base flow of South Fork Wolf Creek by the discharge of treated mine water (maximum 5.6 dis) will have no significant impact on erosion or sedimentation to the creek  Land Use and Population and Housing  Nevada County General Plan  Nevada County General Plan goals, objectives, and policies  None Required.  The project is consistent with the Nevada County General Plan goals, objectives, and policies  Subsurface mining is allowed in all base districts, surface access to subsurface mining is allowed in the MT base district (Sec. L-II 3.122).  The Brunswick Industrial Site will be required for three parcels of the Brunswick Industrial Site will be required for three parcels of the Brunswick Industrial Site will be required for three parcels of the Brunswick Industrial Site on that parcel lines do not cross proposed buildings  Population and Housing  Boundary line adjustments will be required for three parcels of the Brunswick Industrial Site will be required for three parcels of the Brunswick Industrial Site will be required for three parcels of the Brunswick Industrial Site will be required for three parcels of th			
Storm water detention ponds will be constructed at both the Bunswick and Centennial sites.  Post project storm-water discharge from both the Centennial and Brunswick Site, the treated mine water discharge of 5.6 ds will be equal to or less than the estimated pre-project storm-water discharge levels. Therefore, with the construction of the storm-water discharge levels. Therefore, with the construction of the storm-water discharge levels. Therefore, with the construction of the storm-water detention ponds, the project will have no impact or increase of flows in creek during storm events.  No work is proposed within a floodplain but is within 100 feet of a floodplain at the Centennial site.  None Required.  Field sampling and calculations indicate that increasing the base flow of South Fork/Wolf Creek by the discharge of treated mine water (maximum 5.5 ds) will have no significant impact on erosion or sedimentation to the creek.  Land Use and Population and Housing  Nevada County General Plan  Nevada County General Plan goals, objectives and policies.  None Required.		a morpaida.	
Storm water detention ponds will be constructed at both the Brunswick and Centennial sites Post project storm-water discharge from both the Centennial and Brunswick Sites, including, in the case of the Brunswick Site, the treated mine water discharge of 5.6 d'swill be equal to or less than the estimated pre-project storm-water discharge levels. Therefore, with the construction of the storm-water detention ponds the project will have no impact or increase of flows in creeks during storm events.  No work is proposed within a floodplain but is within 100 feet of a floodplain at the Centennial site.  Channel Geomorphology  Less than significant  None Required.  Field sampling and calculations indicate that increasing the base flow of South Fork Wolf Creek by the discharge of treated mine water (maximum 5.6 de Will have no significant impact on erosion or sedimentation to the creek  Land Use and Population and Housing  Nevada County General  Plan  Nevada County Zoning  Code  None Required.  Proposition of the storm of the storm of the creek storm of the creek storm of the storm of the creek storm of the sto	Storms & Flooding	Less than significant after mitigation	
Bunswick and Centennial sites  Post project storm-water discharge from both the Centennial and Brunswick Sites, including, in the case of the Brunswick Sites, including, in the case of the Brunswick Site, the treated mine water discharge of 5.6 ds will be equal to or less than the estimated pre-project storm-water discharge levels. Therefore, with the construction of the storm-water discharge levels. Therefore, with the construction of the storm-water discharge levels. Therefore, with the construction of the storm-water discharge of flows in creeks during storm events.  No work is proposed within a floodplain but is within 100 feet of a floodplain at the Centennial site.  Chamnel Geomorphology  Less than significant  Field sampling and calculations indicate that increasing the base flow South Fork Wolf Creek by the discharge of treated mine water (maximum 5.6 ds) will have no significant impact on erosion or sedimentation to the creek  Land Use and Population and Housing  None Required.  Lass than significant  The project is consistent with the Nevada County General Plan goals, objectives, and policies  Less than significant  Subsurface mining is allowed in the M1 base district, surface access to subsurface mining is allowed in the M1 base district (Sec. L-II 3.21) and surface mining is allowed in the M1 base district (Sec. L-II 3.22).  The Brunswick Industrial Site will be rezoned from M1-SP to M1-ME.  A variance for buildings heights exceeding 45 ft will be required for three parcels of the Brunswick Industrial Site will be required for three parcels of the Brunswick Industrial Site will be required for three parcels of the Brunswick Industrial Site on that parcel lines do not cross proposed buildings.  Boundary line adjustments will be required for three parcels of the Brunswick Industrial Site on that parcel lines do not cross proposed buildings.  Boundary line adjustments will be required for three parcels of the Brunswick Industrial Site on that parcel lines do not cross proposed buildings.  Boundary line		Storm water detention ponds will be constructed at both the	
Post project storn-water discharge from both the Centennial and Bunswick Site, including, in the case of the Bunswick Site, the treated mine water discharge of 5.6 ds will be equal to or less than the estimated pre-project som-water discharge levels. Therefore, with the construction of the storn-water discharge levels. Therefore, with the construction of the storn-water detention ponds the project will have no impact or increase of flows in creeks during storn events.  No work is proposed within a floodplain but is within 100 feet of a floodplain at the Centennial site.  Chamnel Geomorphology  Less than significant  Field sampling and calculations indicate that increasing the base flow of South Fork Wolf Oeek by the discharge of treated mine water (maximum 5.6 ds) will have no significant impact on erosion or sedimentation to the creek  Land Use and Population and Housing  Nevada County General Plan  The project is consistent with the Nevada County General Plan goals objectives, and policies  Less than significant  Subsurface mining is allowed in the M1 base district, surface access to subsurface mining is allowed in the M1 base district (Sec. L-II 3.21) and surface mining is allowed in the M1 base district (Sec. L-II 3.22).  The Brunswick Industrial Site will be rezoned from M1-SP to M1-ME.  A variance for buildings heights exceeding 45 ft will be required for the headframes and process plant building.  Boundary line adjustments will be required for three panels of the Brunswick Industrial Site will be required for three panels of the Brunswick Industrial Site so that parcel lines do not cross proposed buildings.  Population and Housing  None Required.  None Required.  None Required.  Avariance for buildingsheights exceeding 45 ft will be required for three panels of the Brunswick Industrial Site will be required for three panels of the Brunswick Industrial Site will be required for three panels of the Brunswick Industrial Site so that parcel lines do not cross proposed buildings.  Significant and Unavoidable		Brunswick and Centennial sites.	
and Brunswick Sites, including, in the case of the Brunswick Site, the treated mine water discharge of 5.6 do will be equal to or less than the estimated pre-project som-water discharge levels. Therefore, with the construction of the storm-water detention ponds, the project will have no impact or increase of flows in creeks during storm events.  No work is proposed within a floodplain but is within 100 feet of a floodplain at the Centennial site.  Channel Geomorphology  Less than significant  Field sampling and calculations indicate that increasing the base flow of South Fork Wolf Creek by the discharge of treated mine water (maximum 5.6 ds) will have no significant impact on erosin or sedimentation to the creek  Land Use and Population and Housing  Novada County General  Plan  The project is consistent with the Nevada County General  Plan  The project is consistent with the Nevada County General  Plan goals objectives and policies  Less than significant  None Required.  None Required.  None Required.  None Required.  Paging only objectives and policies  Less than significant impact of the Mr base district, surface access to subsurface mining is allowed in the Mr base district (Sec. L-II 3.2?) and surface mining is allowed in the Mr base district (Sec. L-II 3.2?) and surface mining is allowed in the Mr base district (Sec. L-II 3.2?) and surface mining is allowed in the Mr base district (Sec. L-II 3.2?) and surface mining is allowed in the Mr base district (Sec. L-II 3.2?) and surface mining is allowed in the Mr base district (Sec. L-II 3.2?) and surface mining is allowed in the Mr base district (Sec. L-II 3.2?) and surface mining is allowed in the Mr base district (Sec. L-II 3.2?) and surface mining is allowed in the Mr base district (Sec. L-II 3.2?) and surface mining is allowed in the Mr base district (Sec. L-II 3.2?) and surface mining is allowed in the Mr base districts surface access to subsurface mining is allowed in the Mr base districts surface access to subsurface mining is allowed in the Mr base distr		Post project storm-water discharge from both the Centennial	
equal to or less than the estimated pre-project storm-water discharge levels. Therefore, with the construction of the storm-water detention ponds, the project will have no impact or increase of flows in creels during storm events.  No work is proposed within a floodplain but is within 100 feet of a floodplain at the Centennial ste.  None Required.  Field sampling and calculations indicate that increasing the base flow of South Fork Welf Creek by the discharge of treated mine water (maximum 5.6 dg) will have no significant impact on erosion or sedimentation to the creek  Land Use and Population and Housing  Nevada County General Plan  The project is consistent with the Nevada County General Plan goals, objectives, and policies  None Required.  None Required.  None Required.  None Required.  None Required.  None Required.  Plan Gods Subsurface mining is allowed in the MI base district, Surface access to subsurface mining is allowed in the MI base district (Sec. L-II 3.21) and surface mining is allowed in the MI district (Sec. L-II 3.22).  The Brunswick Industrial Site will be rezoned from M1-SP to M1-ME.  A variance for buildings heights exceeding 45 ft will be required for the headframes and process plant building.  Boundary line adjustments will be required for three pancels of the Brunswick Industrial Site so that parcel lines do not cross proposed buildings.  Population and Housing  Less than significant  Construction noise is exempt from Nevada County noise regulations. However, noise from construction of the NID potable water line exension is considered significant and unavoidable under CEQA criteria.			
discharge levels. Therefore, with the construction of the storm-water detention ponds, the project will have no impact or increase of flows in creeks during storm events.  No work is proposed within a floodplain but is within 100 feet of a floodplain at the Centennial site.  Channel Geomorphology  Less than significant  Field sampling and calculations indicate that increasing the base flow of South Fork Wolf Creek by the discharge of treated mine water (maximum 5.6 dg) will have no significant impact on erosion or sedimentation to the creek  Land Use and Population and Housing  Nevada County General  Plan  The project is consistent with the Nevada County General Plan goals objectives, and policies.  None Required.  None Required.  None Required.  None Required.  Subsurface mining is allowed in all base districts, surface access to subsurface mining is allowed in the M1 base district (Sec. L.H 3.21) and surface mining is allowed in the M1 district (Sec. L.H 3.22).  The Brunswick Industrial Site will be rezoned from M1-SP to M1-ME.  A variance for buildings heights exceeding 45 ft will be required for the headframes and process plant building.  Boundary line adjustments will be required for three parcels of the Brunswick Industrial Site so that parcel lines do not cross proposed buildings.  Population and Housing  Noise and Vibration  Noise - Construction  Significant and Unavoidable  Construction noise is exempt from Nevada County noise regulations. However, noise from construction of the NID polable water line extension is considered significant and unavoidable under CEQA criteria.			
storm-water detention ponds, the project will have no impact or increase of flows in creeke during storm events  No work is proposed within a floodplain but is within 100 feet of a floodplain at the Centennial site.  Channel Geomorphology  Less than significant  Field sampling and calculations indicate that increasing the base flow of South Fork Wolf Creek by the discharge of treated mine water (maximum 5.6 ds) will have no significant impact on erosion or sedimentation to the creek  Land Use and Population and Housing  None Required.  The project is consistent with the Nevada County General Plan goals, objectives, and policies  None Required.  Subsurface mining is allowed in all base districts, surface access to subsurface mining is allowed in the M1 base district (Sec. L-II 3.21) and surface mining is allowed in the M1 district (Sec. L-II 3.22).  The Bunswick Industrial Site will be rezoned from M1-SP to M1-ME.  A variance for buildings heights exceeding 45 ft will be required for the headframes and process plant building.  Boundary line adjustments will be required for three parcels of the Brunswick Industrial Site so that parcel lines do not cross proposed buildings  Noise and Vibration  None Required.			
No work is proposed within a floodplain but is within 100 feet of a floodplain at the Centennial site.  Channel Geomorphology  Less than significant  Field sampling and calculations indicate that increasing the base flow of South Fork Wolf Creek by the discharge of treated mine water (maximum 5.6 ds) will have no significant impact on erosion or sedimentation to the creek  Land Use and Population and Housing  Nevada County General Plan  Plan  The project is consistent with the Nevada County General Plan goals, objectives, and policies  Less than significant  The project is consistent with the Nevada County General Plan goals, objectives, and policies  Less than significant  Subsurface mining is allowed in all base districts, surface access to subsurface mining is allowed in the M1 base district (Sec. L-II 3.21) and surface mining is allowed in the M1 base district (Sec. L-II 3.22).  The Brunswick Industrial Site will be rezoned from M1-SP to M1-ME.  A variance for buildings heights exceeding 45 ft will be required for the headframes and process plant building.  Boundary line adjustments will be required for three parcels of the Brunswick industrial Site so that parcel lines do not cross proposed buildings  Noise and Vibration  Noise - Construction  Significant and Unavoidable  Construction noise is exempt from Nevada County noise regulations However, noise from construction of the ND potable water line extension is considered significant and unavoidable under CEOA criteria.		storm-water detention ponds, the project will have no impact	
Channel Geomorphology Less than significant Field sampling and calculations indicate that increasing the base flow of South Fork Wolf Creek by the discharge of treated mine water (maximum 5.6 cfs) will have no significant impact on erosion or sedimentation to the creek  Land Use and Population and Housing Nevada County General Less than significant The project is consistent with the Nevada County General Plan goals, objectives, and policies Nevada County Zoning Code Subsurface mining is allowed in all base districts, surface access to subsurface mining is allowed in the M1 base district (Sec. L-II 3.21) and surface mining is allowed in the M1 base district (Sec. L-II 3.21). The Brunswick Industrial Site will be rezoned from M1-SP to M1-ME. A variance for buildings heights exceeding 45 ft will be required for the headframes and process plant building. Boundary line adjustments will be required for three parcels of the Brunswick Industrial Site so that parcel lines do not cross proposed buildings Population and Housing Noise - Construction Significant and Unavoidable Construction noise is exempt from Nevada County noise regulations. However, noise from construction of the NID potable water line extension is considered significant and unavoidable under CEOA criteria.  None Required.  None Required.  None Required.  None Required.  None Required.  None Required.  Annotations will be added to improvement plans for the potable water line along E. Bennett Road requiring advance notable water line along E. Bennett Road requiring advance notable water line along E. Bennett Road requiring advance notable water line along E. Bennett Road requiring advance notable water line advance on the quieted equipment capable of performing required construction, locating staging areas distant from residences, and shielding air compressors and portable generators.		or increase of flows in creeks during storm events.	
Channel Geomorphology  Less than significant  Field sampling and calculations indicate that increasing the base flow of South Fork/Wolf Creek by the discharge of treated mine water (maximum 5 cf s) will have no significant impact on erosion or sedimentation to the creek  Land Use and Population and Housing  Nevada County General  Plan  The project is consistent with the Nevada County General Plan goals, objectives, and policies  None Required.  Para goals, objectives, and policies  Less than significant not the M1 base districts, surface access to subsurface mining is allowed in the M1 base district (Sec. L-II 3.21) and surface mining is allowed in the M1 district (Sec. L-II 3.22).  The Brunswick Industrial Site will be rezoned from M1-SP to M1-ME.  A variance for buildings heights exceeding 45 ft will be required for the headframes and process plant building.  Boundary line adjustments will be required for three parcels of the Brunswick Industrial Site so that parcel lines do not cross-proposed buildings.  Population and Housing  Noise - Construction  None Required.  Annotations will be added to improvement plans for the potable water line along E. Bennett Road requiring advance notification of the NID potable water line extension is considered significant and unavoidable under CEQA criteria.		No work is proposed within a floodplain but is within 100 feet	
Field sampling and calculations indicate that increasing the base flow of South Fork Wolf Creek by the discharge of treated mine water (maximum 5.6 ds) will have no significant impact on erosion or sedimentation to the creek  Land Use and Population and Housing  None Required.  The project is consistent with the Nevada County General Plan goals, objectives, and policies  None Required.  None Required.  Subsurface mining is allowed in all base districts, surface access to subsurface mining is allowed in the M1 base district (Sec. L-II 3.21) and surface mining is allowed in the M1 district (Sec. L-II 3.22).  The Brunswick Industrial Site will be reconed from M1-SP to M1-ME.  A variance for buildings heights exceeding 45 ft will be required for the headframes and process plant building.  Boundary line adjustments will be required for three parcels of the Brunswick Industrial Site so that parcel lines do not cross proposed buildings.  Population and Housing  None Required.  None Required.  Annotations will be added to improvement plans for the potable water line extension is considered significant and unavoidable under CEQA criteria.	Channel Geomorphology		None Required
base flow of South Fork Wolf Creek by the discharge of treated mine water (maximum 5.6 cfs) will have no significant impact on erosion or sedimentation to the creek.  Land Use and Population and Housing  Nevada County General Plan  The project is consistent with the Nevada County General Plan goals, objectives, and policies.  None Required.  None Required.  None Required.  Subsurface mining is allowed in all base districts, surface access to subsurface mining is allowed in the M1 base district (Sec. L-II 3.21) and surface mining is allowed in the M1 district (Sec. L-II 3.22).  The Brunswick Industrial Site will be rezoned from M1-SP to M1-ME.  A variance for buildings heights exceeding 45 ft will be required for the headframes and process plant building.  Boundary line adjustments will be required for three parcels of the Brunswick Industrial Site so that parcel lines do not cross proposed buildings.  Population and Housing Noise and Vibration  None Required.  None Required.  None Required.  None Required.  A variance for buildings heights exceeding 45 ft will be required for the headframes and process plant building.  Boundary line adjustments will be required for three parcels of the Brunswick Industrial Site so that parcel lines do not cross proposed buildings.  Population and Housing Noise and Vibration  None Required.  None Required.  A variance for buildings heights exceeding 45 ft will be required for three parcels of the Brunswick Industrial Site so that parcel lines do not cross proposed buildings.  Boundary line adjustments will be required for three parcels of the Brunswick Industrial Site so that parcel lines do not cross proposed buildings.  Population and Housing  Construction noise is exempt from Nevada County noise regulations. However, noise from construction of the putches deuter line along E. Bennett Road requiring advance notification of construction dates to nearby residents, utilization of the quictest equipment capable of performing required construction, locating staging areas distant fr	Charmer Geomorphology	Less than significant	Twite required.
treated mine water (maximum 5.6 ds) will have no significant impact on erosion or sedimentation to the creek  Land Use and Population and Housing  Nevada County General Plan goals, objectives, and policies  None Required.  A variance for buildings heights exceeding 45 ft will be required for three parcels of the Brunswick Industrial Site so that parcel lines do not cross proposed buildings.  Boundary line adjustments will be required for three parcels of the Brunswick Industrial Site so that parcel lines do not cross proposed buildings.  Population and Housing Less than significant  None Required.  None Required.  A variance for buildings heights exceeding 45 ft will be required for three parcels of the Brunswick Industrial Site so that parcel lines do not cross proposed buildings.  Population and Housing Less than significant None Required.  None Required.  A variance for buildings heights exceeding 45 ft will be required for three parcels of the Brunswick Industrial Site so that parcel lines do not cross proposed buildings.  A variance for buildings heights exceeding 45 ft will be required for three parcels of the Brunswick Industrial Site so that parcel lines do not cross proposed buildings.  Population and Housing Less than significant None Required for three parcels of the will be added to improvement plans for the potable water line along E. Bennett Road required construction of construction of construction of construction o			
significant impact on erosion or sedimentation to the creek Land Use and Population and Housing Nevada County General Plan The project is consistent with the Nevada County General Plan goals objectives, and policies Nevada County Zoning Code Subsurface mining is allowed in all base districts, surface access to subsurface mining is allowed in the M1 base district (Sec. L-II 3.21) and surface mining is allowed in the M1 base district (Sec. L-II 3.21) and surface mining is allowed in the M1 base district (Sec. L-II 3.22).  The Brunswick Industrial Site will be rezoned from M1-SP to M1-ME. A variance for buildings heights exceeding 45 ft will be required for the headframes and process plant building. Boundary line adjustments will be required for three parcels of the Brunswick Industrial Site so that parcel lines do not cross proposed buildings Population and Housing Noise and Vibration Noise - Construction Significant and Unavoidable Construction noise is exempt from Nevada County noise regulations. However, noise from construction of the NID potable water line extension is considered significant and unavoidable under CEQA criteria.  Annotations will be added to improvement plans for the potable water line along E. Bennett Road requiring advance notification of construction, locating staging areas distant from residences, and shielding air compressors and portable generators			
Nev ada County General Plan The project is consistent with the Nevada County General Plan goals, objectives, and policies  None Required.			
Plan The project is consistent with the Nevada County General Plan goals, objectives, and policies  None Required.  Less than significant Subsurface mining is allowed in all base districts, surface access to subsurface mining is allowed in the M1 base district (Sec. L-II 3.21) and surface mining is allowed in the M1 district (Sec. L-II 3.22).  The Brunswick Industrial Site will be rezoned from M1-SP to M1-ME.  A variance for buildings heights exceeding 45 ft will be required for the headframes and process plant building.  Boundary line adjustments will be required for three parcels of the Brunswick Industrial Site so that parcel lines do not cross proposed buildings  Boundary line adjustments will be required for three parcels of the Brunswick Industrial Site so that parcel lines do not cross proposed buildings  Less than significant  None Required.  None Required.  Annotations will be added to improvement plans for the potable water line along E. Bennett Road requiring advance notification of construction of construction of the NID potable water line extension is considered significant and unavoidable under CEQA criteria.			None Required
Plan goals, objectives, and policies  None Required.  Code  Subsurface mining is allowed in all base districts, surface access to subsurface mining is allowed in the M1 base district (Sec. L.H. 3.21) and surface mining is allowed in the M1 district (Sec. L.H. 3.22).  The Brunswick Industrial Site will be rezoned from M1-SP to M1-ME.  A variance for buildings heights exceeding 45 ft will be required for the headframes and process plant building.  Boundary line adjustments will be required for three parcels of the Brunswick Industrial Site so that parcel lines do not cross proposed buildings.  Population and Housing Noise and Vibration  Noise - Construction  Significant and Unavoidable  Construction noise is exempt from Nevada County noise regulations. However, noise from construction of the NID potable water line extension is considered significant and unavoidable under CEQA criteria.  None Required.  Annotations will be added to improvement plans for the potable water line along E. Bennett Road requiring advance notification of construction dates to nearby residents, utilization of the quietest equipment capable of performing required construction, locating staging areas distant from residences, and shielding air compressors and portable generators.	Plan	Less than significant	None required.
None Required.  Subsurface mining is allowed in all base districts, surface access to subsurface mining is allowed in the M1 base district (Sec. L-II 3.21) and surface mining is allowed in the M1 base district (Sec. L-II 3.22).  The Brunswick Industrial Site will be rezoned from M1-SP to M1-ME.  A variance for buildings heights exceeding 45 ft will be required for the headframes and process plant building.  Boundary line adjustments will be required for three parcels of the Brunswick Industrial Site so that parcel lines do not cross proposed buildings.  Population and Housing  Less than significant  None Required.  None Required.  None Required.  Annotations will be added to improvement plans for the potable water line along E. Bennett Road requiring advance notification of construction dates to nearby residents, utilization of the quietest equipment capable of performing required construction, locating staging areas distant from residences, and shielding air compressors and portable generators.			
Subsurface mining is allowed in all base districts, surface access to subsurface mining is allowed in the M1 base district (Sec. L-II 3.21) and surface mining is allowed in the M1 base district (Sec. L-II 3.22).  The Brunswick Industrial Site will be rezoned from M1-SP to M1-ME.  A variance for buildings heights exceeding 45 ft will be required for the headframes and process plant building.  Boundary line adjustments will be required for three parcels of the Brunswick Industrial Site so that parcel lines do not cross proposed buildings  Population and Housing Less than significant Noise and Vibration  Noise - Construction  Significant and Unavoidable Construction noise is exempt from Nevada County noise regulations. However, noise from construction of the NID potable water line extension is considered significant and unavoidable under CEQA criteria.  Annotations will be added to improvement plans for the potable water line along E. Bennett Road requiring advance notification of construction dates to nearby residents, utilization of the quietest equipment capable of performing required construction, locating staging areas distant from residences, and shielding air compressors and portable generators	Nevada County Zoning		None Required.
access to subsurface mining is allowed in the M1 base district (Sec. L-II 3.21) and surface mining is allowed in the M1 district (Sec. L-II 3.22).  The Brunswick Industrial Site will be rezoned from M1-SP to M1-ME.  A variance for buildings heights exceeding 45 ft will be required for the headframes and process plant building.  Boundary line adjustments will be required for three parcels of the Brunswick Industrial Site so that parcel lines do not cross proposed buildings  Population and Housing Noise and Vibration  Noise - Construction  Significant and Unavoidable  Construction noise is exempt from Nevada County noise regulations. However, noise from construction of the NID potable water line extension is considered significant and unavoidable under CEQA criteria.  Annotations will be added to improvement plans for the potable water line along E. Bennett Road requiring advance notification of construction dates to nearby residents, utilization of the quietest equipment capable of performing required construction, locating staging areas distant from residences, and shielding air compressors and portable generators	Code	Subauface mining is allowed in all been districts auface	
district (Sec. L-II 3.21) and surface mining is allowed in the M1 district (Sec. L-II 3.22).  The Brunswick Industrial Site will be rezoned from M1-SP to M1-ME.  A variance for buildings heights exceeding 45 ft will be required for the headframes and process plant building.  Boundary line adjustments will be required for three parcels of the Brunswick Industrial Site so that parcel lines do not cross proposed buildings.  Population and Housing Less than significant Noise and Vibration  Noise - Construction  Significant and Unavoidable  Construction noise is exempt from Nevada County noise regulations. However, noise from construction of the NID potable water line extension is considered significant and unavoidable under CEQA criteria.  Annotations will be added to improvement plans for the potable water line along E. Bennett Road requiring advance notification of construction dates to nearby residents, utilization of the quietest equipment capable of performing required construction, locating staging areas distant from residences, and shielding air compressors and portable generators.			
The Brunswick Industrial Site will be rezoned from M1-SP to M1-ME.  A variance for buildings heights exceeding 45 ft will be required for the headframes and process plant building.  Boundary line adjustments will be required for three parcels of the Brunswick Industrial Site so that parcel lines do not cross proposed buildings.  Population and Housing Less than significant Noise and Vibration  Noise - Construction  Significant and Unavoidable Construction noise is exempt from Nevada County noise regulations. However, noise from construction of the NID potable water line extension is considered significant and unavoidable under CEQA criteria.  Annotations will be added to improvement plans for the potable water line along E. Bennett Road requiring advance notification of construction dates to nearby residents, utilization of the quietest equipment capable of performing required construction, locating staging areas distant from residences, and shielding air compressors and portable generators		district (Sec. L-II 3.21) and surface mining is allowed in the	
M1-ME.  A variance for buildings heights exceeding 45 ft will be required for the headframes and process plant building.  Boundary line adjustments will be required for three parcels of the Brunswick Industrial Site so that parcel lines do not cross proposed buildings  Population and Housing Noise and Vibration  Noise - Construction  Significant and Unavoidable  Construction noise is exempt from Nevada County noise regulations. However, noise from construction of the NID potable water line extension is considered significant and unavoidable under CEQA criteria.  Mone Required.  Annotations will be added to improvement plans for the potable water line along E. Bennett Road requiring advance notification of construction dates to nearby residents, utilization of the quietest equipment capable of performing required construction, locating staging areas distant from residences, and shielding air compressors and portable generators		IVIT alstrict (Sec. L-II 3.22).	
A variance for buildings heights exceeding 45 ft will be required for the headframes and process plant building.  Boundary line adjustments will be required for three parcels of the Brunswick Industrial Site so that parcel lines do not cross proposed buildings.  Population and Housing Noise and Vibration  Noise - Construction  Significant and Unavoidable  Construction noise is exempt from Nevada County noise regulations. However, noise from construction of the NID potable water line extension is considered significant and unavoidable under CEQA criteria.  Annotations will be added to improvement plans for the potable water line along E. Bennett Road requiring advance notification of construction dates to nearby residents, utilization of the quietest equipment capable of performing required construction, locating staging areas distant from residences, and shielding air compressors and portable generators.			
required for the headframes and process plant building.  Boundary line adjustments will be required for three parcels of the Brunswick Industrial Site so that parcel lines do not cross proposed buildings.  Population and Housing Noise and Vibration  Noise - Construction  Significant and Unavoidable  Construction noise is exempt from Nevada County noise regulations. However, noise from construction of the NID potable water line extension is considered significant and unavoidable under CEQA criteria.  None Required.  Annotations will be added to improvement plans for the potable water line along E. Bennett Road requiring advance notification of construction dates to nearby residents, utilization of the quietest equipment capable of performing required construction, locating staging areas distant from residences, and shielding air compressors and portable generators.		M1-ME.	
required for the headframes and process plant building.  Boundary line adjustments will be required for three parcels of the Brunswick Industrial Site so that parcel lines do not cross proposed buildings.  Population and Housing Noise and Vibration  Noise - Construction  Significant and Unavoidable  Construction noise is exempt from Nevada County noise regulations. However, noise from construction of the NID potable water line extension is considered significant and unavoidable under CEQA criteria.  None Required.  Annotations will be added to improvement plans for the potable water line along E. Bennett Road requiring advance notification of construction dates to nearby residents, utilization of the quietest equipment capable of performing required construction, locating staging areas distant from residences, and shielding air compressors and portable generators.		A variance for buildings heights exceeding 45 ft will be	
of the Brunswick Industrial Site so that parcel lines do not cross proposed buildings.  Population and Housing Noise and Vibration  Noise - Construction  Significant and Unavoidable Construction noise is exempt from Nevada County noise regulations. However, noise from construction of the NID potable water line extension is considered significant and unavoidable under CEQA criteria.  None Required.  Annotations will be added to improvement plans for the potable water line along E. Bennett Road requiring advance notification of construction dates to nearby residents, utilization of the quietest equipment capable of performing required construction, locating staging areas distant from residences, and shielding air compressors and portable generators.			
of the Brunswick Industrial Site so that parcel lines do not cross proposed buildings.  Population and Housing Noise and Vibration  Noise - Construction  Significant and Unavoidable Construction noise is exempt from Nevada County noise regulations. However, noise from construction of the NID potable water line extension is considered significant and unavoidable under CEQA criteria.  None Required.  Annotations will be added to improvement plans for the potable water line along E. Bennett Road requiring advance notification of construction dates to nearby residents, utilization of the quietest equipment capable of performing required construction, locating staging areas distant from residences, and shielding air compressors and portable generators.		Boundary line adjustments will be required for three parcels	
Population and Housing Noise and Vibration  Noise - Construction  Significant and Unavoidable Construction noise is exempt from Nevada County noise regulations. However, noise from construction of the NID potable water line extension is considered significant and unavoidable under CEQA criteria.  None Required.  Annotations will be added to improvement plans for the potable water line along E. Bennett Road requiring advance notification of construction dates to nearby residents, utilization of the quietest equipment capable of performing required construction, locating staging areas distant from residences, and shielding air compressors and portable generators.		of the Brunswick Industrial Site so that parcel lines do not	
Noise and Vibration  Noise - Construction  Significant and Unavoidable  Construction noise is exempt from Nevada County noise regulations. However, noise from construction of the NID potable water line extension is considered significant and unavoidable under CEQA criteria.  Annotations will be added to improvement plans for the potable water line along E. Bennett Road requiring advance notification of construction dates to nearby residents, utilization of the quietest equipment capable of performing required construction, locating staging areas distant from residences, and shielding air compressors and portable generators.	Population and Housing		None Required
potable water line along E. Bennett Road requiring advance construction noise is exempt from Nevada County noise regulations. However, noise from construction of the NID potable water line extension is considered significant and unavoidable under CEQA criteria.  potable water line along E. Bennett Road requiring advance notification of construction dates to nearby residents, utilization of the quietest equipment capable of performing required construction, locating staging areas distant from residences, and shielding air compressors and portable generators.	Noise and Vibration	Ecoo dian arginioant	1 to no 1 toquirou.
Construction noise is exempt from Nevada County noise regulations. However, noise from construction of the NID potable water line extension is considered significant and unavoidable under CEQA criteria.  notification of construction dates to nearby residents, utilization of the quietest equipment capable of performing required construction, locating staging areas distant from residences, and shielding air compressors and portable generators.	Noise - Construction	Significant and Unavoidable	
regulations. However, noise from construction of the NID potable water line extension is considered significant and unavoidable under CEQA criteria.	1	Construction noise is exempt from Nevada County noise	
potable water line extension is considered significant and required construction, locating staging areas distant from unavoidable under CEQA criteria. residences, and shielding air compressors and portable generators.			
generators.		regulations. However, noise from construction of the NID	utilization of the quietest equipment capable of performing
		regulations. However, noise from construction of the NID potable water line extension is considered significant and	utilization of the quietest equipment capable of performing required construction, locating staging areas distant from
		regulations. However, noise from construction of the NID potable water line extension is considered significant and	utilization of the quietest equipment capable of performing required construction, locating staging areas distant from residences, and shielding air compressors and portable

Subject	Potential Imposts	Mitigation Measures
-	Impacts Loss than significant after mitigation	I so of jake hrakes by trucks will be prohibited
Noise - Operations	Less than significant after mitigation	Use of jake brakes by trucks will be prohibited.
	Consultant collected ambient noise and vibration levels at	All on-site mobile equipment will be fitted with broad-band
	representative sensitive receptors and modelled noise from the project elements including machinery and truck traffic.	"growler" type back-up warning devices rather than conventional "beeper" devices.
		A noise monitoring program will be implemented to ensure
Diagting Vilenations	Local Manage in wife court office with motion	compliance with regulations.
Blasting Vibrations	Less than significant after mitigation	A monitoring program will be implemented to establish background levels, record ground vibrations, and model
	The majority of planned mining is greater than 1000 feet from surface. The anticipated impact from drilling and blasting surrounding the proposed mine is negligible.	ground vibration.
Drilling Vibrations	No Impact	None Required.
	The community will experience no ground vibration from the drilling activities at the mine. The drilling produces no longstanding ground vibration and has no effect a few feet from the hole being drilled.	
Public Services and Utilit		
Fire, Police, and other	Less than significant	None Required.
government services.	No new fire, police, parks, waste, or other government facilities are required.	
Water Supply	Less than significant	None Required.
	There is sufficient water supply available to serve the project	
Electrical Supply	in normal, dry, and multiple dry years.  Less than significant	None Required.
	-	
	There is sufficient electricity supply available from PG&E to serve the project.	
Transportation and Traffic	Carvo trio project.	
Traffic Intersections	Significant and Unavoidable	Rise will enter into a Traffic Mitigation Agreement with
	The majority of traffic from the project is scheduled during off peak hours.	Nevada county regarding the Brunswick Road / SR174 intersection which will require the payment of a fair share of 14.9% towards the improvement of this intersection. Rise
	One intersection at Brunswick Road and highway SR 174 is currently operating at a level of service E. The project would add 10 additional vehicles to this intersection during the 3:30 - 4:30 PM time period. This intersection is not currently identified in a traffic improvement program and therefore the impact to this intersection is considered significant and	estimates this fair share to be approximately \$67,000.  Rise will pay a fair share payment of 8.5% to the City of Grass Valley for the future retiming of traffic lights at Brunswick Road and Sutton Way. Rise estimates this fair share payment to be negligible.
	unavoidable despite the payment of a fair share for the installation of a traffic light.	Rise will pay the Western Nevada County Regional Transportation Mitigation Fee, Nevada County Local Traffic Mitigation Fee, and Grass Valley Traffic Impact Fee, based
	Traffic delay shall not be considered a significant impact on the environment in recent changes to CEQA. However, the addition of additional vehicles to intersections currently operating at an unacceptable level of service is considered an impact due to the policies of Nevada County.	on the square footage of buildings constructed.
Road Improvements	Less than significant after mitigation	A construction signing and traffic control plan will be
	Truck traffic will utilize Brunswick Road, a minor arterial	prepared and approved by Nevada County prior to the commencement of construction.
	road, to access State Highway 20/49. Engineered fill trucks	
	would use Whispering Pines Drive from Brunswick Road to access the Centennial site.	A road maintenance agreement will be negotiated between Rise and Nevada County and the City of Grass Valley to provide the project fair share of funding for maintenance of a
	Employees would enter and exit the site from the main gate on Brunswick Road.	portion of E. Bennett Road and Brunswick Road where truck traffic may impact pavement conditions.
	Trucks would enter the site from the main gate on Brunswick Road and exit the site from the gate on E. Bennett Road. Exiting trucks would turn right on E. Bennett Road to the 4-way intersection at E. Bennett, Brunswick, and Greenhom	The driveway at the E. Bennett Road gate from the Brunswick site will be widened to allow right hand turning of trucks exiting the property.
	Roads.	A left-hand turn lane will be constructed on Whispering Pines Lane for queuing of trucks turning into the Centennial site.
		Two traffic signs will be installed on Brunswick Road.
		Any landscaping or vegetation over 2 feet in height inside the sight line from the project driveway to Brunswick Road will be removed.

Subject	Potential Impacts	Mitigation Measures
Vehicle Miles Travelled	Less than significant	None required.
	The daily vehicle miles travelled per employee of 13.9 daily VMT per employee is less than the Nevada County threshold of 15.9 for the Grass Valley subarea.	
Wildfire		
Emergency Evacuation	Less than significant	None required.
	The project will not impair an adopted emergency response or evacuation plan.	
Wildfire Risk	Less than significant after mitigation	A comprehensive Vegetation Management Plan will be submitted for review and approval by the Nevada County Fire Marshall Office before construction commences.

### **Project Design**

The Idaho-Maryland Mine is a past producing gold mine which produced 2,414,000 oz of gold at an average mill head grade of 17 gpt gold from 1866-1955.

The Idaho-Maryland Mine was the second largest lode gold producer in the United States before being forced to close under War Production Board Order L-208 during World War II. In the two years before closure, 1940 and 1941, mine production averaged 920 tons per day with an average mill head grade of 0.38 oz per ton (12.9 gpt) and 121,000 oz of gold production per year.

The Company has recently completed 67,500 feet (20,600 meters) of exploration core drilling at the IMM Project. Numerous high-grade gold intercepts have been encountered, both near the existing mine workings and to depths significantly below historic mining areas.

The Use Permit application proposes underground mining to recommence at an average throughput of 1,000 tons per day. The existing Brunswick Shaft, which extends to ~3400 feet depth below surface, would be used as the primary rock conveyance from the underground workings. A second service shaft would be constructed by raising from underground to provide for the conveyance of personnel, materials, and equipment. Gold processing would be done by gravity and flotation to produce gravity and flotation gold concentrates. Processing equipment and operations would be fully enclosed in attractive modern buildings and numerous mature trees located on the perimeter of the Brunswick Site would be retained to provide visual shielding of aboveground project facilities and operations.

The Company would produce barren rock from underground tunneling and sand tailings as part of the project which would be used for creation of approximately 58 acres of level and useable industrial zoned land for future economic development in Nevada County.

A water treatment plant and pond, using conventional processes, would ensure that groundwater pumped from the mine is treated to regulatory standards before being discharged to the local waterways.

Approximately 300 employees would be required when the mine reaches full production, the majority of which will be drawn from the local Nevada County population.

The Company believes the drilling program has been successful but cautions investors no current mineral resources or mineral reserves have been defined. The Company's submission of an application for a Use Permit from Nevada County requires information regarding planned throughput and material quantities. The Company cautions investors that no Technical Report has been filed to support that this rate of production will be achieved. The Company has not completed a feasibility study to establish mineral reserves and therefore has not demonstrated economic viability of the IMM Project. The Company has not made a production decision for the IMM Project.

## About Rise Gold Corp.

Rise Gold is an exploration-stage mining company incorporated in Nevada, USA. The Company's principal asset is the historic past-producing Idaho-Maryland Gold Mine located in Nevada County, California, USA. To learn more about the company, visit www.risegoldcorp.com.

### **About Rise Grass Valley Inc.**

Rise Grass Valley, a subsidiary of Rise Gold Corp., proposes to reinitiate underground mining and gold mineralization processing at the Idaho-Maryland Mine in unincorporated Nevada County. State-of-the-art facilities utilizing the environmentally friendly technology will be located on the Brunswick Industrial Site. To learn more about the project and community, visit <a href="https://www.risegrassvalley.com">www.risegrassvalley.com</a>.

On behalf of the Board of Directors:

Benjamin Mossman President, CEO and Director Rise Gold Corp.

For further information, please contact:

#### RISE GOLD CORP.

Suite 215, 333 Crown Point Circle Grass Valley, CA 95945 T: 530.433.0188 info@risegoldcorp.com www.risegoldcorp.com

The CSE has not reviewed, approved or disapproved the contents of this news release.

# **Forward-Looking Statements**

This press release contains certain forward-looking statements within the meaning of applicable securities laws. Forward-looking statements are frequently characterized by words such as "plan", "expect", "project", "intend", "believe", "anticipate", "estimate" and other similar words or statements that certain events or conditions "may" or "will" occur.

Although the Company believes that the expectations reflected in the forward-looking statements are reasonable, there can be no assurance that such expectations will prove to be correct. Such forward-looking statements are subject to risks, uncertainties and assumptions related to certain factors including, without limitation, obtaining all necessary approvals, meeting expenditure and financing requirements, compliance with environmental regulations, title matters, operating hazards, metal prices, political and economic factors, competitive factors, general economic conditions, relationships with vendors and strategic partners, governmental regulation and supervision, seasonality, technological change, industry practices, and one-time events that may cause actual results, performance or developments to differ materially from those contained in the forward-looking statements. Accordingly, readers should not place undue reliance on forward-looking statements and information contained in this release. Rise undertakes no obligation to update forward-looking statements or information except as required by law.

<sup>[1]</sup> Raney has completed over 1,000 ŒQA, NEPA, and planning-related projects, ranging from unique and complex projects necessitating the management of multi-disciplinary team of experts to publicly controversial projects requiring involvement and coordination of project stakeholders and concerned citizens.

<sup>[2]</sup> Intersection at Brunswick Road and highway SR 174. The project would add ~10 additional vehicles to ~1015 vehicles currently traveling through this intersection during the 3:30 - 4:30 PM time period.



To view the source version of this press release, please visit <a href="https://www.newsfilecorp.com/release/108992">https://www.newsfilecorp.com/release/108992</a>