

Northern Iron Corp. Signs Lithium Brines Projects In Nevada And Arizona

VANCOUVER, BRITISH COLUMBIA, CANADA – August 2nd, 2016.

Northern Iron Corp. ("Northern Iron" or the "Company") (TSX-V: NFE) (FRANKFURT: N8I) announces the acquisition of three prospective lithium projects in Nevada and Arizona.

Details of the properties follow below.


Basil Botha, president, said: "When determining the prospectivity of lithium projects, it's important that the following criteria is met: road accessibility, electricity, rail, labour and the ability to conduct work programs throughout the year. I am delighted to say that all the projects the Company has acquired have meet the logistical conditions that the Company looks at in assessing projects".

Mr. Botha started his career in the mining industry in the 70's and has extensive knowledge of the minerals and metals markets in Europe, Japan, Taiwan and South Korea where he supplied lithium and spodumene to the ceramics and glass industry from Bikita Minerals, Zimbabwe. Bikita Minerals together with the Greenbushes mine in Australia are the largest hard rock lithium mines in production. Mr. Botha was the chairman of Lithium Americas when the company went public in 2010. The properties held by Lithium Americas were lithium and potash brines in Jujuy Province of Argentina.

Mr. Botha continued, "Our goals over the next few months will be to complete the necessary geophysics and analytical aspects of delineating and quantifying the brine reservoirs".

NEVADA

Northern Iron Corp. has acquired 140 mineral claims comprising 2,800 acres in Clark County, Nevada. The contiguous 'Jackpot Lake' claim group is located 39 miles NE of Las Vegas.



Highlights/Geology - Jackpot Lake

The USGS conducted a survey in 1976 taking 129 core samples, all of which encountered lithium with values up to 550 ppm and an average of 175 ppm.

The geological and structural setting as well as the weathering history and brine at Jackpot Lake is highly analogous to the Clayton Valley, where Albemarle has its Silver Peak lithium-brine operation.

Albermarle has been in continuous production of lithium carbonate and lithium hydroxide products from Clayton Valley brines since 1967.


The property is ideally situated to take advantage of amongst other things the solar energy zone in Nevada, and right off of the highway with associated logistical and infrastructural advantages.

.92	L SANCE	SWNR	SENE	18.02	24695	17.897	1/.8	16.00	1/.82	113	C 12	SWNW	SENA	ALL &	and so	SWNW	SEN
NW2	SERW	19 40	40	A 40 SWNW	A 40 SENW	A 40 SWNE	A 40 SENE	3612	A 40 SENW	A 40 SWNE	A 40 SENE	30	x 40	AL 40 SWNE	A 40 SENE	A 40	3/4
	3 40	-hwise	NESE	12	4.40	2 40	40	7 (10 3612	4 40	A 40		NWSW	NESW	A 40	A 40	NWSW 9 40	NES
ISW	NESW	SWSE	NENE	rewsw.	NESW	NWSE	NESE	1,10	NESW		NESE	8 SWSW	AFSW	NWSE	NESE	9 SWSW	are
10 	3 40	× 40	A 40 1	4. 40 SWSW	4 40 SESW	a 40 SWSE	A 40 SESE	36.12	A 40 SESW	A 40	AL-AN	66°46		A 40 SWSE	A 40	A 40	A 41
NW	NENW	NWNE	NENE	1.30	The second	40		No. Con	- MENUN	TWNE	THOSE	10/40	A 40	A 40	3.40	NWNW	NEN
1	A 40	401		NWINKT	NENW	NWNE	ARENE	125	-				NENW	NWNE,	NENE"	A 40	-
4	SENW SEL	SWNE.	AL 40 C	1.40	a 40	CONTRACTOR OF LAND	A 40		A 40	SWNE 8	SENE A 40	5 40 -		L 1 40	L 2 40	SWNW	SEN A 4
isw.	NESW	NWSE	NESE	SWNW 13	SERVIN	SWINES	SENE	L 7	NESW	NWSE	NESE	SWNW 17	133 A. 1.			16 NWSW	NES
**	A 40		and the	NWSW	A 40 NESW	A 40	NESE	36.22	A 400	7.40	40	A 40 INWSW	A 40 NESW	A 40 NWSE	A 40 NESE	A 40	A 4
SM.	SESW 3 40	SWSE 40	SESE.	3. 40	x 40 g	A 40	4 40	L 5 36.26	SESW A 40	SWSE A 40	SESE A 40	A 40	1/40	A 40	A 40	SWSW 3-40	SES
7.97	NENW	NWNE	NENE	NWNW	NERVE	NWNE	NENE	L 8 L 5	NENW		NENE	SWSW	SESW	SWSE NWNE	SESE	NWNW	NEN
	a 40	A 40	40	A. 40	~ 物語	A 406	A 40	36.29 L 5	A 40	A 40 NWNE	A 40	A 40 NWNW	A 40 NENW	A 40	A 40 NENE	A 40	22.4
NW 10	SENW	SWINE 40	SENE	SWNW_	A 40	SWNE	SENE A 140	L.6 36.33	SENW A 40	SWNE A 40	SENE A 40	20 40	SENW	A 40	30.11 L-11.0	34.2	3
Tellar -	NESW	NWSE	NESE	24 NWSW		NWSE	NESE	1	a 19	NWSE	NESE	ASWNW NØŚW-		SWNE	1 2175	0-4E	21
60 ·	40 A	\$ 40	410	1 40 %	A H	A 40	40	36.35 L	7 10-	1 40			A 40 NESW	A 40	1.2	- State	1.33
5577	SESU	SWSE	SESE .	SWSW	SESW	4 40	SE SE	1818		SPARE	E SESE	12 340 Y	SESW	A 40 /	P. A. B	ANSW.	1
and the second	ALENW.	NWNE	DENE	NEWNEW	NENW	SWSE	NENE	3632	ALCADAL	NWNE	NENE	SWSW	NENW	SWSE		- NUMPLW	100
40	2 40	4. 40	2.40	4.40	A 40	A 40	A 140	36.42 L-5		A 40	A 40	A 40 NWNW	A 40	A 40		40	and the
767	SENW	SWNE A	SENE	SWNW 40	SENW X 40	SWNE A 40	SE CE	L 6-	SENW	SWNE	A SENE	Les /	A 40	1 40	The	SWNW	SEL
	and the second		NESE	25	NESW	NWSE	NESE	L 60.		ar ha	30 NESE	SWNW	SENW	SWINE	1 m	28 NWSW	
4	NESW A 10	MW-SE 14	3 40 -	nwsw 7740	AL 40	A 40	A 40	36.5	A 40	NWSE A 40	1 40	29 40 NWSW	A 40	/	A 40 NESE	A -407	A 4
	SESW	SWSE	SESE	SWSW	-SESW	SWSE	SESE	1.7	SESW	SWSE	SPAL	A	NESW SESW	1	and the second	SWSW	AT.
			12-40- 		~~		40	36.54	A 49	a 40		SWSW	1 40	12	A 40 SESE		and the second s
TNBAT.	NENW:	NWNE 35-40	NEDE A 40	1000000 4,40	NENW A -40	NWNE 4 40	MENE A 40	16.59 36.59	A 40	NWNE 40	NELE. A 46	ALAO	A 4	NWNE A 40	NENE A 40	NWNW 8 40	11E
ALL ST	SERVER	SWNE	SENE	SWINA	SERIW	SWNE	SENE	15	3 SENW	SWNE	SENE	SWEW	ALIW	SWNE	SENE	SWINW	SEA
(P	14	A 40-	2 40	36 4	40	3 40	14-40	36.66	* 40	A 40	4 40	32 40	12 40	A 40	A 40	33 40	2.4

Jackpot Lake claims cover the entire dry lake bed. ARIZONA

The company has also acquired two land packages in Arizona, consisting of 1,434 acres in the Wilcox Playa Basin; a large dry lakebed in southeastern Arizona, and 289 acres in the the Little Rock Target in Yavapai County, Arizona.

"LR" Claim Block Yavapai County, Arizona



Highlights/Geology - Wilcox Playa

The Willcox Playa lithium brine target, as per the USGS 1976 report, consists of one of the most prospective locations for undiscovered lithium brines and most nearly like the currently exploited brine field in Clayton Valley, Nevada. Airborne electromagnetic prospecting by the

USGS identified a 22-square-mile anomaly characterized by high electrical conductivity. The USGS interpreted this anomaly to be caused by a subsurface brine field hosted in sediments beneath the dry playa surface. Arizona Department of Water Resources records show that wells in the vicinity of this anomaly generally report water tables within 60 feet of the playa surface.

The combination of a gravity survey showing a closed gravity low coincident with the zone of high electrical conductivity reinforces the concept that an accumulation of brine is present beneath Willcox Playa and that no hydrological outlet allows the accumulated brine to escape. High evaporation rates relative to precipitation in this desert environment allows any brine to become increasingly concentrated over time.

A likely source area for lithium is located to the south, up the hydrological gradient from Willcox Playa in the felsic volcanic rocks at Three Sisters Buttes. Hot spring activity at Sulphur Springs, three miles up the hydrological gradient from the Arizona land permits, provides an ongoing mechanism for alteration and leaching of lithium-bearing felsic volcanic rocks. Subsurface drainage of this hydrothermal discharge will report directly to Willcox Playa in the vicinity of the Arizona land permits.

Highlights/Geology - Little Rock

The Little Rock target was first identified serendipitously during a helicopter-borne VTEM electromagnetic survey conducted by Bell Copper Corporation in 2007 while searching for massive copper sulfide deposits. A large, highly electrically conductive body at the south end of the survey area was checked on the ground and found to be a strongly clay-altered rhyolite tuff mostly concealed by a basalt flow.

Geological mapping to the west shows a similar bimodal rhyolite-basalt volcanic association that has been dated between 12 Ma and 8.8 Ma (Late Miocene, Moyer, 1990).

Recognizing that the clay body had potential to be a lithium clay deposit, a reconnaissance sampling campaign was done to understand the extent of the target and the presence, if any, of lithium. Clear evidence was found of a closed, lacustrine paleoenvironment, including thinly bedded rhyolitic claystone and ripple-marked rhyolitic sandstone.

Prior to emplacement of the capping basalt flow, hydrothermal fluid controlled by the basin bounding fault altered the rhyolitic glass to lithium-enriched clay, and then probably discharged into a shallow lakebed. In order to capture the projected basin-bounding fault and the potential volume of hot spring discharge into a closed basin beneath the capping basalt flow, 14 unpatented lode mining claims were staked.

The conceptual dimensions of the target are about 2500 meters along the strike of the basinbounding fault, about 300 meters perpendicular to the fault, by about 20 meters thick. Hectorite clay (LR-6) from an active bentonite mine located in the same late Miocene lacustrine and volcanic strata 40 kilometers to the east carries over 2700 ppm lithium.

Timothy Marsh PHD, P. Eng QP prepared the disclosures reports related to these projects.

NI-43-101 reports have not been prepared on these properties.

About Northern Iron Corp.

Northern Iron is the owner of five iron (magnetite) properties in the Red Lake District in the Province of Ontario. The Red Lake District is an established mining area in Ontario where Northern Iron has two near term development projects, the past producing <u>Griffith</u> mine and the <u>Karas</u> property.

Northern Iron is currently working towards the production of Hot Briquetted Iron (HBI), a transportable form of direct reduced iron. HBI is complementary and a viable metallic supplement to scrap steel. Quality scrap is a critical raw material in the steel making process. With the diminishing supply of quality scrap steel and ever increasing market demand, steel producers around the world will be looking to secure alternative supplies of metallic products.

As part of the business plan, Northern Iron has acquired the past producing Griffith mine, which produced pellets and sponge iron (Direct Reduced Iron/DRI) from 1968 to 1986. The mine was owned and operated by STELCO and supplied pellets and sponge iron to the Hamilton and Nanticoke steel mills in Ontario.

Transportation infrastructure is currently in place to ship produced HBI into the North American market via rail and lake barges and into Asian markets via rail through the port of Prince Rupert. Existing infrastructure includes all weather roads, 115kV power line, natural gas line, rail bed and port facilities.

To date, Northern Iron has focused on de-risking the project by seeking out potential joint venture partners, off-take agreements or a combination thereof.

Neither the TSX Venture Exchange nor its Regulation Service Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this release. No stock exchange, securities commission or other regulatory authority has approved or disapproved the information contained herein.

For further information, please contact:

Basil Botha President & CEO Northern Iron Corp.

Tel: 604-566-8570 Fax: 604-602-9868

Email: <u>bbotha@northernironcorp.com</u> Website: <u>www.northernironcorp.com</u>

For up to the minute news, industry analysis and feedback follow us on <u>Facebook</u>, <u>Twitter</u>, <u>LinkedIn</u>, <u>Google Plus</u> and <u>YouTube</u>.