



#202 – 905 West Broadway, Vancouver, BC V5Z  
4M3  
CSE - CAT

**CHIMATA GOLD CORP  
COMPLETES PLANNED DRILLING ACTIVITIES AND ANNOUNCES INITIAL Li<sub>2</sub>O ASSAYS AT  
KAMATIVI TAILINGS LITHIUM PROJECT**

**Vancouver, BC August 27, 2018** – Canadian strategic metals company **Chimata Gold Corp. (CSE: CAT)** (“Chimata” or the “Company”) is pleased to announce the completion of its drilling program and release of Li<sub>2</sub>O assay results and it is on track to complete a maiden NI 43-10 Resource Statement at its Kamativi Tailings Lithium Project in Zimbabwe.

**High grade Li<sub>2</sub>O intercepts include:**

- Hole KT 99: Length **15.00m @ 1.07% Li<sub>2</sub>O**
- Hole KT 98A: Length **21.70m @ 0.94% Li<sub>2</sub>O**
- Hole KT 108: Length **14.30m @ 0.91% Li<sub>2</sub>O**
- Hole KT 101: Length **24.00m @ 0.89% Li<sub>2</sub>O**
- Hole KT 108A: Length **23.46m @ 0.87% Li<sub>2</sub>O**
- Hole KT 101A: Length **28.50m @ 0.87% Li<sub>2</sub>O**
- Hole KT 107: Length **17.40m @ 0.86% Li<sub>2</sub>O**
- Hole KT 99A: Length **31.50m @ 0.86% Li<sub>2</sub>O**

**Resource Drilling Program**

The Company is pleased to announce the completion of its initial drilling program at the Kamativi Tailings Lithium Project (the “**Project**”). The drilling program comprised a total of 114 holes nominally spaced on a 100 x 100m grid pattern drilled vertically through the historic surface tailings facility at the dormant Kamativi Tin Mine, Kamativi, Zimbabwe. The total meters drilled during this program amounted to 1,865m. The results of the individual hole depths declared, reinforce the Company’s belief and expectation of volume of tailings contained at the tailings storage facility. For details of hole depth refer to Table 1 found in Appendix B.



The Company collected samples for assay throughout the drill campaign. A total of 1,261 samples were taken during the program. The Company is pleased to announce that all assays have been exported to SGS South Africa (Pty) Ltd. All assaying and laboratory analysis has been completed and full intersections with results to date are provided in Table 2 of Appendix C.

All laboratory analyses were conducted at the SGS South Africa, Randfontein Laboratory. SGS Randfontein is an accredited laboratory and complies with the requirements of ISO17025. Determination of multi element assay values carried out by means of sodium peroxide fusion, ICP-OES+ ICP-MS finish.

The results from Kamativi have demonstrated the presence of the  $\text{Li}_2\text{O}$  throughout the Tailings Facility with assay results returning high-grade Lithia intersections between 0,37-1.07%  $\text{Li}_2\text{O}$ . The completion of the assay program will contribute towards a maiden resource statement planned to be announced in September 2018.

One of South Africa's leading geological consultants, The MSA Group ("**MSA**") personnel were engaged and had been present on site throughout the program, providing independent QA/QC monitoring and management of the drilling campaign. MSA have been retained to complete a mineral resource statement based on the drilling program and completion of assays, culminating in the compilation of a NI 43-101 Technical Report for the Project. Further information on MSA can be found on their website at: <http://msagroupservices.com/>

Zimbabwean drilling contractor Optimum Drilling (Pvt) Ltd were engaged to provide drilling services for the program. Drilling comprised a combination of open core drilling and power cased auger drill rigs. Drilling operations commenced 2<sup>nd</sup> March 2018 and completed 18<sup>th</sup> May 2018. Hole depth varied from <5m around the tailings facility perimeter to a maximum of 37,3m Hole KT79.

John McTaggart – Managing Director of Zimbabwe Lithium commented “We are extremely pleased with the results that we have received from this resource drilling program. The results are consistent with the preliminary exploration data we collected during the initial evaluation phase conducted between 2015 and 2017. The Government of Zimbabwe has implemented strategies to fast track the development of projects of national importance through its Rapid Results Initiative. The Kamativi Tailings Lithium Project has benefitted from the support it has received through inclusion in this process, further adding to the confidence that we have in this extraordinary project. The completed resource drilling program is a key deliverable in the prioritised development of this project, allowing us to rapidly advance to the next stage of this project.”

The tailings facility has been defined as covering an area of approximately 1 Km<sup>2</sup>. Please refer to Appendix A of this News release for Plans and Sections of the Tailings Storage Facility.

Alain Moreau, a “qualified person” as defined by NI 43-101 – *Standards of Disclosure for Mineral Projects* has approved the scientific and technical disclosure in this press release.

**ON BEHALF OF THE BOARD**

**Richard Groome**

*Chairman and Interim President and CEO*



Further information regarding the Company can be found on SEDAR at [www.SEDAR.com](http://www.SEDAR.com), or by contacting the Company directly at 1(604) 674-3145.



*This news release may contain forward-looking statements. Forward-looking statements address future events and conditions and therefore involve inherent risks and uncertainties. Actual results may differ materially from those currently anticipated in such statements. Particular risks applicable to this press release include risks associated with planned production, including the ability of the company to achieve its targeted production outline due to regulatory, technical or economic factors. In addition, there are risks associated with estimates of resources, and there is no guarantee that a resource will have demonstrated economic viability as necessary to be classified as a reserve. There is no guarantee that additional exploration work will result in significant increases to resource estimates*



*Neither CSE nor its Regulation Services Provider (as that term is defined in policies of the CSE) accepts responsibility for the adequacy or accuracy of this release.*



We seek safe harbour



# Appendix A – Plans and Cross Sections\*




















*\*Cross Sections have been developed from both completed drill holes and, where the drill hole stopped in tailings, the bottom of hole has been interpreted from drill hole depth and projected original surface topography.*

## Appendix B - Kamativi Tailings Lithium Project: Drill Hole Depths

Table 1: Drill Hole Depths

Hole ID	Collar (m)	End of Hole (m)	Comments
KT01	0	3,9	
KT02	0	3,3	
KT03	0	3,2	
KT04	0	4,3	
KT05	0	8,6	
KT06	0	10,8	
KT07	0	18,5	
KT08	0	20,8	Stopped in Tailings Open at Depth
KT09	0	6,0	
KT10	0	10,5	
KT11	0	3,0	
KT12	0	3,0	
KT13	0	4,5	
KT14	0	19,5	
KT15	0	28,5	
KT16	0	24,0	
KT17	0	25,3	Stopped in Tailings Open at Depth
KT18	0	28,3	Stopped in Tailings Open at Depth
KT19	0	19,5	
KT20	0	5,5	
KT22	0	5,3	
KT23	0	18,0	
KT24	0	20,9	
KT25	0	25,5	Stopped in Tailings Open at Depth
KT26	0	25,8	Stopped in Tailings Open at Depth
KT27	0	24,0	
KT28	0	5,5	
KT32	0	16,3	
KT33	0	22,5	
KT34	0	22,4	Stopped in Tailings Open at Depth
KT35	0	19,4	
KT36	0	14,9	
KT42	0	12,0	Stopped in Tailings Open at Depth
KT42A	0	21,8	
KT43	0	10,0	Stopped in Tailings Open at Depth
KT44	0	9,8	Stopped in Tailings Open at Depth
KT45	0	13,3	
KT46	0	6,5	
KT53	0	18,0	Stopped in Tailings Open at Depth
KT54	0	18,0	Stopped in Tailings Open at Depth

KT55	0	19,5	
KT56	0	16,5	
KT57	0	8,0	
KT64	0	3,8	
KT65	0	22,5	
KT66	0	30,9	Stopped in Tailings Open at Depth
KT67	0	28,5	Stopped in Tailings Open at Depth
KT68	0	24,9	
KT69	0	11,3	
KT77	0	29,0	
KT78	0	35,2	Stopped in Tailings Open at Depth
KT79	0	37,3	
KT80	0	33,0	
KT88	0	9,0	
KT89	0	10,5	Stopped in Tailings Open at Depth
KT89A	0	14,9	Stopped in Tailings Open at Depth
KT91	0	13,1	Stopped in Tailings Open at Depth
KT92	0	13,5	Stopped in Tailings Open at Depth
KT93	0	6,0	
KT94	0	22,0	Stopped in Tailings Open at Depth
KT95	0	14,8	
KT96	0	17,7	
KT97	0	16,5	Stopped in Tailings Open at Depth
KT97A	0	21,3	
KT98	0	18,9	Stopped in Tailings Open at Depth
KT98A	0	21,7	
KT98B	0	36,0	
KT99	0	15,0	Stopped in Tailings Open at Depth
KT99A	0	31,5	
KT100	0	17,0	Stopped in Tailings Open at Depth
KT101	0	24,0	Stopped in Tailings Open at Depth
KT101A	0	28,5	
KT105	0	24,4	
KT106	0	23,8	
KT107	0	17,4	
KT108	0	14,3	
KT108A	0	23,46	
KT112	0	18,0	
KT113	0	18,3	
KT114	0	24,0	
KT119	0	6,0	
KT125	0	5,0	
KT130	0	8,0	
KT136	0	5,1	
KT143	0	12,7	
KT155	0	14,0	Stopped in Tailings Open at Depth
KT156	0	10,0	Stopped in Tailings Open at Depth

KT157	0	17,6	Stopped in Tailings Open at Depth
KT158A	0	21,4	
KT159	0	19,5	Stopped in Tailings Open at Depth
KT164	0	4,5	
KT165	0	6,0	
KT166	0	12,0	Stopped in Tailings Open at Depth
KT167	0	8,7	
KT168	0	3,0	
KT169	0	9,0	
KT170	0	3,0	
KT200	0	4,3	
KT201	0	16,5	Stopped in Tailings Open at Depth
KT202	0	18,8	
KT203	0	20,9	
KT204	0	13,5	Stopped in Tailings Open at Depth
KT205	0	9,0	
KT206	0	24,5	Stopped in Tailings Open at Depth
KT207	0	27,7	Stopped in Tailings Open at Depth
KT208	0	20,3	
KT209	0	25,3	
KT210	0	28,5	
KT211	0	28,5	Stopped in Tailings Open at Depth
KT212	0	6,0	
KT213	0	15,6	Stopped in Tailings Open at Depth
KT214	0	8,7	Stopped in Tailings Open at Depth
KT215	0	15,0	Stopped in Tailings Open at Depth
KT216	0	6,0	

*\*Drilling was undertaken by three Auger Drill Rigs. Each Rig deployed had varying depth penetration capabilities. "Stopped in Tailings Open at Depth" refers to those holes where the Auger Drill Rig deployed for that specific hole reached the limit of its penetration but the hole was still in tailings and had not made contact with bottom of tailings /original ground level contact.*

## Appendix C

### Kamativi Tailings Lithium Project Drill Hole Assays

Table 2: Drill Hole Assays

Hole ID	Easting	Northing	Elevation	From (m)	To (m)	Li <sub>2</sub> O (%)	Depth (m)	Average Li <sub>2</sub> O (%)	Comments
KT01	505415,6	7974250	926,107	0	3	0,79	3,9	0,71	
				3	3,9	0,42			
KT02	505333,5	7974288	923,282	0	3	0,81	3,3	0,81	
				3	3,3	0,84			
KT03	505251,8	7974328	919,601	0	3	0,27	3,2	0,27	
				3	3,2	0,34			
KT04	505257,8	7974372	921,132	0	3	0,72	4,3	0,59	
				3	4,3	0,29			
KT05	505166,5	7974383	918,316	0	3	0,69	8,6	0,66	
				3	6	0,65			
				6	7,5	0,68			
				7,5	8,6	0,55			
KT06	505071,9	7974413	917,23	0	3	0,89	10,79	0,69	Intersection with soil
				3	6	0,60			
				6	9	0,69			
				9	10,5	0,54			
				10,5	10,79	0,23			
KT07	504993	7974458	912,254	0	3	0,96	18,5	0,73	
				3	6	0,80			
				6	9	0,80			
				9	12	0,69			
				12	15	0,64			
				15	18	0,55			
				18	18,5	0,49			

KT08	504909,8	7974468	911,723	0	3	0,79	18,85	0,69	
				3	6	0,81			
				6	9	0,73			
				9	12	0,71			
				12	15	0,55			
				15	18	0,59			
				18	18,5	0,55			
				20,45	20,8	0,57			
KT09	505179,1	7974417	920,471	0	3	0,72	6	0,69	
				3	6	0,67			
KT10	505211	7974387	918,212	0	3	0,73	10,5	0,68	
				3	6	0,87			
				6	9	0,61			
				9	10,5	0,33			
KT11	505487,4	7974264	926,37	0	1,5	0,58	2,96	0,55	
				1,5	2,96	0,52			
KT12	505396,3	7974296	923,953	0	1,5	0,46	2,96	0,49	
				1,5	2,96	0,51			
KT13	504190,6	7974783	901,431	0	3	0,38	4,5	0,38	
				3	4,5	0,40			
KT14	504252,9	7974863	915,575	0	3	0,35	19,5	0,72	
				3	6	0,48			
				6	9	0,74			
				9	12	0,81			
				12	15	0,94			
				15	18	0,98			
				18	19,5	0,72			
KT15	504314,4	7974938	921,542	0	3	0,28	28,5	0,49	
				3	6	0,29			
				6	9	0,25			
				9	12	0,33			
				12	15	0,40			
				15	18	0,67			
				18	21	0,73			
				21	24	0,66			
				24	27	0,74			
				27	28,5	0,54			
KT16	504381,9	7975013	922,48	0	3	0,25	24	0,39	
				3	6	0,44			
				6	9	0,34			
				9	12	0,32			
				12	15	0,38			
				15	18	0,46			
				18	21	0,44			

				21	24	0,49			
<b>KT17</b>	504443	7975092	923,752	0	3	0,40	25,25	0,40	
				3	6	0,28			
				6	9	0,37			
				9	12	0,41			
				12	15	0,40			
				15	18	0,44			
				18	21	0,46			
				21	24	0,48			
				24	25,25	0,37			
<b>KT18</b>	504508,4	7975166	928,118	0	3	0,36	28,3	0,41	
				3	6	0,36			
				6	9	0,31			
				9	12	0,67			
				12	15	0,56			
				15	18	0,66			
				18	21	0,50			
				21	24	0,44			
				24	27	0,36			
				27	28,3	0,37			
<b>KT19</b>	504571,7	7975246	925,29	0	3	0,43	19,5	0,72	
				3	6	0,73			
				6	9	0,79			
				9	12	0,88			
				12	15	0,87			
				15	18	0,67			
				18	19,5	0,65			
<b>KT20</b>	504633,1	7975317	912,003	0	3	0,38	5,5	0,34	Intersection with soil
				3	4,5	0,36			
				4,5	5,5	0,19			
<b>KT22</b>	504286,2	7974761	906,333	0	3	0,35	5,3	0,64	
				3	4,5	1,10			
				4,5	5,3	0,85			
<b>KT23</b>	504345,9	7974840	919,489	0	3	0,39	18	0,68	
				3	6	0,63			
				6	9	0,67			
				9	12	0,73			
				12	15	0,84			
				15	18	0,81			
<b>KT24</b>	504408	7974917	920,6	0	3	0,35	20,86	0,38	
				3	6	0,28			
				6	9	0,27			
				9	12	0,36			
				12	15	0,42			
				15	18	0,49			



				18	19,5	0,53			
				19,5	20,86	0,53			
<b>KT25</b>	504474,3	7974995	921,537	0	3	0,33	25,45	0,37	
				3	6	0,26			
				6	9	0,28			
				9	12	0,29			
				12	15	0,33			
				15	18	0,46			
				18	21	0,46			
				21	24	0,46			
				24	25,45	0,50			
<b>KT26</b>	504842,3	7975070	925,017	0	3	0,38	25,8	0,45	
				3	6	0,41			
				6	9	0,33			
				9	12	0,40			
				12	15	0,43			
				15	18	0,42			
				18	21	0,57			
				21	24	0,68			
				24	25,5	0,47			
				25,5	25,8	0,42			
<b>KT27</b>	504606,1	7975147	932,279	0	3	0,46	24	0,59	
				3	6	0,34			
				6	9	0,54			
				9	12	0,60			
				12	15	0,63			
				15	18	0,73			
				18	21	0,73			
				21	24	0,69			
<b>KT28</b>	504671,9	7975211	919,479	0	3	0,47	5,5	0,41	
				3	4,5	0,38			
				4,5	5,5	0,29			
<b>KT32</b>	504425,8	7974776	918,079	0	3	0,44	16,3	0,62	
				3	6	0,43			
				6	9	0,65			
				9	12	0,70			
				12	15	0,87			
				15	16,3	0,62			
<b>KT33</b>	504494,4	7974855	920,02	0	3	0,37	22,5	0,49	
				3	6	0,34			
				6	9	0,32			
				9	12	0,42			
				12	15	0,54			
				15	18	0,77			
				18	21	0,64			

				21	22,5	0,52			
<b>KT34</b>	504554,2	7974927	920,155	0	3	0,34	22,4	0,38	
				3	6	0,31			
				6	9	0,27			
				9	12	0,35			
				12	15	0,39			
				15	18	0,46			
				18	21	0,52			
				21	22,4	0,46			
<b>KT35</b>	504619	7975007	922,649	0	3	0,31	19,4	0,47	
				3	6	0,36			
				6	9	0,51			
				9	12	0,48			
				12	15	0,51			
				15	18	0,62			
				18	19,4	0,62			
<b>KT36</b>	504683,3	7975084	930,83	0	3	0,40	14,9	0,67	
				3	6	0,54			
				6	9	0,86			
				9	12	0,82			
				12	13,5	0,74			
				13,5	14,9	0,68			
<b>KT42</b>	504514	7974729	918,362	0	3	0,36	12	0,50	
				3	6	0,44			
				6	9	0,54			
				9	12	0,68			
<b>KT42A</b>	504514,5	7974728	918,302	0	3	0,38	21,75	0,65	
				3	6	0,47			
				6	9	0,59			
				9	12	0,76			
				12	15	0,67			
				15	18	0,74			
				18	21	0,90			
				21	21,75	0,81			
<b>KT43</b>	504576,5	7974805	918,151	0	3	0,44	10,04	0,39	
				3	6	0,35			
				6	9	0,38			
				9	10,04	0,45			
<b>KT44</b>	504641,1	7974885	922,649	0	3	0,44	9,8	0,39	
				3	6	0,37			
				6	9	0,37			
				9	9,8	0,39			
<b>KT45</b>	504710,6	7974959	927,881	0	3	0,34	13,26	0,46	
				3	6	0,44			
				6	9	0,41			

				9	12	0,60			
				12	13,26	0,58			
<b>KT46</b>	504773,3	7975033	926,659	0	3	0,39	6,5	0,41	Intersection with soil
				3	6	0,47			
				6	6,5	0,21			
<b>KT53</b>	504604,4	7974685	917,506	0	3	0,50	18	0,64	
				3	6	0,51			
				6	9	0,68			
				9	12	0,68			
				12	15	0,69			
				15	18	0,81			
<b>KT54</b>	504667,5	7974769	913,715	0	3	0,50	18	0,50	
				3	6	0,37			
				6	9	0,45			
				9	12	0,50			
				12	15	0,59			
				15	18	0,60			
<b>KT55</b>	504734,5	7974840	920,802	0	3	0,35	19,5	0,46	
				3	6	0,42			
				6	9	0,36			
				9	12	0,43			
				12	15	0,46			
				15	18	0,67			
				18	19,5	0,63			
<b>KT56</b>	504798,3	7974916	932,348	0	3	0,43	16,5	0,58	
				3	6	0,48			
				6	9	0,59			
				9	12	0,65			
				12	15	0,72			
				15	16,5	0,65			
<b>KT57</b>	504864	7974993	917,698	0	3	0,38	8	0,50	
				3	6	0,53			
				6	7,5	0,64			
				7,5	8	0,64			
<b>KT64</b>	504674,3	7974614	910,905	0	3	0,48	3,8	0,48	
				3	3,8	0,49			
<b>KT65</b>	504743,7	7974697	919,838	0	3	0,55	22,5	0,73	
				3	6	0,51			
				6	9	0,73			
				9	12	0,86			
				12	15	0,82			
				15	18	0,80			
				18	21	0,85			
				21	22,5	0,80			
<b>KT66</b>	504804,3	7974769	924,595	0	3	0,44	30,9	0,63	

				3	6	0,45				
				6	9	0,46				
				9	12	0,50				
				12	15	0,70				
				15	18	0,86				
				18	21	0,73				
				21	24	0,68				
				24	27	0,77				
				27	30	0,63				
				30	30,9	0,70				
<b>KT67</b>	504872,3	7974845	932,377	0	3	0,40	28,5	0,64		
				3	6	0,41				
				6	9	0,56				
				9	12	0,64				
				12	15	0,78				
				15	18	0,73				
				18	21	0,79				
				21	24	0,75				
				24	27	0,68				
				27	28,5	0,78				
<b>KT68</b>	504934,9	7974922	921,382	0	3	0,50	24,9	0,64		
				3	6	0,74				
				6	9	0,72				
				9	12	0,82				
				12	15	0,62				
				15	18	0,65				
				18	21	0,55				
				21	24	0,51				
				24	24,9	0,62				
<b>KT69</b>	504949,2	7975001	910,857	0	3	0,36	11,3	0,45	Intersection with soil	
				3	6	0,53				
				6	9	0,60				
				9	10,5	0,31				
				10,5	11,3	0,22				
<b>KT77</b>	504826	7974631	926,366	0	3	0,41	29	0,55		
				3	6	0,51				
				6	9	0,65				
				9	12	0,65				
				12	15	0,54				
				15	18	0,60				
				18	21	0,60				
				21	24	0,61				
				24	27	0,53				
				27	28,5	0,40				
				28,5	29	0,41				

<b>KT78</b>	504889	7974706	929,244	0	3	0,36	35,2	0,54	Intersection with soil
				3	6	0,55			
				6	9	0,51			
				9	12	0,52			
				12	15	0,52			
				15	18	0,50			
				18	21	0,63			
				21	24	0,63			
				24	27	0,63			
				27	30	0,71			
				30	33	0,57			
				33	34,5	0,24			
				34,5	35,2	0,25			
				<b>KT79</b>	504953,6	7974783			
3	6	0,54							
6	9	0,56							
9	12	0,65							
12	15	0,57							
15	18	0,61							
18	21	0,52							
21	24	0,56							
24	27	0,56							
27	30	0,55							
30	33	0,61							
33	36	0,52							
36	37,3	0,45							
<b>KT80</b>	505017	7974860	927,634				0	3	0,76
				3	6	0,61			
				6	9	0,59			
				9	12	0,52			
				12	15	0,57			
				15	18	0,63			
				18	21	0,67			
				21	24	0,66			
				24	27	0,69			
				27	30	0,59			
				30	33	0,57			
				<b>KT88</b>	504770,3	7974555	911,125	0	3
3	6	0,49							
6	9	0,22							
<b>KT89</b>	504815,2	7974442	913,616	0	3	0,71	10,5	0,64	
				3	6	0,69			
				6	9	0,60			
<b>KT89A</b>	504818	7974442	913,555	9	10,5	0,46	14,9	0,70	
				0	3	0,75			

				3	6	0,79			
				6	9	0,68			
				9	12	0,70			
				12	13,5	0,56			
				13,5	14,9	0,58			
<b>KT91</b>	504980,3	7974344	895,634	0	3	0,64	13,09	0,56	
				3	6	0,54			
				6	9	0,62			
				9	12	0,49			
				12	13,09	0,43			
<b>KT92</b>	505064,9	7974293	899,723	0	3	0,53	13,5	0,35	Intersection with soil
				3	6	0,36			
				6	9	0,39			
				9	12	0,22			
				12	13,5	0,15			
<b>KT93</b>	505149,2	7974228	902,906	0	3	0,36	6	0,36	
				3	6	0,36			
<b>KT94</b>	505226,1	7974175	900,625	0	3	0,26	22	0,25	
				3	6	0,38			
				6	9	0,17			
				9	12	0,16			
				12	15	0,28			
				15	18	0,26			
				18	21	0,24			
21	22	0,28							
<b>KT95</b>	505294	7974100	901,136	0	3	0,33	14,8	0,30	Intersection with soil
				3	6	0,32			
				6	9	0,27			
				9	12	0,37			
				12	13,5	0,29			
				13,5	14,8	0,11			
<b>KT96</b>	505370,2	7974035	905,141	0	3	0,87	17,65	0,46	Intersection with soil
				3	6	0,47			
				6	9	0,48			
				9	12	0,34			
				12	15	0,32			
				15	16,5	0,26			
				16,5	17,65	0,19			
<b>KT97</b>	504859,3	7974519	913,879	0	3	0,75	16,5	0,71	
				3	6	0,96			
				6	9	0,71			
				9	12	0,61			
				12	15	0,59			
				15	16,5	0,53			
<b>KT97A</b>	504861,7	7974518	913,558	0	3	0,68	21,3	0,51	

				3	6	0,62					
				6	9	0,65					
				9	12	0,46					
				12	15	0,51					
				15	18	0,34					
				18	21	0,35					
				21	21,3	0,38					
<b>KT98</b>	504923,3	7974594	926,929	0	3	0,55	18,9	0,75			
				3	6	0,59					
				6	9	0,78					
				9	12	0,80					
				12	15	0,80					
				15	18	0,91					
				18	18,9	1,04					
<b>KT98A</b>	504893,9	7974561	926,416	0	3	1,11	21,7	0,94			
				3	6	0,99					
				6	9	0,99					
				9	12	0,90					
				12	15	0,88					
				15	18	0,96					
				18	21	0,82					
				21	21,7	0,77					
<b>KT98B</b>	504924,1	7974595	926,707	0	3	0,48	36	0,55	Intersection with soil		
				3	6	0,61					
				6	9	0,72					
				9	12	0,64					
				12	15	0,74					
				15	18	0,85					
				18	21	0,63					
				21	24	0,54					
				24	27	0,51					
				27	30	0,31					
				30	33	0,28					
				33	36	0,25					
<b>KT99</b>	504984,3	7974666	931,457	0	3	1,06	15	1,07			
				3	6	1,09					
				6	9	1,10					
				9	12	1,10					
				12	15	0,99					
<b>KT99A</b>	504987,1	7974671	932,072	0	3	0,83	31,5	0,86			
				3	6	0,89					
				6	9	0,94					
				9	12	0,90					
				12	15	0,77					
				15	18	0,80					

				18	21	0,83			
				21	24	0,85			
				24	27	0,92			
				27	30	0,91			
				30	31,5	0,86			
<b>KT100</b>	505053,5	7974748	931,314	0	3	0,90	17	0,85	
				3	6	0,87			
				6	9	0,95			
				9	12	0,81			
				12	15	0,74			
				15	16,5	0,79			
				16,5	17	0,93			
<b>KT101</b>	505073,1	7974807	932,724	0	3	1,01	24	0,89	
				3	6	1,04			
				6	9	1,08			
				9	12	0,49			
				12	15	0,90			
				15	18	0,90			
				18	21	0,87			
				21	24	0,86			
<b>KT101A</b>	505074,5	7974809	932,544	0	3	0,88	28,5	0,87	
				3	6	0,83			
				6	9	0,90			
				9	12	0,84			
				12	15	0,84			
				15	18	0,87			
				18	21	0,84			
				21	24	0,86			
				24	27	0,94			
				27	28,5	0,82			
<b>KT105</b>	504988,3	7974514	925,97	0	3	1,02	24,4	0,85	
				3	6	1,06			
				6	9	0,96			
				9	12	0,84			
				12	15	0,86			
				15	18	0,70			
				18	21	0,74			
				21	24	0,68			
				24	24,4	0,64			
<b>KT106</b>	505042,6	7974577	927,498	0	3	0,76	23,8	0,68	
				3	6	0,65			
				6	9	0,63			
				9	12	0,72			
				12	15	0,85			
				15	18	0,71			



				18	21	0,57			
				21	22,5	0,55			
				22,5	23,8	0,60			
<b>KT107</b>	505100,8	7974656	930,905	0	3	0,90	17,4	0,86	Intersection with soil
				3	6	1,00			
				6	9	0,96			
				9	12	0,88			
				12	15	0,85			
				15	16,5	0,70			
				16,5	17,4	0,18			
<b>KT108</b>	505156,3	7974717	923,709	0	3	0,83	14,3	0,91	
				3	6	0,76			
				6	9	0,94			
				9	12	1,01			
				12	13,5	1,10			
				13,5	14,3	0,95			
<b>KT108A</b>	505112,8	7974703	934,16	0	3	0,96	23,46	0,87	
				3	6	0,92			
				6	9	0,78			
				9	12	0,75			
				12	15	0,81			
				15	18	0,77			
				18	21	0,94			
				21	22,5	1,06			
				22,5	23,46	1,04			
<b>KT112</b>	505053,3	7974430	917,083	0	3	0,78	18	0,71	
				3	6	0,71			
				6	9	0,52			
				9	12	0,55			
				12	15	0,60			
				15	18	0,39			
<b>KT113</b>	505121,9	7974518	928,589	0	3	0,76	18,31	0,69	
				3	6	0,79			
				6	9	0,67			
				9	12	0,64			
				12	15	0,69			
				15	18	0,63			
				18	18,31	0,37			
<b>KT114</b>	505180,7	7974593	926,42	0	3	0,92	24	0,66	
				3	6	0,82			
				6	9	0,85			
				9	12	0,79			
				12	15	0,58			
				15	18	0,56			
				18	21	0,38			

				21	24	0,38			
KT119	505136,1	7974391	917,253	0	3	0,73	6	0,63	
				3	6	0,52			
KT125	505206,7	7974310	916,357	0	3	0,75	5	0,50	Intersection with soil
				3	4,5	0,13			
				4,5	5	0,14			
KT130	505280,1	7974237	907,448	0	3	0,90	8	0,68	Intersection with soil
				3	6	0,63			
				6	7,5	0,50			
				7,5	8	0,22			
KT136	505330,9	7974174	903,836	0	3	0,68	5,05	0,59	
				3	4,5	0,45			
				4,5	5,05	0,50			
KT143	505417,5	7974068	902,029	0	3	0,64	12,65	0,39	Intersection with soil
				3	6	0,45			
				6	9	0,28			
				9	12	0,26			
				12	12,65	0,12			
KT155	504925	7974277	893,595	0	3	0,76	14	0,69	
				3	6	0,79			
				6	9	0,74			
				9	12	0,58			
				12	13,5	0,54			
				13,5	14	0,57			
KT156	505005,2	7974219	899,035	0	3	0,78	10	0,81	
				3	6	0,80			
				6	9	0,86			
				9	10	0,78			
KT157	505093,6	7974177	901,94	0	3	1,06	17,6	0,78	
				3	6	0,96			
				6	9	0,81			
				9	12	0,61			
				12	15	0,60			
				15	16,5	0,58			
				16,5	17,6	0,68			
KT158A	505159,1	7974097	894,841	0	3	0,63	21,4	0,41	
				3	6	0,37			
				6	9	0,43			
				9	12	0,32			
				12	15	0,31			
				15	18	0,39			
				18	21	0,39			
				21	21,4	0,40			
KT159	505235,1	7974036	899,89	0	3	0,68	19,5	0,40	Intersection with soil
				3	6	0,44			

				6	9	0,40			
				9	12	0,37			
				12	15	0,28			
				15	18	0,26			
				18	19,5	0,27			
KT164	504113,4	7975274	900,191	0	3	0,42	4,5	0,43	
				3	4,5	0,44			
KT165	504111,2	7975162	908,155	0	3	0,43	6	0,38	
				3	6	0,34			
KT166	504106,5	7974857	899,81	0	3	0,50	12	0,51	
				3	6	0,45			
				6	9	0,57			
				9	12	0,54			
KT167	504168,2	7975249	907,821	0	3	0,45	8,72	0,41	
				3	6	0,37			
				6	7,5	0,50			
				7,5	8,72	0,34			
KT168	504223,8	7975325	905	0	3	0,29	3	0,29	
KT169	504300,1	7975392	911,428	0	3	0,40	9	0,38	
				3	6	0,38			
				6	9	0,34			
KT170	504035,1	7975223	897,495	0	1,5	0,41	2,96	0,38	
				1,5	2,96	0,35			
KT200	504125,4	7975021	915,191	0	1,5	0,40	4,24	0,46	
				1,5	2,96	0,47			
				3	4,28	0,51			
KT201	504186,8	7975103	921,491	0	3	0,58	16,5	0,65	
				3	6	0,61			
				6	9	0,77			
				9	12	0,65			
				12	15	0,63			
				15	16,5	0,67			
KT202	504247,9	7975178	923,411	0	3	0,46	18,8	0,49	
				3	6	0,41			
				6	9	0,61			
				9	12	0,62			
				12	15	0,25			
				15	18	0,57			
				18	18,8	0,54			
KT203	504304,5	7975259	923,763	0	3	0,46	20,9	0,51	
				3	6	0,42			
				6	9	0,28			
				9	12	0,64			
				12	15	0,51			

				15	18	0,61				
				18	19,5	0,65				
				19,5	20,9	0,68				
<b>KT204</b>	504374	7975339	922,453	0	3	0,40	13,5	0,51		
				3	6	0,38				
				6	9	0,58				
				9	12	0,65				
				12	13,5	0,52				
<b>KT205</b>	504428	7975411	913,718	0	3	0,48	9	0,54		
				3	6	0,54				
				6	9	0,59				
<b>KT206</b>	504174,3	7974920	913,935	0	3	0,51	24,48	0,78		
				3	6	0,56				
				6	9	0,81				
				9	12	0,89				
				12	15	0,94				
				15	18	0,97				
				18	21	0,83				
				21	24	0,71				
				24	24,48	1,03				
<b>KT207</b>	504229,3	7975001	922,512	0	3	0,36	27,7	0,54		
				3	6	0,39				
				6	9	0,32				
				9	12	0,41				
				12	15	0,49				
				15	18	0,57				
				18	21	0,66				
				21	24	0,85				
				24	27	0,75				
				27	27,7	0,70				
<b>KT208</b>	504291,3	7975078	924,302	0	3	0,39	20,34	0,39		
				3	6	0,36				
				6	9	0,32				
				9	12	0,36				
				12	15	0,40				
				15	18	0,43				
				18	19,5	0,45				
				19,5	20,34	0,49				
<b>KT209</b>	504357,1	7975155	924,927	0	3	0,40	25,3	0,45		
				3	6	0,37				
				6	9	0,47				
				9	12	0,47				
				12	15	0,46				
				15	18	0,48				
				18	21	0,50				

				21	24	0,47			
				24	25,3	0,40			
<b>KT210</b>	504422,3	7975233	927,105	0	3	0,38	28,5	0,50	
				3	6	0,43			
				6	9	0,57			
				9	12	0,51			
				12	15	0,56			
				15	18	0,54			
				18	21	0,55			
				21	24	0,51			
				24	27	0,46			
				27	28,5	0,51			
<b>KT211</b>	504484	7975307	930,019	0	3	0,38	28,5	0,56	
				3	6	0,50			
				6	9	0,50			
				9	12	0,53			
				12	15	0,57			
				15	18	0,61			
				18	21	0,61			
				21	24	0,58			
				24	27	0,65			
27	28,5	0,75							
<b>KT212</b>	504546,3	7975376	911,037	0	3	0,55	6	0,57	
				3	6	0,60			
<b>KT213</b>	504904,6	7974211	894,396	0	3	0,85	15,6	0,72	
				3	6	0,82			
				6	9	0,69			
				9	12	0,63			
				12	15	0,65			
				15	15,6	0,68			
<b>KT214</b>	505027,2	7974050	881,615	0	3	0,22	8,7	0,21	
				3	6	0,20			
				6	7,5	0,18			
				7,5	8,7	0,20			
<b>KT215</b>	505079,7	7974015	884,007	0	3	0,42	15	0,31	Intersection with soil
				3	6	0,28			
				6	9	0,29			
				9	12	0,36			
				12	15	0,23			
<b>KT216</b>	505162	7973954	887,552	0	3	0,49	6	0,53	
				3	6	0,58			